

## Basfoliar® 36 Extra SL

Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Basfoliar® 36 Extra SL

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fertilizer

#### 1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH  
Krögerweg 10  
D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person responsible for the SDS : info@compo-expert.com

#### 1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h  
Telephone: +49 (0) 6132 - 84463

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Supplemental Hazard Statements : EUH210 Safety data sheet available on request.

Further information : German "Hazardous Substances" legislation ( Gefahrstoffverordnung) appendix I, No. 5 (Ammonium Nitrate group D II)

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® 36 Extra SL



Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

### 2.3 Other hazards

According to our experience and to the information provided to us, the product does not have any harmful effects if it is used and handled as specified.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Liquid mixture of organic and inorganic salts of fertilizers.

#### Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2  229-347-8  01-2119490981-27-XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 10 - <= 45
disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-)	14025-15-1  237-864-5  01-2119963944-23-0002	Acute Tox. 4; H302 Eye Irrit. 2; H319	>= 1 - <= 3

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.  
If unconscious place in recovery position and seek medical advice.  
In case of lung irritation, first treatment with dexametason aerosol (spray).
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® 36 Extra SL



Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

---

If swallowed : Clean mouth with water and drink afterwards plenty of water.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water

Unsuitable extinguishing media : Foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)  
Sand

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Thermal decomposition can lead to release of irritating gases and vapours.  
Nitrogen oxides (NO<sub>x</sub>)  
ammonia

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : No special precautions required.

### 6.2 Environmental precautions

Environmental precautions : Do not empty into drains.  
Retain and dispose of contaminated wash water.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

---

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



## Basfoliar® 36 Extra SL

Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

acid binder, universal binder, sawdust).

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Keep away from direct sunlight.  
Keep away from heat.  
Do not allow to dry.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.

Hygiene measures : Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep away from heat. Keep away from sources of ignition - No smoking. Protect from contamination.

Advice on common storage : Not relevant

Storage class (TRGS 510) : 12, Non Combustible Liquids

Recommended storage temperature : 5 - 35 °C

### 7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic	2,56 mg/kg

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® 36 Extra SL



Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

			effects	bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m <sup>3</sup>
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonium nitrate	Sewage treatment plant	18 mg/l

## 8.2 Exposure controls

### Personal protective equipment

Eye protection : Avoid contact with eyes.  
Tightly fitting safety goggles

### Hand protection

Remarks : For prolonged or repeated contact use protective gloves.  
The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Recommended preventive skin protection

Skin and body protection : not required

Respiratory protection : Not relevant

### Environmental exposure controls

General advice : Do not empty into drains.  
Retain and dispose of contaminated wash water.

## SECTION 9: Physical and chemical properties

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® 36 Extra SL



Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

---

### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: various
Odour	: odourless
Odour Threshold	: No data available
pH	: ca. 5,7, (20 °C)
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable, The product is not flammable.
Evaporation rate	: No data available
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: ca. 1,345 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Stable at normal ambient temperature and pressure. Do not allow evaporation to dryness.
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



## Basfoliar® 36 Extra SL

Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

---

Oxidizing properties : Not applicable

### 9.2 Other information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Contact with strong bases liberates ammonia.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or alkaline reacting substances, flammable oxidizable substances, nitrites, metallic salts, metallic powder, herbicide, chlorinated hydrocarbons, organic compounds.

### 10.6 Hazardous decomposition products

Hazardous decomposition products : Nitrogen oxides (NOx)  
ammonia

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

##### Components:

##### **ammonium nitrate:**

Acute oral toxicity : LD50 (Rat): > 2.950 mg/kg  
Method: OECD Test Guideline 401

---

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® 36 Extra SL



Version: 2.8

Date of last issue: 23.12.2022

Date of first issue: 24.03.2016

Revision Date:

06.04.2023

Acute inhalation toxicity : > 88,8 mg/l  
Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

**disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**  
Acute oral toxicity : LD50 (Rat): 890 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5,32 mg/l  
Exposure time: 4 h  
Method: OECD Test Guideline 436

### Skin corrosion/irritation

#### **Product:**

Remarks: May irritate skin.

#### **Components:**

##### **ammonium nitrate:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: non-irritant

**disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Remarks: slight irritation

According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

### Serious eye damage/eye irritation

#### **Product:**

Remarks: May irritate eyes.

#### **Components:**

##### **ammonium nitrate:**

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritant

**disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Method: OECD Test Guideline 405

Result: Eye irritation

### Respiratory or skin sensitisation

#### **Product:**



# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® 36 Extra SL



Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

---

Result: non-sensitizing

### **Components:**

#### **ammonium nitrate:**

Result: Does not cause skin sensitisation.

#### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Method: OECD Test Guideline 429

Result: non-sensitizing

### **germ cell mutagenicity**

#### **Product:**

Genotoxicity in vitro : Remarks: Contains no hazardous ingredients according to GHS

### **Components:**

#### **ammonium nitrate:**

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

#### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: Mutagenicity tests revealed no genotoxic potential.

### **Carcinogenicity**

#### **Product:**

Remarks: Contains no ingredient listed as a carcinogen

### **Components:**

#### **ammonium nitrate:**

Species: Rat

Remarks: Animal testing did not show any carcinogenic effects.

#### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Remarks: Animal testing did not show any carcinogenic effects.

### **Reproductive toxicity**

#### **Product:**

Effects on fertility :  
Remarks: No toxicity to reproduction

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® 36 Extra SL



Version: 2.8

Date of last issue: 23.12.2022

Date of first issue: 24.03.2016

Revision Date:

06.04.2023

---

Effects on foetal development : Remarks: Contains no ingredient listed as toxic to reproduction

### Components:

#### **ammonium nitrate:**

Effects on fertility : Species: Rat

Remarks: Animal testing did not show any effects on fertility.

Effects on foetal development : Species: Rat  
Remarks: Did not show teratogenic effects in animal experiments.

#### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Effects on fertility :  
Remarks: No toxicity to reproduction

Effects on foetal development : Remarks: Did not show teratogenic effects in animal experiments.

### **STOT - single exposure**

#### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Components:

#### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT - repeated exposure**

#### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Components:

#### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

#### Components:

#### **ammonium nitrate:**

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



## Basfoliar® 36 Extra SL

Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

---

Species: Rat  
NOAEL: > 1.500 mg/kg  
Application Route: Oral  
Exposure time: 28 d

Species: Rat  
NOAEL: = 256 mg/kg  
Application Route: Oral  
Exposure time: 52 w  
Method: OECD Test Guideline 453

Species: Rat  
NOAEL: >= 185 mg/kg  
Application Route: by inhalation  
Exposure time: 2 w  
Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

### Endocrine disrupting properties

No data available

### Experience with human exposure

#### Product:

General Information : Danger of methaemoglobin formation.

### Further information

#### Product:

Remarks: Information given is based on data obtained from similar substances.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 422 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 555 mg/l  
Exposure time: 48 h  
Test Type: static test

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® 36 Extra SL



Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

- 
- Toxicity to algae : No observed effect concentration (Desmodesmus subspicatus (green algae)): 83 mg/l  
Exposure time: 168 h  
Test Type: other  
Method: No data available
- Toxicity to bacteria : EC20 (activated sludge): ca. 850 mg/l  
Exposure time: 0,5 h  
Test Type: other  
Method: No data available  
Remarks: Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

### Components:

#### **ammonium nitrate:**

- Toxicity to fish : LC50 (Fish): > 100 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 490 mg/l  
Exposure time: 48 h  
  
LC50 : 490 mg/l
- Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l  
Exposure time: 10 d

#### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

- Toxicity to fish : LC50 (Fish): 555 mg/l  
Exposure time: 96 h

## 12.2 Persistence and degradability

### Product:

- Biodegradability : Remarks: The product works in the soil as fertilizer and is diminished in a few weeks.

### Components:

#### **ammonium nitrate:**

- Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

#### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

- Biodegradability : Remarks: Not readily biodegradable.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



## Basfoliar® 36 Extra SL

Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

**Components:**

**ammonium nitrate:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -3,1

**disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### 12.4 Mobility in soil

**Product:**

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : Remarks: No data available

**Components:**

**disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

**Product:**

Additional ecological information : Do not flush into surface water or sanitary sewer system. Information given is based on data on the components and the ecotoxicology of similar products.

## Basfoliar® 36 Extra SL

Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : Check if agriculture use is possible.  
Contact manufacturer.
- Contaminated packaging : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). Boric acid

Water contaminating class (Germany) : WGK 1 slightly water endangering

Other regulations : TRGS 511 'Ammonium nitrate'

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



## Basfoliar® 36 Extra SL

Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

This product is subject to Regulation (EU) 2019/1148; suspicious transactions, disappearance or theft of the product must be reported to the relevant authority.

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

### SECTION 16: Other information

#### Full text of H-Statements

H272 : May intensify fire; oxidizer.  
H302 : Harmful if swallowed.  
H319 : Causes serious eye irritation.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Eye Irrit. : Eye irritation  
Ox. Sol. : Oxidizing solids

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® 36 Extra SL



Version: 2.8  
Date of last issue: 23.12.2022  
Date of first issue: 24.03.2016

Revision Date:  
06.04.2023

---

Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN