

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



## Basfoliar® Inicial SP 26-10-10

Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Basfoliar® Inicial SP 26-10-10  
UFI : MGJ5-00EX-500H-S228

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fertilizer

#### 1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH  
Krögerweg 10  
D-48155 Münster  
Telephone : +49 (0) 251 29 79 81 – 000  
Telefax : +49 (0) 251 29 79 81 - 111  
E-mail address of person responsible for the SDS : info@compo-expert.com

#### 1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h  
Telephone: +49 (0) 6132 - 84463

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2	H319: Causes serious eye irritation.
Reproductive toxicity, Category 1B	H360FD: May damage fertility. May damage the unborn child.
Chronic aquatic toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H360FD May damage fertility. May damage the unborn child. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. <b>Response:</b> P308 + P313 IF exposed or concerned: Get medical advice/ attention. <b>Storage:</b> P405 Store locked up. <b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Other hazards

None known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mixture of nutrient salts based on various inorganic salts. trace elements as Metal chelate

#### Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
 Date of last issue: 23.12.2022  
 Date of first issue: 14.06.2016

Revision Date:  
 06.04.2023

potassium nitrate	7757-79-1 231-818-8 01-2119488224-35-XXXX	Ox. Sol. 3; H272	>= 10 - <= 25
Boric acid	11113-50-1 234-343-4 01-2119486683-25-XXXX	Repr. 1B; H360FD	<= 0,5
zinc sulphate	7733-02-0 231-793-3 01-2119474684-27-XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - <= 2,2
manganese sulphate (1:1)	7785-87-7 232-089-9 01-2119456624-35-XXXX	STOT RE 2; H373 Aquatic Chronic 2; H411 Eye Dam. 1; H318	>= 1 - <= 2,85
disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-)	14025-15-1 237-864-5 01-2119963944-23-0002	Acute Tox. 4; H302 Eye Irrit. 2; H319	<= 0,5

For explanation of abbreviations see section 16.

Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Take off immediately all contaminated clothing.
- If inhaled : Keep patient calm, remove to fresh air, seek medical attention.  
If unconscious place in recovery position and seek medical advice.
- In case of skin contact : Wash thoroughly with soap and water.
- In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Water  
Water spray

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : In the event of fire and/or explosion do not breathe fumes.

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

---

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with eyes.

### 6.2 Environmental precautions

Environmental precautions : Do not empty into drains.  
Retain and dispose of contaminated wash water.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

### 6.4 Reference to other sections

none

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : No special measures necessary if stored and handled as prescribed.

Advice on protection against fire and explosion : No special precautions required.

Hygiene measures : At the end of the shift the skin should be cleaned and skin-care agents applied.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep away from heat. Keep away from sources of ignition - No smoking. Keep away from direct sunlight. Keep away from combustible material. Protect from contamination. Protect against humidity (product is hygroscopic and tends to cake or disintegrate)

Storage class (TRGS 510) : 11, Combustible Solids

### 7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Boric acid	11113-50-1	TWA	2,6 mg/m <sup>3</sup>	DE TRGS

---

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
 Date of last issue: 23.12.2022  
 Date of first issue: 14.06.2016

Revision Date:  
 06.04.2023

				900
		STEL	5,2 mg/m <sup>3</sup>	DE TRGS 900
			0,5 mg/m <sup>3</sup>	
manganese sulphate (1:1)	manganese sulphate	(Inhalable fraction)	0,5 mg/m <sup>3</sup>	DE TRGS 900
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		AGW (Inhalable fraction)	0,5 mg/m <sup>3</sup> (Manganese)	DE TRGS 900
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
			0,5 mg/m <sup>3</sup>	
none				
Mangansulfat	7785-87-7, 7785-87-7	manganese: 20 µg/l (Blood)	Immediately after exposition or after working hours, In case of long-term exposition: after more than one shift	TRGS 903

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
potassium nitrate	Workers	Inhalation	Systemic effects	36,7 mg/m <sup>3</sup>
	Workers	Skin contact	Systemic effects	20,8 mg/kg
Remarks:	Exposure time: 1 d			
	Consumers	Ingestion	Systemic effects	12,5 mg/kg
Remarks:	Exposure time: 1 d			
	Consumers	Skin contact	Systemic effects	12,5 mg/kg
Remarks:	Exposure time: 1 d			
	Consumers	Inhalation	Systemic effects	10,9 mg/m <sup>3</sup>

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

Boric acid	Workers	Inhalation	Long-term exposure, Systemic effects	8,28 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term exposure, Systemic effects	392 mg/kg
	Consumers	Ingestion	Short-term exposure, Systemic effects	0,98 mg/kg
	Consumers	Ingestion	Long-term exposure, Systemic effects	0,98 mg/kg
	Consumers	Inhalation	Long-term exposure, Systemic effects	4,15 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term exposure, Systemic effects	196 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
potassium nitrate	Fresh water	0,45 mg/l
	Marine water	0,045 mg/l
	Ceiling Limit Value	4,5 mg/l
	Sewage treatment plant	18 mg/l

## 8.2 Exposure controls

### Personal protective equipment

#### Hand protection

Remarks : Protective gloves The selection of suitable depends upon the material, and also upon the quality of the gloves. The degree of protection will vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Respiratory protection : Particle filtering disposable mask DIN EN 149 with filter FFP2.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

### Environmental exposure controls

General advice : Do not empty into drains.  
Retain and dispose of contaminated wash water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : granular

Colour : light grey

Odour : slight, stinging

Odour Threshold : No data available

pH : ca. 5, Concentration: 100 g/l (20 °C)

Melting point/range : 155 °C

Boiling point/boiling range : Not applicable

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : not readily ignited

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Bulk density : ca. 1.100 kg/m<sup>3</sup>

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : No data available



# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

---

Auto-ignition temperature	:	No data available
Decomposition temperature	:	ca. 155 °C To avoid thermal decomposition, do not overheat.
Viscosity		
Viscosity, dynamic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	Not considered an oxidizing substance
<b>Particle characteristics</b>		
Particle Size Distribution	:	D50 = 580 µm D50 Tolerance range = 464 µm - 696 µm Measurement technique: Sieve analysis

### 9.2 Other information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous decomposition products formed under fire conditions.

### 10.4 Conditions to avoid

Conditions to avoid : To avoid thermal decomposition, do not overheat.

### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products : Nitrose gases

---

## SECTION 11: Toxicological information

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

##### Components:

###### **potassium nitrate:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,527 mg/l

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

###### **Boric acid:**

Acute oral toxicity : LD50 (Mouse): 3.450 mg/kg

LD50 (Rat): 2.660 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2 mg/l

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

###### **zinc sulphate:**

Acute oral toxicity : LD50 (Rat): 862 - 4.429 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

###### **manganese sulphate (1:1):**

Acute oral toxicity : LD50 (Rat): 2.150 mg/kg

###### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Acute oral toxicity : LD50 (Rat): 890 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5,32 mg/l  
Exposure time: 4 h  
Method: OECD Test Guideline 436

#### Skin corrosion/irritation

##### Product:

Remarks: May irritate skin.

##### Components:

###### **potassium nitrate:**

Species: Rabbit

Result: No skin irritation

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

### **Boric acid:**

Species: Rabbit  
Result: No skin irritation

### **zinc sulphate:**

Species: Rabbit  
Assessment: Irritating to skin.

### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Remarks: slight irritation  
According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks: May irritate eyes.

#### **Components:**

##### **potassium nitrate:**

Species: Rabbit  
Result: No eye irritation

##### **Boric acid:**

Species: Rabbit  
Method: OECD Test Guideline 405  
Result: No eye irritation

##### **zinc sulphate:**

Species: Rabbit  
Result: Risk of serious damage to eyes.

##### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Method: OECD Test Guideline 405  
Result: Eye irritation

### **Respiratory or skin sensitisation**

#### **Product:**

Result: non-sensitizing

#### **Components:**

##### **potassium nitrate:**

Result: non-sensitizing

##### **Boric acid:**

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10

Date of last issue: 23.12.2022

Date of first issue: 14.06.2016

Revision Date:

06.04.2023

Method: OECD Test Guideline 406

Result: non-sensitizing

**disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Method: OECD Test Guideline 429

Result: non-sensitizing

### germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: Contains no hazardous ingredients according to GHS

#### Components:

##### **potassium nitrate:**

Genotoxicity in vitro : Remarks: No data available

##### **Boric acid:**

Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay  
Result: Mutagenicity tests revealed no genotoxic potential.  
Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity-Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

#### Product:

Remarks: Contains no ingredient listed as a carcinogen

#### Components:

##### **potassium nitrate:**

Remarks: Did not show carcinogenic effects in animal experiments.

##### **Boric acid:**

Species: Rat  
Application Route: Oral  
Method: OECD Test Guideline 451  
Remarks: Animal testing did not show any carcinogenic effects.

**disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10

Date of last issue: 23.12.2022

Date of first issue: 14.06.2016

Revision Date:

06.04.2023

---

Remarks: Animal testing did not show any carcinogenic effects.

### Reproductive toxicity

#### Product:

Effects on fertility :  
Remarks: No toxicity to reproduction

Effects on foetal development :  
Remarks: Contains no ingredient listed as toxic to reproduction

#### Components:

##### **potassium nitrate:**

Effects on fertility :  
Remarks: No toxicity to reproduction

Effects on foetal development :  
Remarks: Did not show teratogenic effects in animal experiments.

##### **Boric acid:**

Effects on foetal development :  
Remarks: Animal ingestion studies in several species, at high doses, indicate that borates cause reproductive and developmental effects.

Reproductive toxicity - Assessment :  
May damage fertility. May damage the unborn child.

##### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Effects on fertility :  
Remarks: No toxicity to reproduction

Effects on foetal development :  
Remarks: Did not show teratogenic effects in animal experiments.

### STOT - single exposure

#### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Components:

##### **potassium nitrate:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

exposure.

### STOT - repeated exposure

#### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Components:

##### **potassium nitrate:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **potassium nitrate:**

Species: Rat

NOAEL:  $\geq$  1.500 mg/kg

Exposure time: 1 d

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

### Endocrine disrupting properties

No data available

### Further information

#### Product:

Remarks: The product was not tested. The statement was derived from products of similar structure and composition.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **potassium nitrate:**

Toxicity to fish : LC50 (Fish): > 100 mg/l  
Exposure time: 96 h

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10

Date of last issue: 23.12.2022

Date of first issue: 14.06.2016

Revision Date:

06.04.2023

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 490 mg/l  
Exposure time: 48 h

Toxicity to algae : LC50 :  $\geq$  1.700 mg/l  
Exposure time: 10 d

### **zinc sulphate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,43 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,86 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Scenedesmus quadricauda (Green algae)): 0,52 mg/l  
Exposure time: 120 h

Toxicity to bacteria : EC50 (Bacteria): 22,75 mg/l  
Exposure time: 0,5 h

### **manganese sulphate (1:1):**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 30 mg/l

### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Toxicity to fish : LC50 (Fish): 555 mg/l  
Exposure time: 96 h

## 12.2 Persistence and degradability

### **Components:**

#### **potassium nitrate:**

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

#### **Boric acid:**

Biodegradability : Remarks: Not applicable

#### **disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Biodegradability : Remarks: Not readily biodegradable.

## 12.3 Bioaccumulative potential

### **Components:**

#### **potassium nitrate:**

Bioaccumulation : Remarks: Does not bioaccumulate.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

---

**disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**  
Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### 12.4 Mobility in soil

**Product:**

Mobility : Remarks: No data available

**Components:**

**potassium nitrate:**

Mobility : Remarks: No data available

**Boric acid:**

Mobility : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : Remarks: No data available

**Components:**

**potassium nitrate:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

**Boric acid:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..  
Remarks: Not applicable

**disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

**Product:**

Additional ecological information : water endangering  
Do not flush into surface water or sanitary sewer system.



## Basfoliar® Inicial SP 26-10-10

Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : Check if agriculture use is possible.  
Contact manufacturer.
- Contaminated packaging : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not relevant

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : contains Boric acid

Water contaminating class (Germany) : WGK 2 water endangering

Other regulations : This product is subject to Regulation (EU) 2019/1148; suspicious transactions, disappearance or theft of the product

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10

Date of last issue: 23.12.2022

Date of first issue: 14.06.2016

Revision Date:

06.04.2023

---

must be reported to the relevant authority.

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this product.

---

### SECTION 16: Other information

#### Full text of H-Statements

H272	: May intensify fire; oxidizer.
H302	: Harmful if swallowed.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H360FD	: May damage fertility. May damage the unborn child.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Ox. Sol.	: Oxidizing solids
Repr.	: Reproductive toxicity
STOT RE	: Specific target organ toxicity - repeated exposure

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Inicial SP 26-10-10



Version: 3.10  
Date of last issue: 23.12.2022  
Date of first issue: 14.06.2016

Revision Date:  
06.04.2023

---

Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN