

Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade name	:	Basacote® Starter 6M 16-25-6

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fertilizer Substance/Mixture

## 1.3 Details of the supplier of the safety data sheet

Company	: COMPO EXPERT GmbH Krögerweg 10 D-48155 Münster
Telephone	: +49 (0) 251 29 79 81 - 000
Telefax	: +49 (0) 251 29 79 81 - 111
E-mail address of person responsible for the SDS	: info@compo-expert.com

## 1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h Telephone: +49 (0) 6132 - 84463

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3

H412: Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)					
Hazard statements	: H412	Harmful to aquatic life with long lasting effects.			
Precautionary statements	: <b>Disposal:</b> P501	Dispose of contents/ container to an approved waste disposal plant.			



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

Further information	: German "Hazardous Substances" legislation ( Gefahrstoffverordnung) appendix I, No. 5 (Ammonium Nitrate group C III)

#### 2.3 Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Chemical nature

: Fertilizer NPK - fertilizer containing: Ammonium Nitrate, ammonium salts, phosphates, potassium sulphate, magnesium sulphate, salts of calcium, potassium and possibly magnesium and

trace elements.

## Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27- XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 10 - < 45
copper sulphate	7758-98-7 231-847-6 01-2119520566-40- XXXX	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Acute Tox. 4; H302	>= 0,1 - <= 0,3
Borates, tetra sodium salts, pentahydrate	12179-04-3 215-540-4 01-2119490790-32- XXXX	Repr. 1B; H360FD Eye Irrit. 2; H319	>= 0,05 - <= 0,15

For explanation of abbreviations see section 16.



Revision Date:

06.04.2023

Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016

# SECTION 4: First aid measures

4.1 Description of	first aid measures	5
If inhaled	:	Move to fresh air. Obtain medical attention. If unconscious place in recovery position and seek medical advice. In case of lung irritation, first treatment with dexametason aerosol (spray).
In case of skin	contact :	Wash off with soap and water.
In case of eye	contact :	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water.
4.2 Most importan	t symptoms and e	ffects, both acute and delayed
Symptoms	:	Ingestion may provoke the following symptoms: Methaemoglobinemia
Risks	:	Later control for pneumonia and lung oedema.
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment	:	Treat symptomatically. There is no specific antidote available.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media	
Suitable extinguishing media	: Water
Unsuitable extinguishing media	: Foam Dry chemical Carbon dioxide (CO2) Sand

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during	: Thermal decomposition can lead to release of irritating gases
firefighting	and vapours.
	Nitrogen oxides (NOx)
	ammonia



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

## 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Keep away from children.
----------------------	----------------------------

## 6.2 Environmental precautions

Environmental precautions	:	Do not empty into drains.
		Retain and dispose of contaminated wash water.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Use mechanical handling equipment.
-------------------------	--------------------------------------

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	<ul> <li>Keep away from direct sunlight.</li> <li>Keep away from heat.</li> <li>Protect from contamination.</li> <li>Protect from moisture.</li> </ul>
Advice on protection against fire and explosion	: The product is not flammable. Keep away from heat and sources of ignition. Keep away from combustible materials.
Hygiene measures	: Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	ncluding any incompatibilities
Requirements for storage areas and containers	: Keep away from heat. Keep away from sources of ignition - No smoking. Keep away from combustible material. Protect from contamination. When stored loose do not mix with other fertilizers. Protect from moisture.
Advice on common storage	<ul> <li>Keep away from strong acids.</li> <li>Keep away from strong bases.</li> <li>Keep away from combustible materials.</li> </ul>
Storage class (TRGS 510)	: 5.1C, Ammonium nitrate and ammonium nitrate containing
	4 / 17



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

#### preparations

Dampness

: Keep in a dry place.

## 7.3 Specific end use(s)

Specific use(s)

: Consult the technical guidelines for the use of this substance/mixture.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
copper sulphate	7758-98-7		1 mg/m3 (as Copper (Cu))	MAK (DE)
Borates, tetra sodium salts, pentahydrate	12179-04-3		3 mg/m3	DE TRGS 900
Peak-limit: excursion factor (category)	8;(II)			
Further information	element conte	ent of the correspond	inces, The threshold value is ling metal., When there is co values, there is no risk of har	mpliance with
		AGW	0,5 mg/m3 (Borate)	DE TRGS 900
Peak-limit: excursion factor (category)	2;(l)			
Further information	Commission for dangerous substances, The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
			1 mg/m3	ACGIHTLV
		TWA	1 mg/m3	GB EH40

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic	5,12 mg/kg



Revision Date:

06.04.2023

Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016

			effects	bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
Borates, tetra sodium salts, pentahydrate	Workers	Inhalation	Long-term exposure	6,7 mg/m3
	Consumers	Inhalation	Long-term exposure	3,4 mg/m3
	Workers	Skin contact	Long-term exposure	316,4 mg/kg bw/day
	Consumers	Skin contact	Long-term exposure	159,5 mg/kg bw/day
	Consumers	Ingestion	Long-term exposure, Short-term exposure	0,79 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value	
ammonium nitrate	Sewage treatment plant 18 mg/l	
Borates, tetra sodium salts, pentahydrate	Fresh water	2,9 mg/l
	Marine water	2,9 mg/l
	Soil	5,7 mg/kg
	Intermittent use/release	13,7 mg/l
	Sewage treatment plant	10 mg/l

## 8.2 Exposure controls

## Personal protective equipment

Eye protection

: In case of dust formation:

Safety glasses



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

Hand protection Material	: Gloves
Skin and body protection	: No special protective equipment required.
Respiratory protection	<ul> <li>respiratory protection only if aerosol or dust is formed.</li> <li>Respirator with a particle filter (EN 143)</li> <li>P1 filter</li> </ul>

## Environmental exposure controls

General advice: Do not empty into drains.Retain and dispose of contaminated wash water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	: solid
Colour	: various
Odour	: odourless
Odour Threshold	: No data available
рН	: ca. 5, Concentration: 100 g/l (20 °C)
Melting point/range	: No data available
Boiling point/boiling range	: Not applicable
Flash point	: Not relevant
Evaporation rate	: Not applicable
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: Not explosive



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

Lower explosion limit	: Not explosive
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: Not applicable
Bulk density	: ca. 1.150 kg/m³
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Decomposition temperature	: > 130 °C To avoid thermal decomposition, do not overheat.
Viscosity Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance
Particle characteristics Particle Size Distribution	<ul> <li>D50 = 3,0 mm</li> <li>D50 Tolerance range = 2,6 mm - 3,4 mm</li> <li>Measurement technique: Optoelectronic measurement method</li> </ul>

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Stable under recommended storage conditions.

## 10.2 Chemical stability

No decomposition if stored and applied as directed. Decomposes on heating.



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

10.3 Possibility of hazardous reacti	ons
Hazardous reactions	: Evolution of ammonia under influence of alkalies.
10.4 Conditions to avoid	
Conditions to avoid	: Keep away from heat and sources of ignition.
10.5 Incompatible materials	
Materials to avoid	: Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or alkaline reacting substances, flammable oxidizable substances, nitrites, metallic salts, metallic powder, herbicide, chlorinated hydrocarbons, organic compounds.

## **10.6 Hazardous decomposition products**

Hazardous decomposition	:	Nitrogen oxides (NOx)
products		ammonia

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Product:	
Acute oral toxicity	: Remarks: This information is not available. Health injuries are not known or expected under normal use.
Components:	
ammonium nitrate:	
Acute oral toxicity	: LD50 (Rat): > 2.950 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: > 88,8 mg/l Method: No information available.
Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402
ooppor culphoto	
copper sulphate: Acute oral toxicity	: LD50 Oral (Rat): 300 mg/kg
Borates, tetra sodium salts, Acute oral toxicity	, <b>pentahydrate:</b> : LD50 (Rat): 3.200 - 3.400 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2,0 mg/l Method: OECD Test Guideline 403



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

## Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

## Skin corrosion/irritation

## Product:

Result: non-irritant Remarks: The product has not been tested. The information is derived from the properties of the individual components.

## **Components:**

ammonium nitrate: Species: Rabbit Method: OECD Test Guideline 404 Result: non-irritant

## copper sulphate:

Assessment: Irritant

## Borates, tetra sodium salts, pentahydrate:

Species: Rabbit Result: No skin irritation

#### Serious eye damage/eye irritation

## Product:

Species: Rabbit Method: OECD Test Guideline 405 Result: non-irritant

#### **Components:**

ammonium nitrate: Species: Rabbit Method: OECD Test Guideline 405 Result: Irritant

#### **copper sulphate:** Assessment: Irritant

Borates, tetra sodium salts, pentahydrate:

Species: Rabbit Assessment: Irritant Result: Moderate eye irritation

## Respiratory or skin sensitisation

## Product:

Result: non-sensitizing



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

Remarks: The product has not been tested. The information is derived from the properties of the individual components.

#### **Components:**

ammonium nitrate: Result: Does not cause skin sensitisation.

### Borates, tetra sodium salts, pentahydrate:

Test Type: Buehler Test Species: Guinea pig Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

#### germ cell mutagenicity

Product:

Genotoxicity in vitro	:	Remarks: No data available
-----------------------	---	----------------------------

#### Components:

ammonium nitrate: Genotoxicity in vitro

: Method: OECD Test Guideline 471 Result: negative

#### Borates, tetra sodium salts, pentahydrate:

Germ cell mutagenicity- : In vitro tests showed mutagenic effects Assessment

#### Carcinogenicity

#### Product:

Remarks: Contains no ingredient listed as a carcinogen

#### **Components:**

ammonium nitrate: Species: Rat Remarks: Animal testing did not show any carcinogenic effects.

:

### Borates, tetra sodium salts, pentahydrate:

Carcinogenicity - : Carcinogenicity classification not possible from current data. Assessment

### **Reproductive toxicity**

Product: Effects on fertility



**Revision Date:** 

06.04.2023

Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016

> Remarks: No toxicity to reproduction Effects on foetal Remarks: Did not show teratogenic effects in animal • development experiments. Information given is based on data obtained from similar substances. **Components:** ammonium nitrate: Effects on fertility : Species: Rat Remarks: Animal testing did not show any effects on fertility. Effects on foetal : Species: Rat development Remarks: Did not show teratogenic effects in animal experiments. Borates, tetra sodium salts, pentahydrate:

Reproductive toxicity -	:	In animal testing, risk of impaired fertility was shown only after
Assessment		administration of very high doses of this substance.
		May damage fertility. May damage the unborn child.

## STOT - single exposure

## Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

ammonium nitrate: Species: Rat NOAEL: > 1.500 mg/kg Application Route: Oral Exposure time: 28 d

Species: Rat NOAEL: = 256 mg/kg Application Route: Oral Exposure time: 52 w Method: OECD Test Guideline 453



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

Species: Rat NOAEL: >= 185 mg/kg Application Route: by inhalation Exposure time: 2 w Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

## Endocrine disrupting properties

No data available

## Experience with human exposure

#### Product:

General Information : Danger of methaemoglobin formation.

#### **Further information**

## Product:

Remarks: The product was not tested. The statement was derived from products of similar structure and composition.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

<u>Components:</u> ammonium nitrate:	
Toxicity to fish	: LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): 490 mg/l Exposure time: 48 h
	LC50 : 490 mg/l
Toxicity to algae	: EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l Exposure time: 10 d
<b>copper sulphate:</b> Toxicity to fish	: LC50 (Salmo sp.): 0,1 - 2,5 mg/l Exposure time: 96 h



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,024 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Scenedesmus quadricauda (Green algae)): 0,1 mg/l Exposure time: 4 h
Borates, tetra sodium salts,	no	ntahydrate:
Toxicity to fish	-	LC50 (dab): 74 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 242 mg/l Exposure time: 24 h
Toxicity to algae	:	EC10 (Scenedesmus subspicatus): 24 mg/l Exposure time: 96 h
12.2 Persistence and degradabil	ity	
Product:		
Biodegradability	:	Remarks: No data available
Components:		
ammonium nitrate:		
Biodegradability	:	Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.
12.3 Bioaccumulative potential		
Product:		
Bioaccumulation	:	Remarks: Bioaccumulation is unlikely.
Components:		
ammonium nitrate:		
Bioaccumulation	:	Remarks: Bioaccumulation is unlikely.
Partition coefficient: n- octanol/water	:	log Pow: -3,1
12.4 Mobility in soil		
Product:		
Mobility	:	Remarks: Groundwater contamination is unlikely.
Distribution among environmental compartments	:	Remarks: No data available



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

## 12.5 Results of PBT and vPvB assessment

## Product:

Assessment

: Remarks: No data available

## **12.6 Endocrine disrupting properties**

No data available

## 12.7 Other adverse effects

#### Product:

Additional ecological	:	Information refers to the main component.
information		Do not flush into surface water or sanitary sewer system.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	: Check if agriculture use is possible. Contact manufacturer.
Contaminated packaging	: Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

## 14.3 Transport hazard class(es)

Not regulated as a dangerous good

## 14.4 Packing group

Not regulated as a dangerous good

## 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not relevant



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

## **SECTION 15: Regulatory information**

15.1 Safety, health and environn mixture	nental regulations/legislation specific for the substance or
Water contaminating class (Germany)	: WGK 1 slightly water endangering
Other regulations	: TRGS 511 'Ammonium nitrate'
	This product is subject to Regulation (EU) 2019/1148; suspicious transactions, disappearance or theft of the product must be reported to the relevant authority.

## **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this substance.

## **SECTION 16: Other information**

#### **Full text of H-Statements**

H272 :	May intensify fire; oxidizer.
H302 :	Harmful if swallowed.
H315 :	Causes skin irritation.
H319 :	Causes serious eye irritation.
H360FD :	May damage fertility. May damage the unborn child.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Acute aquatic toxicity
Aquatic Chronic	:	Chronic aquatic toxicity
Eye Irrit.		Eye irritation
Ox. Sol.	:	Oxidizing solids
Repr.	:	Reproductive toxicity
Skin Irrit.	:	Skin irritation

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; GHS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the

## Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

## Basacote® Starter 6M 16-25-6



Version: 2.7 Date of last issue: 23.12.2022 Date of first issue: 18.04.2016 Revision Date: 06.04.2023

Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

## **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN