according to Regulation (EC) No. 1907/2006

Basfoliar® Colour SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 11.04.2023

Date of first issue: 14.04.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basfoliar® Colour SL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fertilizer

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH

Krögerweg 10 D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

: info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : Not a hazardous substance or mixture

according to Regulation (EC) No.

1272/2008.

Supplemental Hazard

Statements

: EUH210

Safety data sheet available on request.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

according to Regulation (EC) No. 1907/2006

Basfoliar® Colour SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 11.04.2023

Date of first issue: 14.04.2020

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
citric acid	77-92-9	Eye Irrit. 2; H319 STOT SE 3; H335	>= 1 - <= 5
	201-069-1		
	01-2119461715-35-		
	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth.

Do NOT induce vomiting. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : The product is not flammable.

Water

Carbon dioxide (CO2)

according to Regulation (EC) No. 1907/2006

Basfoliar® Colour SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 11.04.2023

Date of first issue: 14.04.2020

Dry powder Sand

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Heating or fire can release toxic gas.

5.3 Advice for firefighters

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.

In case of involuntary exposition of the product contact

producer or supplier.

6.2 Environmental precautions

Environmental precautions : Do not empty into drains.

Do not contaminate surface water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Keep away from heat.

Keep away from direct sunlight.

Advice on protection against

fire and explosion

: No special precautions required.

Hygiene measures : Keep away from food, drink and animal feedingstuffs. Take off

immediately all contaminated clothing. Wash hands before

according to Regulation (EC) No. 1907/2006

Basfoliar® Colour SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 11.04.2023

Date of first issue: 14.04.2020

breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep away from heat. Keep away from direct sunlight.

Further information on

storage conditions

: Requirements for storage areas and containers polyethylene

containers Stainless steel

Storage class (TRGS 510) : 12, Non Combustible Liquids

Recommended storage

temperature

: 5 - 35 °C

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses

Hand protection

Material : Polyvinyl alcohol or nitrile- butyl-rubber gloves

Glove length

Chloroprene

Remarks : For prolonged or repeated contact use protective gloves.

Skin and body protection : Protective suit

according to Regulation (EC) No. 1907/2006

Basfoliar® Colour SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 11.04.2023

Date of first issue: 14.04.2020

Respiratory protection : Breathing apparatus needed only when aerosol or mist is

formed.

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

Environmental exposure controls

General advice : Do not empty into drains.

Do not contaminate surface water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless to yellow

Odour : characteristic

Odour Threshold : No data available

pH : ca. 8,2, (20 °C)

crystallization temperature : ca. -15 °C

Boiling point/boiling range : ca. 100 °C

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Vapour pressure : No data available

Relative vapour density : No data available

Density : ca. 1,34 g/cm³ (20 °C)

according to Regulation (EC) No. 1907/2006

Basfoliar® Colour SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 11.04.2023

Date of first issue: 14.04.2020

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : Not applicable

Decomposition temperature : No decomposition if stored and applied as directed.

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Not applicable

9.2 Other information

Surface tension : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Method: No data available

10.4 Conditions to avoid

Conditions to avoid : Do not allow evaporation to dryness.

Keep away from heat and sources of ignition.

Protect from contamination.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

Metals Nitrites

according to Regulation (EC) No. 1907/2006

Basfoliar® Colour SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 11.04.2023

Date of first issue: 14.04.2020

10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapours.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Components:

citric acid:

Acute oral toxicity : LD50 Oral (Rat): 3.000 mg/kg

Skin corrosion/irritation

Product:

Remarks: The working solutions are not irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks: Contact with eyes may cause irritation.

Respiratory or skin sensitisation

Product:

Remarks: None known.

germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: Contains no hazardous ingredients according to

GHS

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Reproductive toxicity

Product:

Effects on fertility

Remarks: No toxicity to reproduction

according to Regulation (EC) No. 1907/2006

Basfoliar® Colour SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 11.04.2023

Date of first issue: 14.04.2020

Effects on foetal : Remarks: Contains no ingredient listed as toxic to

development reproduction

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Further information

No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Components:

citric acid:

Toxicity to fish : LC50 (golden orfe): 440 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 1.535 mg/l

Exposure time: 24 h

Toxicity to algae : (Scenedesmus quadricauda (Green algae)): 640 mg/l

Exposure time: 7 DAY

according to Regulation (EC) No. 1907/2006

Basfoliar® Colour SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 11.04.2023

Date of first issue: 14.04.2020

Toxicity to bacteria : EC0 (Pseudomonas putida): 10.000 mg/l

Exposure time: 16 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Inherently biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: Not applicable

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological : See information supplied by the manufacturer.

information Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.

Do not flush into surface water or sanitary sewer system.

Check if agriculture use is possible.

Contaminated packaging : Dispose of as unused product.

If recycling is not practicable, dispose of in compliance with

local regulations.

SECTION 14: Transport information

according to Regulation (EC) No. 1907/2006

Basfoliar® Colour SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 11.04.2023

Date of first issue: 14.04.2020

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class

: WGK 1 slightly water endangering

(Germany)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H319 : Causes serious eye irritation. H335 : May cause respiratory irritation.

Full text of other abbreviations

Eye Irrit. : Eye irritation

STOT SE : Specific target organ toxicity - single exposure

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community

according to Regulation (EC) No. 1907/2006

Basfoliar® Colour SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 11.04.2023

Date of first issue: 14.04.2020

number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS -Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN