according to Regulation (EC) No. 1907/2006

### Basfoliar® 10-4-7 SL



Version: 1.5 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Basfoliar® 10-4-7 SL

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fertilizer

Substance/Mixture

#### 1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH

Krögerweg 10 D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

: info@compo-expert.com

# 1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone: +49 (0) 6132 - 84463

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : Not a hazardous substance or mixture

according to Regulation (EC) No.

1272/2008.

Supplemental Hazard : EUH210 Safety data sheet available on request.

Statements

#### 2.3 Other hazards

According to our experience and to the information provided to us, the product does not have any harmful effects if it is used and handled as specified.

according to Regulation (EC) No. 1907/2006

# Basfoliar® 10-4-7 SL



Version: 1.5 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Liquid mixture of organic and inorganic salts of fertilzers.

#### **Hazardous components**

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27- XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 1 - <= 10

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

If unconscious place in recovery position and seek medical

advice.

In case of lung irritation, first treatment with dexametason

aerosol (spray).

In case of skin contact : Wash off with soap and water.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

according to Regulation (EC) No. 1907/2006

# Basfoliar® 10-4-7 SL



Version: 1.5 **Revision Date:** Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Water

Unsuitable extinguishing

media

: Foam

Dry chemical

Carbon dioxide (CO2)

Sand

# 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Thermal decomposition can lead to release of irritating gases

and vapours.

Nitrogen oxides (NOx)

ammonia

#### 5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : No special precautions required.

6.2 Environmental precautions

Environmental precautions : Do not empty into drains.

Retain and dispose of contaminated wash water.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling : Keep away from direct sunlight.

> Keep away from heat. Do not allow to dry.

according to Regulation (EC) No. 1907/2006

# Basfoliar® 10-4-7 SL



Version: 1.5 **Revision Date:** Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

fire and explosion

Advice on protection against : Keep away from heat and sources of ignition.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep away from heat. Keep away from sources of ignition -

No smoking. Protect from contamination.

Advice on common storage : Not relevant

Storage class (TRGS 510) : 12, Non Combustible Liquids

Recommended storage

temperature

: 5 - 35 °C

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name Environmental Compartment Value
--

according to Regulation (EC) No. 1907/2006

# Basfoliar® 10-4-7 SL



Version: 1.5 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

nmonium nitrate	Sewage treatment plant	18 mg/l	
-----------------	------------------------	---------	--

### 8.2 Exposure controls

# Personal protective equipment

Eye protection : Avoid contact with eyes.

Tightly fitting safety goggles

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Recommended preventive

skin protection

Skin and body protection : not required

Respiratory protection : Not relevant

# **Environmental exposure controls**

General advice : Do not empty into drains.

Retain and dispose of contaminated wash water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : various

Odour : odourless

Odour Threshold : No data available

pH : ca. 6,7, (20 °C)

Melting point/range : No data available

according to Regulation (EC) No. 1907/2006

# Basfoliar® 10-4-7 SL



Version: 1.5 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

Boiling point/boiling range : No data available

Flash point : Not applicable, The product is not flammable.

Evaporation rate : No data available

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Vapour pressure : No data available

Relative vapour density : No data available

Density : ca. 1,2 g/cm³ (20 °C)

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : Not applicable

Decomposition temperature : Stable at normal ambient temperature and pressure. Do not

allow evaporation to dryness.

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Not applicable

#### 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

according to Regulation (EC) No. 1907/2006

# Basfoliar® 10-4-7 SL



Version: 1.5 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Contact with strong bases liberates ammonia.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or

alkaline reacting substances, flammable oxidizable

substances, nitrites, metallic salts, metallic powder, herbicide,

chlorinated hydrocarbons, organic compounds.

10.6 Hazardous decomposition products

Hazardous decomposition :

products

: Nitrogen oxides (NOx)

ammonia

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

**Components:** 

ammonium nitrate:

Acute oral toxicity : LD50 (Rat): > 2.950 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : > 88,8 mg/l

Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

**Product:** 

Remarks: May irritate skin.

according to Regulation (EC) No. 1907/2006

# Basfoliar® 10-4-7 SL



Version: 1.5 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

# **Components:**

# ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: non-irritant

# Serious eye damage/eye irritation

#### **Product:**

Remarks: May irritate eyes.

### **Components:**

# ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritant

### Respiratory or skin sensitisation

#### **Product:**

Result: non-sensitizing

#### Components:

#### ammonium nitrate:

Result: Does not cause skin sensitisation.

# germ cell mutagenicity

#### **Product:**

Genotoxicity in vitro : Remarks: Contains no hazardous ingredients according to

**GHS** 

# **Components:**

ammonium nitrate:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

# Carcinogenicity

#### Product:

Remarks: Contains no ingredient listed as a carcinogen

#### **Components:**

according to Regulation (EC) No. 1907/2006

### Basfoliar® 10-4-7 SL



Version: 1.5 **Revision Date:** Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

ammonium nitrate:

Species: Rat

Remarks: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

**Product:** 

Effects on fertility

Remarks: No toxicity to reproduction

Effects on foetal development

: Remarks: Contains no ingredient listed as toxic to

reproduction

Components:

ammonium nitrate:

Effects on fertility : Species: Rat

Remarks: Animal testing did not show any effects on fertility.

Effects on foetal

: Species: Rat development Remarks: Did not show teratogenic effects in animal

experiments.

STOT - single exposure

**Product:** 

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

**Product:** 

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

**Components:** 

ammonium nitrate:

Species: Rat

NOAEL: > 1.500 mg/kg Application Route: Oral Exposure time: 28 d

Species: Rat

NOAEL: = 256 mg/kg**Application Route: Oral** 

according to Regulation (EC) No. 1907/2006

### Basfoliar® 10-4-7 SL



Version: 1.5 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

Exposure time: 52 w

Method: OECD Test Guideline 453

Species: Rat

NOAEL: >= 185 mg/kg

Application Route: by inhalation

Exposure time: 2 w

Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

# **Endocrine disrupting properties**

No data available

### **Experience with human exposure**

**Product:** 

General Information : Danger of methaemoglobin formation.

#### **Further information**

**Product:** 

Remarks: Information given is based on data obtained from similar substances.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 422 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 555 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae : No observed effect concentration (Desmodesmus subspicatus

(green algae)): 83 mg/l Exposure time: 168 h Test Type: other

Method: No data available

Toxicity to bacteria : EC20 (activated sludge): ca. 850 mg/l

Exposure time: 0,5 h

according to Regulation (EC) No. 1907/2006

# Basfoliar® 10-4-7 SL



Version: 1.5 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

Test Type: other

Method: No data available

Remarks: Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low

concentrations.

**Components:** 

ammonium nitrate:

Toxicity to fish : LC50 (Fish): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 490 mg/l

Exposure time: 48 h

LC50: 490 mg/l

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l

Exposure time: 10 d

12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: The product works in the soil as fertilizer and is

diminished in a few weeks.

Components:

ammonium nitrate:

Biodegradability : Remarks: The methods for determining the biological

degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

**Components:** 

ammonium nitrate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: -3,1

12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

11 / 14

according to Regulation (EC) No. 1907/2006

### Basfoliar® 10-4-7 SL



Version: 1.5 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

Distribution among : Remarks: No data available

environmental compartments

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : Remarks: No data available

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

**Product:** 

Additional ecological

information

: Do not flush into surface water or sanitary sewer system. Information given is based on data on the components and

the ecotoxicology of similar products.

#### **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Product : Check if agriculture use is possible.

Contact manufacturer.

Contaminated packaging : Contaminated packaging should be emptied as far as

possible; then it can be passed on for recycling after being

thoroughly cleaned.

# **SECTION 14: Transport information**

### 14.1 UN number or ID number

Not regulated as a dangerous good

# 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

# 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

# 14.6 Special precautions for user

Not applicable

according to Regulation (EC) No. 1907/2006

# Basfoliar® 10-4-7 SL



Version: 1.5 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

# 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not relevant

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class

(Germany)

: WGK 1 slightly water endangering

Other regulations : This product is subject to Regulation (EU) 2019/1148;

suspicious transactions, disappearance or theft of the product

must be reported to the relevant authority.

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H272 : May intensify fire; oxidizer.H319 : Causes serious eye irritation.

### Full text of other abbreviations

Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent,

according to Regulation (EC) No. 1907/2006

### Basfoliar® 10-4-7 SL



Version: 1.5 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 26.07.2016

Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN