

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basfoliar® Cu Flo
UFI : F4V2-J07F-R00Y-FK7M

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fertilizer
Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Krögerweg 10
D-48155 Münster
Telephone : +49 (0) 251 29 79 81 – 000
Telefax : +49 (0) 251 29 79 81 - 111
E-mail address of person : info@compo-expert.com
responsible for the SDS

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h
Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302 + H332: Harmful if swallowed or if inhaled
Chronic aquatic toxicity, Category 1	H410: Very toxic to aquatic life with long lasting effects.
Acute aquatic toxicity, Category 1	H400: Very toxic to aquatic life.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 + H332 H410 Harmful if swallowed or if inhaled
Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements : EUH208 Contains 1,2-Benzisothiazol-3(2H)-one.
May produce an allergic reaction.

Precautionary statements : P101 If medical advice is needed, have product
container or label at hand.
P271 Use only outdoors or in a well-ventilated
area.
P391 Collect spillage.
Prevention:
P264 Wash hands thoroughly after handling.
Disposal:
P501 Dispose of contents/ container to an
approved waste disposal plant.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Liquid mixture of organic and inorganic salts of fertilizers.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

dicopper chloride trihydroxide	1332-65-6	Acute Tox. 3; H301 Acute Tox. 4; H332 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 40 - < 45
	215-572-9	M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
		Acute toxicity estimate Acute oral toxicity: 299 mg/kg Acute inhalation toxicity: 2,83 mg/l	
Ethylene glycol	107-21-1	Acute Tox. 4; H302	>= 1 - < 5
	203-473-3	Acute toxicity estimate Acute oral toxicity: 500 mg/kg	

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	>= 0,005 - < 0,006
	220-120-9		
		specific concentration limit Skin Sens. 1; H317 >= 0,05 %	
		Acute toxicity estimate Acute oral toxicity: 500 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- If inhaled : If breathed in, move person into fresh air.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
If symptoms persist, seek medical advice.
- If swallowed : Rinse mouth with water.
Drink 1 or 2 glasses of water.
If symptoms persist, seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Not relevant

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Evolution of toxic gases/vapours.
Nitrogen oxides (NOx)
ammonia

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : The product is not flammable.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin, eyes and clothing.

6.2 Environmental precautions

Environmental precautions : Do not let product enter drains, surface water or subsoil water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Allow to solidify, use mechanical handling equipment.
Shovel into suitable container for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

7.1 Precautions for safe handling

- Advice on safe handling : Do not eat, drink or smoke when using this product.
Wash hands before breaks and at the end of workday.
- Hygiene measures : Avoid contact with skin, eyes and clothing. Wash hands
before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Protect from atmospheric humidity. Keep away from direct
sunlight. Keep in a cool, well ventilated place away from
reducing agents.
- Advice on common storage : Segregate from reducing agents.
Keep away from food, drink and animal feedingstuffs.
- Storage class (TRGS 510) : 12, Non Combustible Liquids
- Recommended storage temperature : 20 - 25 °C
- Other data : Protect against falling below the following temperature: -5°C

7.3 Specific end use(s)

- Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethylene glycol	107-21-1		10 ppm 26 mg/m ³	DE TRGS 900
Peak-limit: excursion factor (category)	2;(I)			
		STEL	40 ppm 104 mg/m ³	
		TWA	20 ppm 52 mg/m ³	
			10 ml/m ³ 26 mg/m ³	TRGS 900 (DE)

We are not aware of any national exposure limit.

8.2 Exposure controls

Engineering measures

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

Ensure thorough ventilation of stores and work areas.

Personal protective equipment

Eye protection : Safety glasses

Hand protection

Remarks : Protective gloves

Skin and body protection : Wearing of closed work clothing is recommended.

Respiratory protection : No personal respiratory protective equipment normally required.
respiratory protection only if aerosol or dust is formed.

Environmental exposure controls

General advice : Do not let product enter drains, surface water or subsoil water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : green

Odour : slight
ammoniacal

Odour Threshold : No data available

pH : 8,9, Concentration: 10 g/l

Melting point/range : No data available

Boiling point/boiling range : > 100 °C

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5

Date of last issue: 02.01.2023

Date of first issue: 23.10.2020

Revision Date:

06.04.2023

Flash point	: The product is not flammable.
Evaporation rate	: No data available
Flammability (solid, gas)	: does not ignite
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1,59 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No decomposition if stored and applied as directed.
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance

9.2 Other information

Surface tension	: No data available
-----------------	---------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

No decomposition if stored and applied as directed.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with reducing agents.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if stored and applied as directed.

10.5 Incompatible materials

Materials to avoid : Strong reducing agents

10.6 Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: Harmful if swallowed.

Acute inhalation toxicity : Remarks: No data available

Components:

dicopper chloride trihydroxide:

Acute oral toxicity : Acute toxicity estimate: 299 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 2,83 mg/l

Ethylene glycol:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2 ppm

Acute dermal toxicity : LD50 (mouse): > 3.500 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Skin corrosion/irritation

Product:

Result: No skin irritation

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

Serious eye damage/eye irritation

Product:

Result: No eye irritation

Respiratory or skin sensitisation

Product:

Result: Non-sensitising

germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects
The product has not been tested. The information is derived
from the properties of the individual components.

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Reproductive toxicity

Product:

Effects on fertility :
Remarks: Contains no ingredient listed as a mutagen

Effects on foetal development : Remarks: Contains no ingredient listed as toxic to
reproduction

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Further information

No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Components:

dicopper chloride trihydroxide:

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Salmo trutta (brown trout)): = 2,18 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): = 2,18 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): = 0,11 mg/l
Exposure time: 72 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: Not applicable

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Disposal together with normal waste is not allowed. Special disposal required according to local regulations. Do not flush into surface water or sanitary sewer system.
Contaminated packaging	: If recycling is not practicable, dispose of in compliance with local regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dicopper chloride trihydroxide)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

	(dicopper chloride trihydroxide)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dicopper chloride trihydroxide)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dicopper chloride trihydroxide)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (dicopper chloride trihydroxide)

14.3 Transport hazard class(es)

ADN	: 9
ADR	: 9
RID	: 9
IMDG	: 9
IATA	: 9

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Segregation group	:
IATA	
Packing instruction (cargo aircraft)	: 964

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: 9

14.5 Environmental hazards

ADN
Environmentally hazardous : yes

ADR
Environmentally hazardous : yes

RID
Environmentally hazardous : yes

IMDG
Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class : WGK 2 water endangering
(Germany)

15.2 Chemical Safety Assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H332	: Harmful if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5

Date of last issue: 02.01.2023

Date of first issue: 23.10.2020

Revision Date:

06.04.2023

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Cu Flo



Version: 1.5
Date of last issue: 02.01.2023
Date of first issue: 23.10.2020

Revision Date:
06.04.2023

DE / EN