according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Floranid® Twin Turf 20-5-8 (+2+TE)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fertilizer

Substance/Mixture

#### 1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH

Krögerweg 10 D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

: info@compo-expert.com

#### 1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone: +49 (0) 6132 - 84463

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : Not a hazardous substance or mixture

according to Regulation (EC) No.

1272/2008.

Supplemental Hazard

Statements

: EUH210

Safety data sheet available on request.

Further information : German "Hazardous Substances" legislation (

Gefahrstoffverordnung) appendix I, No. 5 (Ammonium

Nitrate group C III)

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

#### 2.3 Other hazards

None known.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : NPK-Fertilizer on basis: N,N"-(isobutylidene)diurea,

crotonylidenediurea, ammonium nitrate, potassium salt, ammonium salts, phosphates, magnesium salts, calcium salts,

other nutrients.

#### **Hazardous components**

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27- XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 10 - < 45
iron sulphate	7720-78-7 231-753-5 01-2119513203-57- XXXX	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Irrit. 2; H315  Acute toxicity estimate  Acute oral toxicity: 500 mg/kg	< 3
zinc sulphate	7733-02-0 231-793-3 01-2119474684-27- XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 0,05

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-	14025-15-1	Acute Tox. 4; H302	<= 0,5
N,N',O,O',ON,ON']cuprate(2-)	237-864-5		
	05-2114842509-41- 0000		

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled : Move to fresh air.

Obtain medical attention.

If unconscious place in recovery position and seek medical

advice.

In case of lung irritation, first treatment with dexametason

aerosol (spray).

In case of skin contact : Wash off with soap and water.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Ingestion may provoke the following symptoms:

Methaemoglobinemia

Risks : Later control for pneumonia and lung oedema.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

There is no specific antidote available.

#### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Water

Unsuitable extinguishing

media Dry chemical

Carbon dioxide (CO2)

: Foam

3 / 19

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 **Revision Date:** Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

Sand

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Thermal decomposition can lead to release of irritating gases

and vapours.

Nitrogen oxides (NOx)

ammonia

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

: Fire residues and contaminated fire extinguishing water must Further information

be disposed of in accordance with local regulations.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Keep away from children.

6.2 Environmental precautions

Environmental precautions : Do not empty into drains.

Retain and dispose of contaminated wash water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

6.4 Reference to other sections

For personal protection see section 8.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling : Keep away from direct sunlight.

> Keep away from heat. Protect from contamination. Protect from moisture.

Advice on protection against

fire and explosion

: The product is not flammable. Keep away from heat and sources of ignition. Keep away from combustible materials.

Hygiene measures : Wash hands before breaks and at the end of workday.

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep away from heat. Keep away from sources of ignition -No smoking. Keep away from combustible material. Protect from contamination. When stored loose do not mix with other

fertilizers. Protect from moisture.

Advice on common storage : Keep away from strong acids.

Keep away from strong bases.

Keep away from combustible materials.

Storage class (TRGS 510) : 5.1C, Ammonium nitrate and ammonium nitrate containing

preparations

Dampness : Keep in a dry place.

7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this

substance/mixture.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
iron sulphate	7720-78-7	TWA	1 mg/m3 (Iron)	GB EH40
disodium [[N,N'- ethylenebis[N- (carboxymethyl)gly cinato]](4-)- N,N',O,O',ON,ON'] cuprate(2-)	14025-15-1	TWA	1 mg/m3 (Copper)	GB EH40

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day

# Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

# Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11

Date of last issue: 06.04.2023 Date of first issue: 21.03.2016 Revision Date: 10.05.2023

	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3	
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day	
iron sulphate	Workers	Skin contact	Acute effects, systemic effects	2,8 mg/kg	
Remarks:	Exposure time: 24 h				
	Workers	Inhalation	Acute effects, systemic effects	9,9 mg/m3	
	Workers	Skin contact	Chronic effects, systemic effects	2,8 mg/kg	
Remarks:	Exposure time	Exposure time: 24 h			
	Workers	Inhalation	Chronic effects, systemic effects	9,9 mg/m3	
	Consumers	Ingestion	Acute effects, systemic effects	1,4 mg/kg	
Remarks:	Exposure time: 24 h				
	Consumers	Skin contact	Acute effects, systemic effects	1,4 mg/kg	
Remarks:	Exposure time: 24 h				
	Consumers	Inhalation	Acute effects, systemic effects	2,5 mg/m3	
	Consumers	Ingestion	systemic effects, Chronic effects	1,4 mg/kg	
Remarks:	Exposure time: 24 h				
	Consumers	Skin contact	Chronic effects, systemic effects	1,4 mg/kg	
Remarks:	Exposure time: 24 h				
	Consumers	Inhalation	Chronic effects, systemic effects	2,5 mg/m3	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

Substance name		Environmental Compartment	Value
ammonium nitrate		Sewage treatment plant	18 mg/l
iron sulphate		Water	
Remarks:	This product has no known ecotoxicological effects.		
		Behaviour in waste water treatment plants	2483 mg/l
		Fresh water sediment	246000 mg/kg
		Marine sediment	246000 mg/kg
		Soil	276000 mg/kg

#### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : In case of dust formation:

Safety glasses

Hand protection

Material : Gloves

Skin and body protection : No special protective equipment required.

Respiratory protection : respiratory protection only if aerosol or dust is formed.

Respirator with a particle filter (EN 143)

P1 filter

#### **Environmental exposure controls**

General advice : Do not empty into drains.

Retain and dispose of contaminated wash water.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

Physical state : solid

Colour : various

Odour : odourless

Odour Threshold : No data available

pH : ca. 5, Concentration: 100 g/l (20 °C)

Melting point/range : No data available

Boiling point/boiling range : Not applicable

Flash point : Not relevant

Evaporation rate : Not applicable

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit : Not explosive

Lower explosion limit : Not explosive

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : Not applicable

Bulk density : ca. 1.150 kg/m<sup>3</sup>

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Decomposition temperature : > 130 °C

To avoid thermal decomposition, do not overheat.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Not considered an oxidizing substance

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

**Particle characteristics** 

Particle Size Distribution : D50 = 1,6 mm

D50 Tolerance range = 1,2 mm - 2,0 mm

Measurement technique: Optoelectronic measurement

method

#### 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

Decomposes on heating.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Evolution of ammonia under influence of alkalies.

#### 10.4 Conditions to avoid

Conditions to avoid : Keep away from heat and sources of ignition.

#### 10.5 Incompatible materials

Materials to avoid : Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or

alkaline reacting substances, flammable oxidizable

substances, nitrites, metallic salts, metallic powder, herbicide,

chlorinated hydrocarbons, organic compounds.

#### 10.6 Hazardous decomposition products

Hazardous decomposition : Nitrogen oxides (NOx)

products ammonia

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Health injuries are not known or expected under normal use.

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

**Components:** 

ammonium nitrate:

Acute oral toxicity : LD50 (Rat): > 2.950 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : > 88,8 mg/l

Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

iron sulphate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 401

LD50 (Rat): 657 - 4.390 mg/kg Method: Calculation method

Acute toxicity estimate: 500 mg/kg

Method: Converted acute toxicity point estimate

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : LD50 (Rat): > 1.992 mg/kg

Method: Converted acute toxicity point estimate

zinc sulphate:

Acute oral toxicity : LD50 (Rat): 862 - 4.429 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):

Acute oral toxicity : LD50 Oral (Rat): > 1.750 mg/kg

Skin corrosion/irritation

**Product:** 

Result: non-irritant

Remarks: The product has not been tested. The information is derived from the properties of the

individual components.

**Components:** 

ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: non-irritant

iron sulphate:

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11

Date of last issue: 06.04.2023 Date of first issue: 21.03.2016 Revision Date: 10.05.2023

Method: OECD Test Guideline 404

Result: Skin irritation

Remarks: Irritating to skin and mucous membranes

zinc sulphate: Species: Rabbit

Assessment: Irritating to skin.

#### Serious eye damage/eye irritation

#### **Product:**

Species: Rabbit

Method: OECD Test Guideline 405

Result: non-irritant

#### **Components:**

### ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritant

iron sulphate:

Method: OECD Test Guideline 405

Result: Eye irritation

**zinc sulphate:** Species: Rabbit

Result: Risk of serious damage to eyes.

#### Respiratory or skin sensitisation

#### **Product:**

Result: non-sensitizing

Remarks: The product has not been tested. The information is derived from the properties of the

individual components.

#### **Components:**

#### ammonium nitrate:

Result: Does not cause skin sensitisation.

iron sulphate:

Method: OECD TG 429

Result: Did not cause sensitisation on laboratory animals.

#### germ cell mutagenicity

#### **Product:**

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

Genotoxicity in vitro : Remarks: No data available

**Components:** 

ammonium nitrate:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Carcinogenicity

**Product:** 

Remarks: Contains no ingredient listed as a carcinogen

**Components:** 

ammonium nitrate:

Species: Rat

Remarks: Animal testing did not show any carcinogenic effects.

iron sulphate:

Carcinogenicity - : Did not show carcinogenic, teratogenic or mutagenic effects in

Assessment animal experiments.

Reproductive toxicity

**Product:** 

Effects on fertility

Remarks: No toxicity to reproduction

Effects on foetal : Remarks: Did not show teratogenic effects in animal

development experiments.

Information given is based on data obtained from similar

substances.

**Components:** 

ammonium nitrate:

Effects on fertility : Species: Rat

Remarks: Animal testing did not show any effects on fertility.

Effects on foetal : Species: Rat

development Remarks: Did not show teratogenic effects in animal

experiments.

STOT - single exposure

**Product:** 

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### STOT - repeated exposure

#### **Product:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Components:**

iron sulphate:

Remarks: No known effect.

#### Repeated dose toxicity

#### Components:

#### ammonium nitrate:

Species: Rat

NOAEL: > 1.500 mg/kg Application Route: Oral Exposure time: 28 d

Species: Rat

NOAEL: = 256 mg/kg Application Route: Oral Exposure time: 52 w

Method: OECD Test Guideline 453

Species: Rat

NOAEL: >= 185 mg/kg

Application Route: by inhalation

Exposure time: 2 w

Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

#### iron sulphate: Species: Rat

NOAEL: 284 - 324 mg/kg Application Route: Oral Exposure time: 90 d

Remarks: Information given is based on data obtained from similar substances.

Species: Rat NOAEL: 100 mg/kg Application Route: Oral Exposure time: 49 d

Application Route: by inhalation

Remarks: This information is not available.

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

Application Route: Dermal

Remarks: This information is not available.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

No data available

### Experience with human exposure

**Product:** 

General Information : Danger of methaemoglobin formation.

#### **Further information**

#### **Product:**

Remarks: The product was not tested. The statement was derived from products of similar structure and composition.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### ammonium nitrate:

Toxicity to fish : LC50 (Fish): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 490 mg/l

Exposure time: 48 h

LC50: 490 mg/l

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l

Exposure time: 10 d

iron sulphate:

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

zinc sulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,43 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 **Revision Date:** Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,86 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Scenedesmus quadricauda (Green algae)): 0,52 mg/l

Exposure time: 120 h

Toxicity to bacteria : EC50 (Bacteria): 22,75 mg/l

Exposure time: 0,5 h

disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):

Toxicity to fish : LC50 (Fish): > 100 mg/l

Toxicity to algae : EC50:30 mg/l

Exposure time: 96 h

12.2 Persistence and degradability

**Product:** 

: Remarks: No data available Biodegradability

Components:

ammonium nitrate:

Biodegradability : Remarks: The methods for determining the biological

degradability are not applicable to inorganic substances.

iron sulphate:

Biodegradability : Remarks: The methods for determining the biological

degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

**Components:** 

ammonium nitrate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: -3,1

iron sulphate:

Bioaccumulation : Remarks: Accumulation in aquatic organisms is unlikely.

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

12.4 Mobility in soil

**Product:** 

Mobility : Remarks: Groundwater contamination is unlikely.

Distribution among

environmental compartments

: Remarks: No data available

Components:

iron sulphate:

Distribution among : Medium:Soil environmental compartments Remarks: immobile

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : Remarks: No data available

Components: iron sulphate:

Assessment : This substance is not considered to be very persistent and

very bioaccumulating (vPvB).. This substance is not

considered to be persistent, bioaccumulating and toxic (PBT)..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

**Product:** 

Additional ecological : Information refers to the main component.

information Do not flush into surface water or sanitary sewer system.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product : Check if agriculture use is possible.

Contact manufacturer.

Contaminated packaging : Contaminated packaging should be emptied as far as

possible; then it can be passed on for recycling after being

thoroughly cleaned.

**SECTION 14: Transport information** 

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Segregation group : : (-)

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class

(Germany)

: WGK 1 slightly water endangering

Other regulations : TRGS 511 'Ammonium nitrate'

This product is subject to Regulation (EU) 2019/1148; suspicious transactions, disappearance or theft of the product

must be reported to the relevant authority.

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H272 : May intensify fire; oxidizer. H302 : Harmful if swallowed. H315 : Causes skin irritation.

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

H318 : Causes serious eye damage. H319 : Causes serious eye irritation. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids
Skin Irrit. : Skin irritation

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS -Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory **Practice** 

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a

according to Regulation (EC) No. 1907/2006

### Floranid® Twin Turf 20-5-8 (+2+TE)



Version: 2.11 Revision Date:
Date of last issue: 06.04.2023 10.05.2023

Date of first issue: 21.03.2016

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN