

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basfoliar® P-Max SL
UFI : R8W2-406M-R00E-20TF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fertiliser
Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Krögerweg 10
D-48155 Münster
Telephone : +49 (0) 251 29 79 81 – 000
Telefax : +49 (0) 251 29 79 81 - 111
E-mail address of person : info@compo-expert.com
responsible for the SDS

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h
Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1B	H314: Causes severe skin burns and eye damage.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

Hazard pictograms

:



Signal word

: Danger

Hazard statements

: H314 Causes severe skin burns and eye damage.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: P273 Avoid release to the environment.
Prevention:
P260 Do not breathe mist or vapours.
P280 Wear protective gloves/ protective clothing/
eye protection/ face protection.
Response:
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take
off immediately all contaminated clothing.
Rinse skin with water/ shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with
water for several minutes. Remove contact
lenses, if present and easy to do. Continue
rinsing.
P310 Immediately call a POISON CENTER/
doctor.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous solution containing:
Phosphorus compounds
zinc sulphate

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
---------------	--	----------------	--------------------------

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

orthophosphoric acid	7664-38-2 231-633-2 01-2119485924-24-XXXX	Skin Corr. 1B; H314 <hr/> specific concentration limit Skin Corr. 1B; H314 ≥ 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 %	≥ 10 - ≤ 25
zinc sulphate	7733-02-0 231-793-3 01-2119474684-27-XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	≥ 5 - ≤ 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take off immediately all contaminated clothing.
First aid personnel should pay attention to their own safety.
- If inhaled : In case of lung irritation, first treatment with dexametason aerosol (spray).
Keep patient calm, remove to fresh air, seek medical attention.
- In case of skin contact : Flush with plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5

Date of last issue: 06.04.2023

Date of first issue: 21.10.2020

Revision Date:

08.03.2024

If swallowed : Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : corrosive effects

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Keep under medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Product does not burn, fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Fire may cause evolution of:
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus and chemical-protective clothing.

Further information : If exposed to fire keep containers cool by spraying with water. Prevent fire extinguishing water from contaminating surface water or the ground water system. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid aerosol formation.
Keep out unprotected persons and animals.
Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Avoid subsoil penetration.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Low quantities:
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Large quantities:
Larger quantities evacuate.
Pack in tightly closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.
When diluting, always stir product into water.

Advice on protection against fire and explosion : No special protective measures against fire required.

Hygiene measures : Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Keep away from food, drink and animal feedingstuffs. PVC, PE, bituminous tank

Advice on common storage : Keep away from strong bases.
Keep away from strong bases.

Storage class (TRGS 510) : 8B, Non-combustible, corrosive hazardous materials

Recommended storage temperature : > 5 °C

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
orthophosphoric acid	7664-38-2	TWA	1 mg/m ³	2000/39/EC
Further information	Indicative			
		STEL	2 mg/m ³	2000/39/EC
Further information	Indicative			
		(Inhalable fraction)	2 mg/m ³	DE TRGS 900
Peak-limit: excursion factor (category)	2;(I)			
Further information	Commission for dangerous substances, Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., European Union (The EU has established a limit value: deviations in value and peak limit are possible), When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		TLV-C (Inhalable fraction)	1 ml/m ³ 1 mg/m ³	other
		TLV-C (Inhalable fraction)	2 ml/m ³ 2 mg/m ³	AGW

8.2 Exposure controls

Personal protective equipment

Eye protection : Tightly fitting safety goggles (splash goggles) (EN 166)

Hand protection

Remarks : Chemical resistant protective gloves (EN 374). The selection of suitable depends upon the material, and also upon the quality of the gloves. The degree of protection will vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Skin and body protection : acid-resistant protective clothing

Boots

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

Respiratory protection : Breathing apparatus needed only when aerosol or mist is formed.

Do not breathe vapours or spray mist.

Protective measures : Avoid contact with skin and eyes.

Do not inhale gases/vapours/aerosols.

Take off immediately all contaminated clothing.

Preventing skin protection by skin protection ointment.

Environmental exposure controls

General advice : Avoid subsoil penetration.

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: colourless
Odour	: very faint
Odour Threshold	: No data available
pH	: < 1, acidic
Melting point/range	: No data available
Boiling point/boiling range	: ca. > 120 °C
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: Not explosive
Lower explosion limit	: Not explosive

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

Density	: 1,54 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: completely soluble
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No decomposition if stored and applied as directed.
Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance

9.2 Other information

Surface tension	: No data available
-----------------	---------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

Exothermic reaction with bases.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Reacts with bases. Exothermic reaction.
---------------------	--

10.4 Conditions to avoid

Conditions to avoid	: No decomposition if stored and applied as directed.
---------------------	---

10.5 Incompatible materials

Materials to avoid	: Metals alkalines organic compounds
--------------------	--

10.6 Hazardous decomposition products

Oxides of phosphorus

SECTION 11: Toxicological information

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Components:

orthophosphoric acid:

Acute oral toxicity : LD50 (Rat): 2.600 mg/kg
Method: OECD Guideline 423

zinc sulphate:

Acute oral toxicity : LD50 (Rat): 862 - 4.429 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Product:

Remarks: No data available

Components:

zinc sulphate:

Species: Rabbit
Assessment: Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks: No data available

Components:

zinc sulphate:

Species: Rabbit
Result: Risk of serious damage to eyes.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

Endocrine disrupting properties

No data available

Further information

Product:

Remarks: The product was not tested. The statement was derived from products of similar structure and composition.
Misuse can be harmful to health.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to bacteria :
Remarks: No data available

Components:

zinc sulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,43 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,86 mg/l
Exposure time: 48 h

Toxicity to algae : EC50 (Scenedesmus quadricauda (Green algae)): 0,52 mg/l
Exposure time: 120 h

Toxicity to bacteria : EC50 (Bacteria): 22,75 mg/l
Exposure time: 0,5 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | | |
|------------------------|---|--|
| Product | : | Can be disposed of as a solid waste or burned in a suitable installation subject to local regulations. |
| Contaminated packaging | : | Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product. |

SECTION 14: Transport information

14.1 UN number or ID number

- | | | |
|------|---|---------|
| ADN | : | UN 3264 |
| ADR | : | UN 3264 |
| RID | : | UN 3264 |
| IMDG | : | UN 3264 |
| IATA | : | UN 3264 |

14.2 UN proper shipping name

- | | | |
|------|---|---|
| ADN | : | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(phosphoric acid, zinc sulphate) |
| ADR | : | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(phosphoric acid, zinc sulphate) |
| RID | : | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(phosphoric acid, zinc sulphate) |
| IMDG | : | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(phosphoric acid, zinc sulphate) |
| IATA | : | Corrosive liquid, acidic, inorganic, n.o.s.
(phosphoric acid, zinc sulphate) |

14.3 Transport hazard class(es)

- | | | |
|-----|---|---|
| ADN | : | 8 |
|-----|---|---|

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

ADR	: 8
RID	: 8
IMDG	: 8
IATA	: 8

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: C1
Hazard Identification Number	: 80
Labels	: 8
ADR	
Packing group	: III
Classification Code	: C1
Hazard Identification Number	: 80
Labels	: 8
Tunnel restriction code	: (E)
RID	
Packing group	: III
Classification Code	: C1
Hazard Identification Number	: 80
Labels	: 8
IMDG	
Packing group	: III
Labels	: 8
EmS Code	: F-A, S-B
Segregation group	: 1: Acids
IATA	
Packing instruction (cargo aircraft)	: 856
Packing instruction (passenger aircraft)	: 852
Packing instruction (LQ)	: Y841
Packing group	: III
Labels	: 8

14.5 Environmental hazards

ADN	
Environmentally hazardous	: yes
ADR	
Environmentally hazardous	: yes

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

Water hazard class : WGK 3 highly hazardous to water
(Germany)

The components of this product are reported in the following inventories:

: Update:

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.
H314 : Causes severe skin burns and eye damage.
H318 : Causes serious eye damage.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5

Date of last issue: 06.04.2023

Date of first issue: 21.10.2020

Revision Date:

08.03.2024

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Corr.	: Skin corrosion

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® P-Max SL



Version: 1.5
Date of last issue: 06.04.2023
Date of first issue: 21.10.2020

Revision Date:
08.03.2024