

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 26.10.2020

Revision Date:
06.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basfoliar® Ca Flo

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fertilizer

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Krögerweg 10
D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person responsible for the SDS : info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h
Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Supplemental Hazard Statements : EUH210 Safety data sheet available on request.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 26.10.2020

Revision Date:
06.04.2023

3.2 Mixtures

Chemical nature : Liquid mixture of organic and inorganic salts of fertilizers.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Ethylene glycol	107-21-1 203-473-3	Acute Tox. 4; H302 Acute toxicity estimate Acute oral toxicity: 500 mg/kg	>= 1 - <= 5
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 specific concentration limit Skin Sens. 1; H317 >= 0,05 % Acute toxicity estimate Acute oral toxicity: 500 mg/kg	<= 0,005

For explanation of abbreviations see section 16.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | | |
|-------------------------|---|--|
| If inhaled | : | If breathed in, move person into fresh air. |
| In case of skin contact | : | If symptoms persist, call a physician. |
| In case of eye contact | : | Immediately flush eye(s) with plenty of water.
If irritation develops, seek medical attention. |
| If swallowed | : | Rinse mouth with water.
Drink 1 or 2 glasses of water.
If symptoms persist, seek medical advice. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|----------|---|---------------------------|
| Symptoms | : | No information available. |
|----------|---|---------------------------|

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|------------------------|
| Treatment | : | Treat symptomatically. |
|-----------|---|------------------------|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|--------------------------------|---|---|
| Suitable extinguishing media | : | In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : | Not relevant |

5.2 Special hazards arising from the substance or mixture

- | | | |
|--------------------------------------|---|---|
| Specific hazards during firefighting | : | In case of combustion evolution of dangerous gases possible.
Nitrogen oxides (NO _x)
ammonia |
|--------------------------------------|---|---|

5.3 Advice for firefighters

- | | | |
|---|---|--|
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. |
| Further information | : | The product is not flammable. |

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin, eyes and clothing.

6.2 Environmental precautions

Environmental precautions : Do not let product enter drains, surface water or subsoil water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Allow to solidify, use mechanical handling equipment.
Shovel into suitable container for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not eat, drink or smoke when using this product.
Wash hands before breaks and at the end of workday.

Hygiene measures : Avoid contact with skin, eyes and clothing. Wash hands
before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Protect from atmospheric humidity. Keep away from direct
sunlight. Keep in a cool, well ventilated place away from
reducing agents.

Advice on common storage : Segregate from reducing agents.
Keep away from food, drink and animal feedingstuffs.

Storage class (TRGS 510) : 12, Non Combustible Liquids

Recommended storage temperature : 20 - 25 °C

Other data : Protect against falling below the following temperature: -5°C

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 26.10.2020

Revision Date:
06.04.2023

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethylene glycol	107-21-1		10 ppm 26 mg/m ³	DE TRGS 900
Peak-limit: excursion factor (category)	2;(l)			
		STEL	40 ppm 104 mg/m ³	
		TWA	20 ppm 52 mg/m ³	
			10 ml/m ³ 26 mg/m ³	TRGS 900 (DE)

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Ensure thorough ventilation of stores and work areas.

Personal protective equipment

Eye protection : Safety glasses

Hand protection

Remarks : Protective gloves

Skin and body protection : Wearing of closed work clothing is recommended.

Respiratory protection : No personal respiratory protective equipment normally required.

respiratory protection only if aerosol or dust is formed.

Environmental exposure controls

General advice : Do not let product enter drains, surface water or subsoil water.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: light brown
Odour	: odourless
Odour Threshold	: No data available
pH	: 9,0, (20 °C)
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: The product is not flammable.
Evaporation rate	: No data available
Flammability (solid, gas)	: does not ignite
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: 23 hPa
Relative vapour density	: No data available
Density	: 1,70 g/cm ³
Solubility(ies)	
Water solubility	: moderately soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No decomposition if stored and applied as directed.
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 26.10.2020

Revision Date:
06.04.2023

Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance

9.2 Other information

Surface tension	: No data available
-----------------	---------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under normal conditions.
No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Reacts with reducing agents.
---------------------	--------------------------------

10.4 Conditions to avoid

Conditions to avoid	: No decomposition if stored and applied as directed.
---------------------	---

10.5 Incompatible materials

Materials to avoid	: Strong reducing agents
--------------------	--------------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed., No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity	: Remarks: Health injuries are not known or expected under normal use.
Acute inhalation toxicity	: Remarks: This information is not available.
Acute dermal toxicity	: Remarks: Health injuries are not known or expected under normal use.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 26.10.2020

Revision Date:
06.04.2023

Components:

Ethylene glycol:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2 ppm

Acute dermal toxicity : LD50 (mouse): > 3.500 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Skin corrosion/irritation

Product:

Remarks: non-irritant

Serious eye damage/eye irritation

Product:

Remarks: Contact with eyes may cause irritation.

Respiratory or skin sensitisation

Product:

Remarks: no classification

germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: Contains no hazardous ingredients according to GHS

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Reproductive toxicity

Product:

Effects on fertility :
Remarks: Contains no ingredient listed as a mutagen

Effects on foetal development : Remarks: Contains no ingredient listed as toxic to reproduction

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 26.10.2020

Revision Date:
06.04.2023

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Further information

No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to bacteria :
Remarks: No data available

Components:

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Salmo trutta (brown trout)): = 2,18 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): = 2,18 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): = 0,11

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 26.10.2020

Revision Date:
06.04.2023

mg/l
Exposure time: 72 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: Not applicable

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations.
Do not flush into surface water or sanitary sewer system.

Contaminated packaging : If recycling is not practicable, dispose of in compliance with local regulations.

SECTION 14: Transport information

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 26.10.2020

Revision Date:
06.04.2023

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class : WGK 1 slightly water endangering
(Germany)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this product.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H400	: Very toxic to aquatic life.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Ca Flo



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN