

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4  
Date of last issue: 23.12.2022  
Date of first issue: 26.10.2020

Revision Date:  
06.04.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Basfoliar® Multi Flo

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fertilizer

#### 1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH  
Krögerweg 10  
D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person responsible for the SDS : info@compo-expert.com

#### 1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h  
Telephone: +49 (0) 6132 - 84463

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4  
Date of last issue: 23.12.2022  
Date of first issue: 26.10.2020

Revision Date:  
06.04.2023

Hazard pictograms

:



Signal word

: Warning

Hazard statements

: H400  
H411

Very toxic to aquatic life.  
Toxic to aquatic life with long lasting effects.

Supplemental Hazard  
Statements

: EUH208

Contains 1,2-Benzisothiazol-3(2H)-one.  
May produce an allergic reaction.

Precautionary statements

: P103  
P391  
**Disposal:**  
P501

Read label before use.  
Collect spillage.

Dispose of contents/ container to an  
approved waste disposal plant.

### 2.3 Other hazards

None known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Liquid mixture of organic and inorganic salts of fertilizers.

#### Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
---------------	--	----------------	--------------------------

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4  
Date of last issue: 23.12.2022  
Date of first issue: 26.10.2020

Revision Date:  
06.04.2023

dicopper chloride trihydroxide	1332-65-6	Acute Tox. 3; H301 Acute Tox. 4; H332 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 5 - <= 10
	215-572-9	M-Factor (Acute aquatic toxicity): 10  M-Factor (Chronic aquatic toxicity): 10	
		Acute toxicity estimate  Acute oral toxicity: 299 mg/kg  Acute inhalation toxicity: 2,83 mg/l	
Ethylene glycol	107-21-1	Acute Tox. 4; H302	>= 1 - <= 5
	203-473-3	Acute toxicity estimate  Acute oral toxicity: 500 mg/kg	

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4  
Date of last issue: 23.12.2022  
Date of first issue: 26.10.2020

Revision Date:  
06.04.2023

zinc oxide	1314-13-2 215-222-5 01-2119463881-32-XXXX	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 1 - \leq 5$
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400  specific concentration limit  Skin Sens. 1; H317 $\geq 0,05 \%$  Acute toxicity estimate  Acute oral toxicity: 500 mg/kg	$\geq 0,005 - \leq 0,007$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : If breathed in, move person into fresh air.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

If symptoms persist, seek medical advice.

If swallowed

: Rinse mouth with water.  
Drink 1 or 2 glasses of water.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Not relevant

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : In case of combustion evolution of dangerous gases possible.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : The product is not flammable.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin, eyes and clothing.

### 6.2 Environmental precautions

Environmental precautions : Do not let product enter drains, surface water or subsoil water.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Allow to solidify, use mechanical handling equipment.  
Shovel into suitable container for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not eat, drink or smoke when using this product.  
Wash hands before breaks and at the end of workday.

Hygiene measures : Avoid contact with skin, eyes and clothing. Wash hands  
before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Protect from atmospheric humidity. Keep away from direct  
sunlight. Keep in a cool, well ventilated place away from  
reducing agents.

Advice on common storage : Segregate from reducing agents.  
Keep away from food, drink and animal feedingstuffs.

Storage class (TRGS 510) : 12, Non Combustible Liquids

Recommended storage temperature : 5 - 30 °C

Other data : Protect against falling below the following temperature: -5°C

### 7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethylene glycol	107-21-1		10 ppm 26 mg/m <sup>3</sup>	DE TRGS 900
Peak-limit: excursion factor (category)	2;(I)			
		STEL	40 ppm	

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4  
Date of last issue: 23.12.2022  
Date of first issue: 26.10.2020

Revision Date:  
06.04.2023

			104 mg/m <sup>3</sup>	
		TWA	20 ppm 52 mg/m <sup>3</sup>	
			10 ml/m <sup>3</sup> 26 mg/m <sup>3</sup>	TRGS 900 (DE)
zinc oxide	1314-13-2		2 mg/m <sup>3</sup>	

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
zinc oxide	Workers	Inhalation	Long-term exposure	5 mg/m <sup>3</sup>
	Workers	Ingestion	Long-term exposure, Systemic effects	0,8 mg/kg
	Workers	Skin contact	Long-term exposure, Systemic effects	83 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
zinc oxide	Fresh water	0,0206 mg/l
	Marine water	0,0061 mg/l
Remarks:	Derivation of the PNEC, Zinc	
	Fresh water sediment	235,6 mg/l
	Derivation of the PNEC, Zinc	
	Marine sediment	113 mg/l
	Derivation of the PNEC, Zinc	
	Soil	106,8 mg/l
	Derivation of the PNEC, Zinc	
	Behaviour in waste water treatment plants	0,052 mg/l
	Derivation of the PNEC, Zinc	

## 8.2 Exposure controls

### Engineering measures

Ensure thorough ventilation of stores and work areas.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4  
Date of last issue: 23.12.2022  
Date of first issue: 26.10.2020

Revision Date:  
06.04.2023

---

### Personal protective equipment

Eye protection : Safety glasses

Hand protection

Remarks : Protective gloves

Skin and body protection : Wearing of closed work clothing is recommended.

Respiratory protection : No personal respiratory protective equipment normally required.  
respiratory protection only if aerosol or dust is formed.

### Environmental exposure controls

General advice : Do not let product enter drains, surface water or subsoil water.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : green

Odour : odourless

Odour Threshold : No data available

pH : 8,0 - 10,0, (20 °C)

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available



# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

---

Flammability (solid, gas)	: does not ignite
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: 23 hPa
Relative vapour density	: No data available
Density	: 1,58 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: completely soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No decomposition if stored and applied as directed.
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance

### 9.2 Other information

Surface tension	: No data available
-----------------	---------------------

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

Stable under normal conditions.

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

---

Hazardous reactions : Reacts with reducing agents.

### 10.4 Conditions to avoid

Conditions to avoid : No dangerous reaction known under conditions of normal use.

### 10.5 Incompatible materials

Materials to avoid : Strong reducing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed., No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: Health injuries are not known or expected under normal use.

Acute inhalation toxicity : Remarks: No human information is available.

##### Components:

##### **dicopper chloride trihydroxide:**

Acute oral toxicity : Acute toxicity estimate: 299 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 2,83 mg/l

##### **Ethylene glycol:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2 ppm

Acute dermal toxicity : LD50 (mouse): > 3.500 mg/kg

##### **zinc oxide:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : Remarks: No data available

##### **1,2-benzisothiazol-3(2H)-one:**

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

---

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

### Skin corrosion/irritation

#### Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

#### Components:

##### **zinc oxide:**

Remarks: non-irritant

### Serious eye damage/eye irritation

#### Product:

Remarks: Contact with eyes may cause irritation.

#### Components:

##### **zinc oxide:**

Method: OECD Test Guideline 405

Remarks: non-irritant

### Respiratory or skin sensitisation

#### Product:

Remarks: No data available concerning sensitizing effects

#### Components:

##### **zinc oxide:**

Method: OECD Test Guideline 406

Remarks: Did not cause sensitisation on laboratory animals.

### germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

#### Components:

##### **zinc oxide:**

Germ cell mutagenicity-  
Assessment : In vivo tests did not show mutagenic effects

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4  
Date of last issue: 23.12.2022  
Date of first issue: 26.10.2020

Revision Date:  
06.04.2023

---

### Carcinogenicity

#### Product:

Remarks: Contains no ingredient listed as a carcinogen

#### Components:

##### **zinc oxide:**

Carcinogenicity - Assessment : According to experience not expected

### Reproductive toxicity

#### Product:

Effects on fertility :  
Remarks: No toxicity to reproduction

Effects on foetal development : Remarks: Contains no ingredient listed as toxic to reproduction

#### Components:

##### **zinc oxide:**

Reproductive toxicity - Assessment : No toxicity to reproduction  
No experimental indication of genotoxic effects.

### STOT - single exposure

#### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Components:

##### **zinc oxide:**

Remarks: This information is not available.

### STOT - repeated exposure

#### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Components:

##### **zinc oxide:**

Remarks: No known effect.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

No data available

#### Further information

No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

#### Components:

##### **dicopper chloride trihydroxide:**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

##### **zinc oxide:**

Toxicity to fish : LC50 (Fish): 0,14 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,2 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 0,17 mg/l  
Exposure time: 72 h  
Test Type: static test

##### **1,2-benzisothiazol-3(2H)-one:**

Toxicity to fish : LC50 (Salmo trutta (brown trout)): = 2,18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): = 2,18 mg/l  
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): = 0,11

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4  
Date of last issue: 23.12.2022  
Date of first issue: 26.10.2020

Revision Date:  
06.04.2023

mg/l  
Exposure time: 72 h

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

#### Components:

##### zinc oxide:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : Remarks: Not applicable

#### Components:

##### zinc oxide:

Assessment : Non-classified PBT substance.

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

#### Product:

Additional ecological information : Do not flush into surface water or sanitary sewer system.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product	: Disposal together with normal waste is not allowed. Special disposal required according to local regulations. Do not flush into surface water or sanitary sewer system.
Contaminated packaging	: If recycling is not practicable, dispose of in compliance with local regulations.

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

#### 14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dicopper chloride trihydroxide, zinc oxide)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dicopper chloride trihydroxide, zinc oxide)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dicopper chloride trihydroxide, zinc oxide)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dicopper chloride trihydroxide, zinc oxide)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (dicopper chloride trihydroxide, zinc oxide)

#### 14.3 Transport hazard class(es)

ADN	: 9
ADR	: 9
RID	: 9
IMDG	: 9
IATA	: 9

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4  
Date of last issue: 23.12.2022  
Date of first issue: 26.10.2020

Revision Date:  
06.04.2023

---

### 14.4 Packing group

#### ADN

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

#### ADR

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

#### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

#### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Segregation group :

#### IATA

Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : 9

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

### 14.6 Special precautions for user

Not applicable



**Basfoliar® Multi Flo**



Version: 1.4  
Date of last issue: 23.12.2022  
Date of first issue: 26.10.2020

Revision Date:  
06.04.2023

---

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable for product as supplied.

---

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
ANNEX I;E1	ENVIRONMENTAL HAZARDS	100.000 kg	200.000 kg

Water contaminating class : WGK 3 highly water endangering  
(Germany)

**15.2 Chemical Safety Assessment**

Not relevant

---

**SECTION 16: Other information**

**Full text of H-Statements**

H301 : Toxic if swallowed.  
H302 : Harmful if swallowed.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H332 : Harmful if inhaled.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

**Full text of other abbreviations**

Acute Tox. : Acute toxicity  
Aquatic Acute : Acute aquatic toxicity  
Aquatic Chronic : Chronic aquatic toxicity  
Eye Dam. : Serious eye damage  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Flo



Version: 1.4

Date of last issue: 23.12.2022

Date of first issue: 26.10.2020

Revision Date:

06.04.2023

Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN