

Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	NovaTec® Solub P-Max 13-33-13
	•	

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fertilizer Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company	: COMPO EXPERT GmbH Krögerweg 10 D-48155 Münster
Telephone	: +49 (0) 251 29 79 81 - 000
Telefax	: +49 (0) 251 29 79 81 - 111
E-mail address of person responsible for the SDS	: info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements	:	Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.
Supplemental Hazard Statements	: EUH210	Safety data sheet available on request.

2.3 Other hazards

According to our experience and to the information provided to us, the product does not have any harmful effects if it is used and handled as specified.



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27- XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	<= 10
potassium nitrate	7757-79-1 231-818-8 01-2119488224-35- XXXX	Ox. Sol. 3; H272	>= 25 - <= 35

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Move to fresh air. Obtain medical attention. If unconscious place in recovery position and seek medical advice. In case of lung irritation, first treatment with dexametason aerosol (spray).
In case of skin contact	: Wash off with soap and water.
In case of eye contact	: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed	: Clean mouth with water and drink afterwards plenty of water.



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

4.2 Most important symptoms and effects, both acute and delayed				
Symptoms	: Ingestion may provoke the following symptoms: Methaemoglobinemia			
Risks	: Later control for pneumonia and lung oedema.			
4.3 Indication of any immediate medical attention and special treatment needed				

,	•
Treatment	: Treat symptomatically.
	There is no specific antidote available.

SECTION 5: Firefighting measures

5.1	Extinguishing media Suitable extinguishing media		Water
	Suitable extiliguisting media	•	Water
	Unsuitable extinguishing media	:	Foam Dry chemical Carbon dioxide (CO2) Sand
5.2	Special hazards arising from the	he	substance or mixture
	Specific hazards during firefighting	:	At temperatures above 130 °C, dangerous decomposition gases can be emitted: Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammonia
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
	Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures			
Personal precautions :	Avoid dust formation. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.		

6.2 Environmental precautions

Environmental precautions	Do not empty into drains.
	Retain and dispose of contaminated wash water.



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 **Revision Date:** 06.04.2023

6.3 Methods and material for cont	ainment and cleaning up
Methods for cleaning up	: Use mechanical handling equipment.
6.4 Reference to other sections	
For personal protection see see	ction 8.
SECTION 7: Handling and stor	age
7.1 Precautions for safe handling	
Advice on safe handling	 Protect from contamination. Keep away from direct sunlight. Protect against heat. Protect from moisture.
Advice on protection against fire and explosion	: The product is not flammable. Keep away from heat and sources of ignition. Keep away from combustible materials.
Hygiene measures	: At the end of the shift the skin should be cleaned and skin- care agents applied.
7.2 Conditions for safe storage, ir	ncluding any incompatibilities
Requirements for storage areas and containers	: Keep away from heat. Keep away from sources of ignition - No smoking. Keep away from combustible material. Protect from contamination. When stored loose do not mix with other fertilizers. Protect against humidity (product is hygroscopic and tends to cake or disintegrate)
Further information on storage conditions	: Protect against water. Keep away from direct sunlight.
Storage class (TRGS 510)	: 13, Non Combustible Solids

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3



Revision Date:

06.04.2023

Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016

	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
potassium nitrate	Workers	Inhalation	Systemic effects	36,7 mg/m3
	Workers	Skin contact	Systemic effects	20,8 mg/kg
Remarks:	Exposure time: 1 d			
	Consumers	Ingestion	Systemic effects	12,5 mg/kg
Remarks:	Exposure time: 1 d			
	Consumers	Skin contact	Systemic effects	12,5 mg/kg
Remarks:	Exposure time	: 1 d		
	Consumers	Inhalation	Systemic effects	10,9 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonium nitrate	Sewage treatment plant	18 mg/l
potassium nitrate	Fresh water	0,45 mg/l
	Marine water	0,045 mg/l
	Ceiling Limit Value	4,5 mg/l
	Sewage treatment plant	18 mg/l

8.2 Exposure controls

Personal protective equipment

Respiratory protection : Particle filtering disposable mask DIN EN 149 with filter FFP2.



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

Environmental exposu	re controls
General advice	: Do not empty into drains. Retain and dispose of contaminated wash water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	granu	llar
Colour	vario	JS
Odour	very f	aint
Odour Threshold	No da	ata available
рН	ca. 5	- 5,5, Concentration: 100 g/l (20 °C)
Melting point/range	No da	ata available
Boiling point/boiling range	Not a	pplicable
Flash point	Not a	pplicable
Evaporation rate	Not a	pplicable
Flammability (solid, gas)	The p	product is not flammable.
Upper explosion limit	Not e	xplosive
Lower explosion limit	Not e	xplosive
Vapour pressure	Not a	pplicable
Relative vapour density	Not a	pplicable
Bulk density	ca. 1.	150 kg/m³
Solubility(ies) Water solubility	solub	le
Partition coefficient: n- octanol/water	Not a	pplicable
Viscosity Viscosity, dynamic	Not a	pplicable
Viscosity, kinematic	Not a	pplicable



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance
Particle characteristics Particle Size Distribution	: D50 = 340 μm D50 Tolerance range = 272 μm - 408 μm Measurement technique: Sieve analysis

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Evolution of ammonia under influence of alkalies.

10.4 Conditions to avoid

Conditions to avoid

: Protect from frost, heat and sunlight. Avoid moisture.

10.5 Incompatible materials

Materials to avoid: Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or
alkaline reacting substances, flammable oxidizable
substances, nitrites, metallic salts, metallic powder, herbicide,
chlorinated hydrocarbons, organic compounds.

10.6 Hazardous decomposition products

Hazardous decomposition :	Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide,
products	ammonia

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity

: LD50 (Rat): > 2.000 mg/kg



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

Components: ammonium nitrate:		
Acute oral toxicity	:	LD50 (Rat): > 2.950 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	> 88,8 mg/l Method: No information available.
Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402
potassium nitrate: Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,527 mg/l
Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit Method: OECD Test Guideline 404 Result: non-irritant

Components:

ammonium nitrate: Species: Rabbit Method: OECD Test Guideline 404 Result: non-irritant

potassium nitrate:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Product:

Species: Rabbit Method: OECD Test Guideline 405 Result: non-irritant

Components:

ammonium nitrate: Species: Rabbit



Revision Date:

06.04.2023

Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016

Method: OECD Test Guideline Result: Irritant	40	5
potassium nitrate: Species: Rabbit Result: No eye irritation		
Respiratory or skin sensitisa	tio	n
Product: Result: non-sensitizing		
Components: ammonium nitrate: Result: Does not cause skin se	ns	itisation.
potassium nitrate: Result: non-sensitizing		
germ cell mutagenicity		
Product:		
Genotoxicity in vitro	:	Remarks: Contains no hazardous ingredients according to GHS
Components:		
ammonium nitrate:		
Genotoxicity in vitro	:	Method: OECD Test Guideline 471 Result: negative
potassium nitrate:		
Genotoxicity in vitro	:	Remarks: No data available
Carcinogenicity		
Product:		
Remarks: Contains no ingredie	nt	listed as a carcinogen
Components:		
ammonium nitrate:		
Species: Rat		
Remarks: Animal testing did no	n s	now any carcinogenic effects.

potassium nitrate:

Remarks: Did not show carcinogenic effects in animal experiments.



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

Reproductive toxicity	
Product: Effects on fertility	Remarks: No toxicity to reproduction
Effects on foetal development	 Remarks: Did not show teratogenic effects in animal experiments. Information given is based on data obtained from similar substances.
Components: ammonium nitrate: Effects on fertility	: Species: Rat
	Remarks: Animal testing did not show any effects on fertility.
Effects on foetal development	: Species: Rat Remarks: Did not show teratogenic effects in animal experiments.
potassium nitrate: Effects on fertility	: Remarks: No toxicity to reproduction
Effects on foetal development	: Remarks: Did not show teratogenic effects in animal experiments.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

potassium nitrate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

Components:

potassium nitrate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

ammonium nitrate: Species: Rat NOAEL: > 1.500 mg/kg Application Route: Oral Exposure time: 28 d

Species: Rat NOAEL: = 256 mg/kg Application Route: Oral Exposure time: 52 w Method: OECD Test Guideline 453

Species: Rat NOAEL: >= 185 mg/kg Application Route: by inhalation Exposure time: 2 w Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

potassium nitrate:

Species: Rat NOAEL: >= 1.500 mg/kg Exposure time: 1 d

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Experience with human exposure

Product:

General Information : Danger of methaemoglobin formation.

Further information

Product:

Remarks: The product was not tested. The statement was derived from products of similar



Revision Date:

06.04.2023

Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016

structure and composition.

SECTION 12: Ecological information

12.1

Toxicity		
Product:		
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 422 mg/l Exposure time: 48 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 555 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae	:	No observed effect concentration (Desmodesmus subspicatus (green algae)): 83 mg/l Exposure time: 168 h Test Type: other Method: No data available
Toxicity to bacteria	:	EC20 (activated sludge): ca. > 100 mg/l Exposure time: 0,5 h Test Type: other Method: No data available
Components:		
ammonium nitrate:		
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 490 mg/l Exposure time: 48 h
		LC50 : 490 mg/l
Toxicity to algae	:	EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l Exposure time: 10 d
potassium nitrate:		
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 490 mg/l Exposure time: 48 h
Toxicity to algae	:	LC50 : >= 1.700 mg/l Exposure time: 10 d

12/16



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

12.2 Persistence and degradabi	lity				
Product: Biodegradability	: Remarks: The product works in the soil as fertilizer and is diminished in a few weeks.				
<u>Components:</u> ammonium nitrate: Biodegradability	: Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.				
potassium nitrate: Biodegradability	: Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.				
12.3 Bioaccumulative potential					
Product: Bioaccumulation	: Remarks: Bioaccumulation is unlikely.				
<u>Components:</u> ammonium nitrate: Bioaccumulation	: Remarks: Bioaccumulation is unlikely.				
Partition coefficient: n- octanol/water	: log Pow: -3,1				
potassium nitrate: Bioaccumulation	: Remarks: Does not bioaccumulate.				
12.4 Mobility in soil					
<u>Product:</u> Mobility	: Remarks: No data available				
<u>Components:</u> potassium nitrate: Mobility	: Remarks: No data available				
12.5 Results of PBT and vPvB assessment					
Product: Assessment	: Remarks: No data available				



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

Components:

potassium nitrate: Assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological information	 Disposal via sewage water treatment plants may cause impairment of the nitrification activity of the activated sludge. There is a high probability that the product is acute not harmful to aquatic organisms. Additional ecological information The product has not been tested. The information is derived from the properties of the individual components. At higher pH values, which can be found in natural surface waters, an increase of toxic effects on aquatic organsims may be expected
	waters, an increase of toxic effects on aquatic organsims may be expected.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	: Check if agriculture use is possible. Contact manufacturer.
Contaminated packaging	: Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations : This product is subject to Regulation (EU) 2019/1148; suspicious transactions, disappearance or theft of the product must be reported to the relevant authority.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this product.

SECTION 16: Other information

Full text of H-Statements	
H272	: May intensify fire; oxidizer.
H319	: Causes serious eye irritation.

Full text of other abbreviations

Eye Irrit.	: Eye irritation
Ox. Sol.	: Oxidizing solids

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; ISO - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

NovaTec® Solub P-Max 13-33-13



Version: 2.6 Date of last issue: 23.12.2022 Date of first issue: 22.06.2016 Revision Date: 06.04.2023

Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS -Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN