according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Rasen Floranid® with wedkiller 15-5-8

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Pesticide

Substance/Mixture

#### 1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH

Krögerweg 10 D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

: info@compo-expert.com

## 1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone: +49 (0) 6132 - 84463

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

Statements

## Labelling (REGULATION (EC) No 1272/2008)

Supplemental Hazard : EUH208 Contains 2,4-D. May produce an allergic

reaction.

EUH208 Contains urea-formaldehyde condensate.

May produce an allergic reaction.

EUH401 To avoid risks to man and the environment,

comply with the instructions for use.

Further information : German "Hazardous Substances" legislation (

Gefahrstoffverordnung) appendix I, No. 5 (Ammonium

Nitrate group C III)

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

#### 2.3 Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Pesticide

Herbicide

NPK - fertilizer contains:N,N'-(2-Methylpropyliden)-bis-urea, ammonium nitrate, potasium salt, ammonium salt, phosphate, magnesium salt, calcium salt, trace element combination.

### **Hazardous components**

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
dimethylammonium 2,4- dichlorophenoxyacetate	2008-39-1 217-915-8	Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 2; H411	<= 1
3,6-dichloro-o-anisic acid, compound with dimethylamine (1:1)	2300-66-5 218-951-7	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	<= 0,15
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27- XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	<= 15
Urea, polymer with formaldehyde	9011-05-6		<= 20

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

If inhaled : If breathed in, move person into fresh air.

If symptoms persist, call a physician.

Move to fresh air in case of accidental inhalation of fumes

from overheating or combustion.

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 **Revision Date:** Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

In case of lung irritation, first treatment with dexametason

aerosol (spray).

Obtain medical attention.

In case of skin contact : Wash off with soap and plenty of water.

: Rinse thoroughly with plenty of water for at least 15 minutes In case of eye contact

and consult a physician.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

: No information available. Symptoms

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Water

Unsuitable extinguishing

: Foam

media Dry chemical

Carbon dioxide (CO2)

Sand

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Can decompose at above 100 °C. Thermal decomposition

products:

Isobutyraldehyd

Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide,

ammonia chlorine

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

**SECTION 6: Accidental release measures** 

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : No special precautions required.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Retain and dispose of contaminated wash water.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on protection against

fire and explosion

The product is not flammable. Keep away from sources of ignition - No smoking. Keep away from combustible materials. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Risk of explosion if heated

under confinement.

Hygiene measures : Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: When stored loose do not mix with other fertilizers. Store well away from other substances. Keep away from direct sunlight. Protect against heat. Protect from contamination. Protect from

moisture.

Storage class (TRGS 510) : 5.1C, Ammonium nitrate and ammonium nitrate containing

preparations

7.3 Specific end use(s)

Specific use(s) : Not relevant

#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
dimethylammoniu m 2,4-	2008-39-1	(Inhalable fraction)	1 mg/m3	DE TRGS 900

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

dichlorophenoxyac	
etate	
Peak-limit:	8;(II)
excursion factor	
(category)	
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Risk of percutaneous absorption of amineformulations and esters, with the exception of the acid., Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child

Contains no substances with occupational exposure limit values.

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonium nitrate	Sewage treatment plant	18 mg/l

## 8.2 Exposure controls

### Personal protective equipment

Eye protection : In case of dust formation:

Tightly fitting safety goggles

Hand protection

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

Remarks : Impervious gloves

Skin and body protection : Wearing of closed work clothing is recommended.

Respiratory protection : respiratory protection only if aerosol or dust is formed.

**Environmental exposure controls** 

General advice : Do not flush into surface water or sanitary sewer system.

Retain and dispose of contaminated wash water.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : granular

Colour : beige

Odour : characteristic, amine-like

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : Not applicable

Bulk density : ca. 1.000 kg/m³

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : Not applicable

Decomposition temperature : > 130 °C

To avoid thermal decomposition, do not overheat.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Not considered an oxidizing substance

Particle characteristics

Particle Size Distribution : D50 = 1.3 mm

D50 Tolerance range = 0,9 mm - 1,7 mm

Measurement technique: Optoelectronic measurement

method

#### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Evolution of ammonia under influence of alkalies.

10.4 Conditions to avoid

Conditions to avoid : Keep away from heat and sources of ignition.

#### 10.5 Incompatible materials

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

Materials to avoid : Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or

alkaline reacting substances, flammable oxidizable

substances, nitrites, metallic salts, metallic powder, herbicide,

chlorinated hydrocarbons, organic compounds.

10.6 Hazardous decomposition products

Hazardous decomposition

products

: Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide,

ammonia chlorine

Isobutyraldehyd

**SECTION 11: Toxicological information** 

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** 

**Product:** 

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Components:

dimethylammonium 2,4-dichlorophenoxyacetate:

Acute oral toxicity : LD50 (Rat, female): 764 mg/kg

Method: Acute Oral Toxicity.

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): 2.115 mg/kg

**3,6-dichloro-o-anisic acid, compound with dimethylamine (1:1):** Acute inhalation toxicity : LC50 (Rat): 4,46 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

ammonium nitrate:

Acute oral toxicity : LD50 (Rat): > 2.950 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : > 88,8 mg/l

Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

#### Skin corrosion/irritation

#### **Product:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: non-irritant

#### **Components:**

## ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: non-irritant

### Serious eye damage/eye irritation

#### **Product:**

Species: Rabbit

Method: OECD Test Guideline 405

Result: non-irritant

#### Components:

## ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritant

#### Respiratory or skin sensitisation

#### **Product:**

Remarks: May cause sensitisation of susceptible persons by skin contact.

#### **Components:**

## ammonium nitrate:

Result: Does not cause skin sensitisation.

### germ cell mutagenicity

## **Product:**

Genotoxicity in vitro : Remarks: Contains no hazardous ingredients according to

**GHS** 

#### Components:

ammonium nitrate:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

## Carcinogenicity

#### **Product:**

Remarks: Contains no ingredient listed as a carcinogen

## **Components:**

#### ammonium nitrate:

Species: Rat

Remarks: Animal testing did not show any carcinogenic effects.

### Reproductive toxicity

#### **Product:**

Effects on fertility

Remarks: No toxicity to reproduction

Effects on foetal development

: Remarks: Contains no ingredient listed as toxic to

reproduction

#### **Components:**

ammonium nitrate:

Effects on fertility : Species: Rat

Remarks: Animal testing did not show any effects on fertility.

Effects on foetal

: Species: Rat

development

Remarks: Did not show teratogenic effects in animal

experiments.

### STOT - single exposure

#### **Product:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

## STOT - repeated exposure

#### **Product:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## Repeated dose toxicity

### **Components:**

#### ammonium nitrate:

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

Species: Rat

NOAEL: > 1.500 mg/kg Application Route: Oral Exposure time: 28 d

Species: Rat

NOAEL: = 256 mg/kg Application Route: Oral Exposure time: 52 w

Method: OECD Test Guideline 453

Species: Rat

 $\dot{NOAEL}$ : >= 185 mg/kg

Application Route: by inhalation

Exposure time: 2 w

Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

No data available

#### **Further information**

#### **Product:**

Remarks: Danger of methaemoglobin formation.

The product was not tested. The statement was derived from products of similar structure and

composition.

### **SECTION 12: Ecological information**

## 12.1 Toxicity

#### **Product:**

Toxicity to fish : (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: LC50

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna): > 100 mg/l

Exposure time: 48 h

Method: Directive 84/449/EEC, C.2

Toxicity to algae : EC50 (Scenedesmus subspicatus): > 100 mg/l

Exposure time: 72 h

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 **Revision Date:** Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

Method: DIN 38412

Toxicity to bacteria : EC0 (Pseudomonas putida): ca. 640 mg/l

> Exposure time: 16 h Test Type: activated sludge

Components:

dimethylammonium 2,4-dichlorophenoxyacetate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.170 mg/l

Exposure time: 96 h

LC50 (Fish): 168,4 mg/l Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna): 4 mg/l

Exposure time: 48 h

EC50 (Daphnia (water flea)): 10 - 100 mg/l

Exposure time: 48 h

Toxicity to algae (unspecified algae): 59,9 mg/l

Exposure time: 72 h

3,6-dichloro-o-anisic acid, compound with dimethylamine (1:1):

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 97 mg/l

Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 2,16

mg/l

ammonium nitrate:

Toxicity to fish : LC50 (Fish): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 490 mg/l

Exposure time: 48 h

LC50: 490 mg/l

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l

Exposure time: 10 d

Urea, polymer with formaldehyde:

Toxicity to fish : Remarks: No data available

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 **Revision Date:** Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

Toxicity to daphnia and other : Remarks: No data available

aquatic invertebrates

: Remarks: No data available Toxicity to algae

12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical : DOC reduction

removability ca. 85 %

Method: OECD 301E/92/69/EWG, C.4-B

Remarks: The product can be degraded by abiotic (e.g.

chemical or photolytic) processes.

**Components:** 

ammonium nitrate:

Biodegradability : Remarks: The methods for determining the biological

degradability are not applicable to inorganic substances.

Urea, polymer with formaldehyde:

Biodegradability : Remarks: The product works in the soil as fertilizer and is

diminished in a few weeks.

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data available

**Components:** 

dimethylammonium 2,4-dichlorophenoxyacetate:

: Bioconcentration factor (BCF): 10 Bioaccumulation

Partition coefficient: n-

octanol/water

: log Pow: -0,83

3,6-dichloro-o-anisic acid, compound with dimethylamine (1:1):

Partition coefficient: n-

octanol/water

: log Pow: 0,55

ammonium nitrate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: -3,1

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

**Urea, polymer with formaldehyde:** 

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <=

4).

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among

environmental compartments

: Remarks: Mobile in soils

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : Remarks: No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

**Product:** 

Additional ecological

information

: Inhibition of degradation activity in activated sludge is not to

be anticipated during correct introduction of low

concentrations.

There is a high probability that the product is acute not

harmful to aquatic organisms.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product : Check if agriculture use is possible.

Contact manufacturer.

Contaminated packaging : Offer rinsed packaging material to local recycling facilities.

**SECTION 14: Transport information** 

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006

## Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

## 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not relevant

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class

(Germany)

: WGK 1 slightly water endangering

Other regulations : TRGS 511 'Ammonium nitrate'

This product is subject to Regulation (EU) 2019/1148;

suspicious transactions, disappearance or theft of the product

must be reported to the relevant authority.

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H272 : May intensify fire; oxidizer. H302 : Harmful if swallowed.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Chronic aquatic toxicity
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation

Ox. Sol. : Oxidizing solids

according to Regulation (EC) No. 1907/2006

#### Rasen Floranid® with wedkiller 15-5-8



Version: 2.7 Revision Date:
Date of last issue: 23.12.2022 06.04.2023

Date of first issue: 09.05.2016

Skin Sens. : Skin sensitisation

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS -Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory **Practice** 

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN