

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basfoliar® Miloh SL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fertilizer

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Krögerweg 10
D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person responsible for the SDS : info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h
Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1 H318: Causes serious eye damage.

Chronic aquatic toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

Hazard pictograms

:



Signal word

: Danger

Hazard statements

: H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**
P280 Wear protective gloves/ protective clothing/
eye protection/ face protection.
Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with
water for several minutes. Remove contact
lenses, if present and easy to do. Continue
rinsing.
P310 Immediately call a POISON CENTER or
doctor/ physician.
Disposal:
P501 Dispose of contents/ container to an
approved waste disposal plant.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Liquid mixture of organic and inorganic salts of fertilizers.

Hazardous components

| Chemical Name | CAS-No. EC-No. Registration number | Classification | Concentration (% w/w) |
|----------------------------|---|--|--------------------------|
| Zinc sulphate, monohydrate | 7446-19-7 231-793-3 01-2119474684-27-XXXX | Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | >= 15 - <= 20 |

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

| | | | |
|--------------------------|--|---|--------------------|
| manganese sulphate (1:1) | 7785-87-7 232-089-9 01-2119456624-35-XXXX | STOT RE 2; H373 Aquatic Chronic 2; H411 Eye Dam. 1; H318 | $\geq 5 - \leq 10$ |
| Boric acid | 11113-50-1 234-343-4 01-2119486683-25-XXXX | Repr. 1B; H360FD | $\geq 2 - \leq 3$ |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take off immediately all contaminated clothing.
- If inhaled : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.
By disorders:
Obtain medical attention.
- In case of skin contact : Wash off immediately with soap and plenty of water.
- In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If symptoms persist, seek medical advice.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Allergic appearance
Sensitisation

Basfoliar® Miloh SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : The product is not flammable.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : In case of combustion evolution of dangerous gases possible.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
In the event of fire and/or explosion do not breathe fumes.

Further information : Cool endangered containers with water-spray.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin, eyes and clothing.
Ensure adequate ventilation.
In case of involuntary exposition of the product contact producer or supplier.

6.2 Environmental precautions

Environmental precautions : Do not empty into drains.
Product should not reach open waters.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.02.2020

Revision Date:

06.04.2023

- Advice on safe handling : Avoid contact with skin, eyes and clothing.
- Advice on protection against fire and explosion : No special precautions required.
- Hygiene measures : Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing. Hands and/or face should be washed before breaks and at the end of the shift.

7.2 Conditions for safe storage, including any incompatibilities

- Further information on storage conditions : Keep containers tightly closed in a cool, well-ventilated place.
- Advice on common storage : Not relevant
- Storage class (TRGS 510) : 12, Non Combustible Liquids

7.3 Specific end use(s)

- Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|--------------------------|--|-------------------------------|-----------------------------------|-------------|
| manganese sulphate (1:1) | manganese sulphate | (Inhalable fraction) | 0,5 mg/m ³ | DE TRGS 900 |
| Further information | Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child | | | |
| | | AGW (Inhalable fraction) | 0,5 mg/m ³ (Manganese) | DE TRGS 900 |
| Further information | Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child | | | |
| | | | 0,5 mg/m ³ | |
| Boric acid | 11113-50-1 | TWA | 2,6 mg/m ³ | DE TRGS 900 |
| | | STEL | 5,2 mg/m ³ | DE TRGS 900 |
| | | | 0,5 mg/m ³ | |

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

| | | | | |
|-----------------------------------|-------------------------|-------------------------------|--|----------|
| No data available Mangansulfat | 7785-87-7, 7785-87-7 | manganese: 20 µg/l (Blood) | Immediately after exposition or after working hours, In case of long-term exposition: after more than one shift | TRGS 903 |
|-----------------------------------|-------------------------|-------------------------------|--|----------|

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|---------------------|------------------------------------|-----------------|--------------------------|-------|
| Basfoliar® Miloh SL | | | | |
| Remarks: | This information is not available. | | | |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|---------------------|------------------------------------|-------|
| Basfoliar® Miloh SL | | |
| Remarks: | This information is not available. | |

8.2 Exposure controls

Engineering measures

Provide adequate ventilation.

Personal protective equipment

Eye protection : Safety glasses

Hand protection

Remarks : For prolonged or repeated contact use protective gloves. Chemical resistant protective gloves (EN 374). butyl rubber (butyl) - 0.7 mm coating thickness chloroprene rubber (CR) - 0.5 mm coating thickness polyvinylchloride (PVC) - 0.7 mm coating thickness The selection of suitable depends upon the material, and also upon the quality of the gloves. The degree of protection will vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in

Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

advance and has therefore to be checked prior to the application.

Skin and body protection : Protective suit

Respiratory protection : respiratory protection only if aerosol or dust is formed.

Environmental exposure controls

General advice : Do not empty into drains.
Product should not reach open waters.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---------------------------|---------------------------------|
| Physical state | : liquid |
| Colour | : dark brown |
| Odour | : very faint |
| pH | : ca. 2,5, (20 °C) |
| melting range | : ca. 0 °C |
| Boiling range | : ca. > 100 °C |
| Flash point | : Not applicable |
| Evaporation rate | : No data available |
| Flammability (solid, gas) | : The product is not flammable. |
| Upper explosion limit | : Not applicable |
| Lower explosion limit | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density | : No data available |

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.02.2020

Revision Date:

06.04.2023

| | |
|--|--|
| Density | : ca. 1,32 g/cm ³ (20 °C) |
| Solubility(ies) | |
| Water solubility | : soluble |
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : To avoid thermal decomposition, do not overheat. |
| Viscosity | |
| Viscosity, dynamic | : No data available |
| Explosive properties | : Not explosive |
| Oxidizing properties | : Not considered an oxidizing substance |

9.2 Other information

| | |
|-----------------|---------------------|
| Surface tension | : No data available |
|-----------------|---------------------|

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

The product is normally supplied in a stabilized form. If the permissible storage period and/or storage temperature is noticeably exceeded, the product may polymerise with heat evolution.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

| | |
|---------------------|---|
| Conditions to avoid | : No decomposition if stored and applied as directed. |
|---------------------|---|

10.5 Incompatible materials

| | |
|--------------------|---|
| Materials to avoid | : Strong oxidizing agents Strong bases |
|--------------------|---|

10.6 Hazardous decomposition products

| | |
|----------------------------------|--|
| Hazardous decomposition products | : In case of fire hazardous decomposition products may be produced such as: Carbon oxides |
|----------------------------------|--|

Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Components:

manganese sulphate (1:1):

Acute oral toxicity : LD50 (Rat): 2.150 mg/kg

Boric acid:

Acute oral toxicity : LD50 (Mouse): 3.450 mg/kg

LD50 (Rat): 2.660 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2 mg/l

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Product:

Result: No skin irritation

Remarks: Calculation method

Components:

Boric acid:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Result: Eye irritation

Remarks: Calculation method

Components:

Boric acid:

Species: Rabbit

Method: OECD Test Guideline 405

Result: No eye irritation

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

Respiratory or skin sensitisation

Product:

Remarks: May cause sensitisation of susceptible persons by skin contact.

Components:

Boric acid:

Method: OECD Test Guideline 406

Result: non-sensitizing

germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects
The product has not been tested. The information is derived from the properties of the individual components.

Components:

Boric acid:

Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay
Result: Mutagenicity tests revealed no genotoxic potential.
Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity-Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Components:

Boric acid:

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 451

Remarks: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Product:

Effects on fertility :
Remarks: No toxicity to reproduction

Effects on foetal : Remarks: No human information is available.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

development

Components:

Boric acid:

Effects on foetal
development

: Remarks: Animal ingestion studies in several species, at high doses, indicate that borates cause reproductive and developmental effects.

Reproductive toxicity -
Assessment

: May damage fertility. May damage the unborn child.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Further information

No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

manganese sulphate (1:1):

Toxicity to daphnia and other
aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 30 mg/l

12.2 Persistence and degradability

Product:

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.02.2020

Revision Date:

06.04.2023

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Components:

Boric acid:

Biodegradability : Remarks: Not applicable

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Components:

Boric acid:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: No data available

Components:

Boric acid:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..
Remarks: Not applicable

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological information : slightly water endangering
Do not flush into surface water or sanitary sewer system.
Neutralisation will reduce ecotoxic effects.

SECTION 13: Disposal considerations

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.02.2020

Revision Date:

06.04.2023

13.1 Waste treatment methods

| | |
|------------------------|---|
| Product | : Must not be disposed together with household garbage. Do not allow product to reach sewage system. Fertilizer Check if agriculture use is possible. |
| Contaminated packaging | : Empty containers should be taken to an approved waste handling site for recycling or disposal. |

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|------|-----------|
| ADN | : UN 3082 |
| ADR | : UN 3082 |
| RID | : UN 3082 |
| IMDG | : UN 3082 |
| IATA | : UN 3082 |

14.2 UN proper shipping name

| | |
|------|--|
| ADN | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc sulphate, manganese sulphate) |
| ADR | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc sulphate, manganese sulphate) |
| RID | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc sulphate, manganese sulphate) |
| IMDG | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc sulphate, manganese sulphate) |
| IATA | : Environmentally hazardous substance, liquid, n.o.s. (zinc sulphate, manganese sulphate) |

14.3 Transport hazard class(es)

| | |
|------|-----|
| ADN | : 9 |
| ADR | : 9 |
| RID | : 9 |
| IMDG | : 9 |
| IATA | : 9 |

14.4 Packing group

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Segregation group :

IATA

Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : 9

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.02.2020

Revision Date:

06.04.2023

Remarks : Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

| | | Quantity 1 | Quantity 2 |
|----|--------------------------|------------|------------|
| E2 | ENVIRONMENTAL HAZARDS | 200 t | 500 t |

Water contaminating class : WGK 1 slightly water endangering
(Germany)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

| | |
|--------|--|
| H302 | : Harmful if swallowed. |
| H318 | : Causes serious eye damage. |
| H360FD | : May damage fertility. May damage the unborn child. |
| H373 | : May cause damage to organs through prolonged or repeated exposure. |
| H400 | : Very toxic to aquatic life. |
| H410 | : Very toxic to aquatic life with long lasting effects. |
| H411 | : Toxic to aquatic life with long lasting effects. |

Full text of other abbreviations

| | |
|-----------------|--|
| Acute Tox. | : Acute toxicity |
| Aquatic Acute | : Acute aquatic toxicity |
| Aquatic Chronic | : Chronic aquatic toxicity |
| Eye Dam. | : Serious eye damage |
| Repr. | : Reproductive toxicity |
| STOT RE | : Specific target organ toxicity - repeated exposure |

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM -

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Miloh SL



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.02.2020

Revision Date:

06.04.2023

American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN