

Basfoliar® UAN SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basfoliar® UAN SL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fertilizer

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Krögerweg 10
D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person responsible for the SDS : info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h
Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Supplemental Hazard Statements : EUH210 Safety data sheet available on request.

Further information : German "Hazardous Substances" legislation (Gefahrstoffverordnung) appendix I, No. 5 (Ammonium Nitrate group D II)

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Liquid mixture of organic and inorganic salts of fertilizers.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27-XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 10 - <= 45

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
If unconscious place in recovery position and seek medical advice.
In case of lung irritation, first treatment with dexametason aerosol (spray).
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Basfoliar® UAN SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water

Unsuitable extinguishing media : Foam
Dry chemical
Carbon dioxide (CO₂)
Sand

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Thermal decomposition can lead to release of irritating gases and vapours.
Nitrogen oxides (NO_x)
ammonia

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : No special precautions required.

6.2 Environmental precautions

Environmental precautions : Do not empty into drains.
Retain and dispose of contaminated wash water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

- Advice on safe handling : Keep away from direct sunlight.
Keep away from heat.
Do not allow to dry.
- Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
- Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep away from heat. Keep away from sources of ignition - No smoking. Protect from contamination.
- Advice on common storage : Not relevant
- Storage class (TRGS 510) : 12, Non Combustible Liquids
- Recommended storage temperature : 5 - 35 °C

7.3 Specific end use(s)

- Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

Substance name	Environmental Compartment	Value
ammonium nitrate	Sewage treatment plant	18 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Avoid contact with eyes.
Tightly fitting safety goggles

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.
The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Recommended preventive skin protection

Skin and body protection : not required

Respiratory protection : Not relevant

Environmental exposure controls

General advice : Do not empty into drains.
Retain and dispose of contaminated wash water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : light blue
Odour : odourless
Odour Threshold : No data available
pH : 6,5, Concentration: 100 g/l (20 °C)

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.02.2020

Revision Date:

06.04.2023

Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable, The product is not flammable.
Evaporation rate	: No data available
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: ca. 1,3 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Stable at normal ambient temperature and pressure. Do not allow evaporation to dryness.
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

9.2 Other information

No data available

SECTION 10: Stability and reactivity

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Contact with strong bases liberates ammonia.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or alkaline reacting substances, flammable oxidizable substances, nitrites, metallic salts, metallic powder, herbicide, chlorinated hydrocarbons, organic compounds.

10.6 Hazardous decomposition products

Hazardous decomposition products : Nitrogen oxides (NO_x)
ammonia

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Components:

ammonium nitrate:

Acute oral toxicity : LD50 (Rat): > 2.950 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : > 88,8 mg/l
Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Remarks: May irritate skin.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

Components:

ammonium nitrate:

Species: Rabbit
Method: OECD Test Guideline 404
Result: non-irritant

Serious eye damage/eye irritation

Product:

Remarks: May irritate eyes.

Components:

ammonium nitrate:

Species: Rabbit
Method: OECD Test Guideline 405
Result: Irritant

Respiratory or skin sensitisation

Product:

Result: non-sensitizing

Components:

ammonium nitrate:

Result: Does not cause skin sensitisation.

germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: Contains no hazardous ingredients according to GHS

Components:

ammonium nitrate:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Components:

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

ammonium nitrate:

Species: Rat

Remarks: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Product:

Effects on fertility :
Remarks: No toxicity to reproduction

Effects on foetal development :
Remarks: Contains no ingredient listed as toxic to reproduction

Components:

ammonium nitrate:

Effects on fertility : Species: Rat
Remarks: Animal testing did not show any effects on fertility.

Effects on foetal development : Species: Rat
Remarks: Did not show teratogenic effects in animal experiments.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

ammonium nitrate:

Species: Rat
NOAEL: > 1.500 mg/kg
Application Route: Oral
Exposure time: 28 d

Species: Rat
NOAEL: = 256 mg/kg
Application Route: Oral

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.02.2020

Revision Date:
06.04.2023

Exposure time: 52 w
Method: OECD Test Guideline 453

Species: Rat
NOAEL: ≥ 185 mg/kg
Application Route: by inhalation
Exposure time: 2 w
Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Experience with human exposure

Product:

General Information : Danger of methaemoglobin formation.

Further information

Product:

Remarks: Information given is based on data obtained from similar substances.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 422 mg/l Exposure time: 48 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): 555 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae	: No observed effect concentration (Desmodesmus subspicatus (green algae)): 83 mg/l Exposure time: 168 h Test Type: other Method: No data available
Toxicity to bacteria	: EC20 (activated sludge): ca. 850 mg/l Exposure time: 0,5 h

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.02.2020

Revision Date:

06.04.2023

Test Type: other

Method: No data available

Remarks: Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Components:

ammonium nitrate:

Toxicity to fish : LC50 (Fish): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 490 mg/l
aquatic invertebrates Exposure time: 48 h

LC50 : 490 mg/l

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l
Exposure time: 10 d

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The product works in the soil as fertilizer and is diminished in a few weeks.

Components:

ammonium nitrate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Components:

ammonium nitrate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n- : log Pow: -3,1
octanol/water

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.02.2020

Revision Date:

06.04.2023

Distribution among environmental compartments : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological information : Do not flush into surface water or sanitary sewer system. Information given is based on data on the components and the ecotoxicology of similar products.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Check if agriculture use is possible.
Contact manufacturer.

Contaminated packaging : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.02.2020

Revision Date:

06.04.2023

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class (Germany) : WGK 1 slightly water endangering

Other regulations : TRGS 511 'Ammonium nitrate'

This product is subject to Regulation (EU) 2019/1148; suspicious transactions, disappearance or theft of the product must be reported to the relevant authority.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H272 : May intensify fire; oxidizer.
H319 : Causes serious eye irritation.

Full text of other abbreviations

Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® UAN SL



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.02.2020

Revision Date:

06.04.2023

- No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN