

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.07.2021

Revision Date:
06.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basacote® P-Max 6M 17-43-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fertilizer

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Krögerweg 10
D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person responsible for the SDS : info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h
Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Disposal:**
P501 Dispose of contents/ container to an approved waste disposal plant.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.07.2021

Revision Date:
06.04.2023

2.3 Other hazards

According to our experience and to the information provided to us, the product does not have any harmful effects if it is used and handled as specified.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Fertilizer
NP - fertilizer contains:
Diammonium hydrogenorthophosphate

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
copper sulphate	7758-98-7 231-847-6 01-2119520566-40-XXXX	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Acute Tox. 4; H302	$\geq 0,1$ - $\leq 0,3$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off immediately all contaminated clothing.

If inhaled : Keep patient calm, remove to fresh air, seek medical attention.
If unconscious place in recovery position and seek medical advice.

In case of skin contact : Wash thoroughly with soap and water.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.07.2021

Revision Date:
06.04.2023

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water mist
Water spray jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Heating or fire can release toxic gas.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Handle in accordance with good industrial hygiene and safety practice.

6.2 Environmental precautions

Environmental precautions : Do not empty into drains.
Retain and dispose of contaminated wash water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special measures necessary if stored and handled as prescribed.

Advice on protection against fire and explosion : No special precautions required.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.07.2021

Revision Date:

06.04.2023

Hygiene measures : At the end of the shift the skin should be cleaned and skin-care agents applied.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep away from heat. Keep away from sources of ignition - No smoking. Keep away from direct sunlight. Keep away from combustible material. Protect from contamination. Protect against humidity (product is hygroscopic and tends to cake or disintegrate)

Advice on common storage : Not relevant

Storage class (TRGS 510) : 11, Combustible Solids

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
copper sulphate	7758-98-7		1 mg/m ³ (as Copper (Cu))	MAK (DE)

none

8.2 Exposure controls

Personal protective equipment

Eye protection : In case of dust formation:
Safety glasses

Hand protection

Remarks : Protective gloves The selection of suitable depends upon the material, and also upon the quality of the gloves. The degree of protection will vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.07.2021

Revision Date:
06.04.2023

application.

Skin and body protection : Wearing of closed work clothing is recommended.

Respiratory protection : respiratory protection only if aerosol or dust is formed.

Environmental exposure controls

General advice : Do not empty into drains.
Retain and dispose of contaminated wash water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: granular
Colour	: light grey
Odour	: stinging
pH	: ca. 7,5 - 8,5, Concentration: 100 g/l (20 °C)
Melting point/range	: 155 °C
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Density	: 1,619 g/cm ³

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.07.2021

Revision Date:

06.04.2023

Bulk density	: ca. 900 kg/m ³
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: ca. 155 °C To avoid thermal decomposition, do not overheat.
Viscosity	
Viscosity, dynamic	: Not applicable
Particle characteristics	
Particle Size Distribution	: D50 = 3,0 mm D50 Tolerance range = 2,6 mm - 3,4 mm Measurement technique: Optoelectronic measurement method

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : Method: No data available

10.4 Conditions to avoid

Conditions to avoid : To avoid thermal decomposition, do not overheat.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition : Nitrose gases

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.07.2021

Revision Date:
06.04.2023

products

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Components:

copper sulphate:

Acute oral toxicity : LD50 Oral (Rat): 300 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit
Method: OECD Test Guideline 404
Result: non-irritant

Components:

copper sulphate:

Assessment: Irritant

Serious eye damage/eye irritation

Product:

Species: Rabbit
Method: OECD Test Guideline 405
Result: non-irritant

Components:

copper sulphate:

Assessment: Irritant

Respiratory or skin sensitisation

Product:

Result: non-sensitizing

germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.07.2021

Revision Date:
06.04.2023

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Reproductive toxicity

Product:

Effects on fertility :
Remarks: No toxicity to reproduction

Effects on foetal development : Remarks: This information is not available.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Further information

Product:

Remarks: The product was not tested. The statement was derived from products of similar structure and composition.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.07.2021

Revision Date:

06.04.2023

Toxicity to fish : LC50 (Fathead minnow): 155 mg/l
Exposure time: 96 h

Components:

copper sulphate:

Toxicity to fish : LC50 (Salmo sp.): 0,1 - 2,5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,024 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae : EC50 (Scenedesmus quadricauda (Green algae)): 0,1 mg/l
Exposure time: 4 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The product works in the soil as fertilizer and is diminished in a few weeks.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among : Remarks: No data available
environmental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: Not applicable

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological : There is a high probability that the product is acute not
information harmful to aquatic organisms.
Do not allow material to contaminate ground water system.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.07.2021

Revision Date:
06.04.2023

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | |
|------------------------|---|
| Product | : Check if agriculture use is possible.
Contact manufacturer. |
| Contaminated packaging | : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned. |

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class : WGK 1 slightly water endangering
(Germany)

15.2 Chemical Safety Assessment

No data available

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3

Date of last issue: 23.12.2022

Date of first issue: 05.07.2021

Revision Date:

06.04.2023

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H319	: Causes serious eye irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basacote® P-Max 6M 17-43-0



Version: 1.3
Date of last issue: 23.12.2022
Date of first issue: 05.07.2021

Revision Date:
06.04.2023

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN