

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Hakaphos® Calcidic Plus N 19-6-6(+14)
UFI : 42J5-F0YX-N001-FC4X

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fertilizer

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Krögerweg 10
D-48155 Münster
Telephone : +49 (0) 251 29 79 81 – 000
Telefax : +49 (0) 251 29 79 81 - 111
E-mail address of person responsible for the SDS : info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h
Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Skin corrosion, Category 1B H314: Causes severe skin burns and eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hakaphos® Calcidic Plus N 19-6-6(+14)

Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

Hazard pictograms



Signal word

: Danger

Hazard statements

: H302
H314

Harmful if swallowed.
Causes severe skin burns and eye damage.

Precautionary statements

: P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

Prevention:

P260

Do not breathe dust.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284

In case of inadequate ventilation wear respiratory protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

Storage:

P405 Store locked up.

Further information

: German "Hazardous Substances" legislation (Gefahrstoffverordnung) appendix I, No. 5 (Ammonium Nitrate group C III)

2.3 Other hazards

Unspecified

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9

Date of last issue: 23.12.2022

Date of first issue: 11.10.2016

Revision Date:

07.04.2023

urea phosphate (1:1)	4861-19-2 225-464-3	Skin Corr. 1B; H314	>= 1 - <= 5
potassium nitrate	7757-79-1 231-818-8 01-2119488224-35- XXXX	Ox. Sol. 3; H272	>= 10 - <= 55
Nitric acid, ammonium calcium salt	15245-12-2 239-289-5 01-2119493947-16- XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 35 - <= 55
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27- XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 10 - <= 55
disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-)	14025-15-1 237-864-5 05-2114842509-41- 0000	Acute Tox. 4; H302	>= 0,1 - <= 0,2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

: Keep patient calm, remove to fresh air, seek medical attention.

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

If unconscious place in recovery position and seek medical advice.

In case of lung irritation, first treatment with dexametason aerosol (spray).

In case of skin contact	: Wash off with soap and water. Remove contaminated clothing. If irritation develops, get medical attention.
In case of eye contact	: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed	: Clean mouth with water and drink afterwards plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: No information available.
----------	-----------------------------

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Water
Unsuitable extinguishing media	: Foam Dry chemical Carbon dioxide (CO ₂) Sand

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	: At temperatures above 130 °C, dangerous decomposition gases can be emitted: Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammonia Oxides of phosphorus
--------------------------------------	--

5.3 Advice for firefighters

Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions : Do not empty into drains.
Retain and dispose of contaminated wash water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

none, For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid dust formation.
Avoid contact with skin, eyes and clothing.
Protect from contamination.
Keep away from direct sunlight.
Protect against heat.
Protect from moisture.

Advice on protection against fire and explosion : The product is not flammable. Keep away from heat and sources of ignition. Keep away from combustible materials.

Hygiene measures : At the end of the shift the skin should be cleaned and skin-care agents applied.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep away from heat. Keep away from sources of ignition - No smoking. Keep away from combustible material. Protect from contamination. When stored loose do not mix with other fertilizers. Protect against humidity (product is hygroscopic and tends to cake or disintegrate)

Advice on common storage : Store well away from other substances.

Storage class (TRGS 510) : 5.1C, Ammonium nitrate and ammonium nitrate containing preparations

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON'] cuprate(2-)	14025-15-1	TWA	1 mg/m ³ (Copper)	GB EH40

3 mg/m³ (Dust entering alveoli), 10 mg/m³ (inhalable dust)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
potassium nitrate	Workers	Inhalation	Systemic effects	36,7 mg/m ³
	Workers	Skin contact	Systemic effects	20,8 mg/kg
Remarks:	Exposure time: 1 d			
	Consumers	Ingestion	Systemic effects	12,5 mg/kg
Remarks:	Exposure time: 1 d			
	Consumers	Skin contact	Systemic effects	12,5 mg/kg
Remarks:	Exposure time: 1 d			
	Consumers	Inhalation	Systemic effects	10,9 mg/m ³
Nitric acid, ammonium calcium salt	Workers	Inhalation	Specific effects	24,5 mg/m ³
Remarks:	Exposure time: 1 DAY			
	Workers	Skin contact	Specific effects	13,9 mg/kg
Remarks:	Exposure time: 1 DAY			
	Consumers	Inhalation	systemic effects	6,3 mg/m ³
	Consumers	Skin contact	systemic effects	8,33 mg/kg

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9

Revision Date:

07.04.2023

Date of last issue: 23.12.2022

Date of first issue: 11.10.2016

	Consumers	Ingestion	systemic effects	8,33 mg/kg
Remarks:	Exposure time: 1 DAY			
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m ³
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m ³
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
potassium nitrate	Fresh water	0,45 mg/l
	Marine water	0,045 mg/l
	Ceiling Limit Value	4,5 mg/l
	Sewage treatment plant	18 mg/l
Nitric acid, ammonium calcium salt	Fresh water	0,45 mg/l
	Marine water	0,045 mg/l
	Ceiling Limit Value	4,5 mg/l
ammonium nitrate	Sewage treatment plant	18 mg/l

8.2 Exposure controls

Engineering measures

Provide adequate ventilation.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

Hand protection

Remarks : Chemical resistant protective gloves (EN 374). The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

Respiratory protection : Particle filtering disposable mask DIN EN 149 with filter FFP2.

Environmental exposure controls

General advice : Do not empty into drains.
Retain and dispose of contaminated wash water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: solid
Colour	: light grey
Odour	: odourless
pH	: ca. 1,7, Concentration: 100 g/l (20 °C)
Melting point/range	: No data available
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: not auto-flammable
Upper explosion limit	: Not explosive
Lower explosion limit	: Not explosive
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: Not applicable

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

Density	: 1,18 g/cm ³
Bulk density	: ca. 1.050 kg/m ³
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: not determined
Decomposition temperature	: > 130 °C To avoid thermal decomposition, do not overheat.
Viscosity	
Viscosity, dynamic	: Not applicable
Explosive properties	: Not explosive
Particle characteristics	
Particle Size Distribution	: D ₅₀ = 800 µm D ₅₀ Tolerance range = 640 µm - 960 µm Measurement technique: Sieve analysis

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : Evolution of ammonia under influence of alkalies.

10.4 Conditions to avoid

Conditions to avoid : Corrosive to metals
Contact with water or moist air liberates phosphoric acid.

10.5 Incompatible materials

Material Safety Data Sheet

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

Materials to avoid : Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or alkaline reacting substances, flammable oxidizable substances, nitrites, metallic salts, metallic powder, herbicide, chlorinated hydrocarbons, organic compounds.

10.6 Hazardous decomposition products

Hazardous decomposition products : Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammonia
Oxides of phosphorus

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Components:

potassium nitrate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,527 mg/l

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Nitric acid, ammonium calcium salt:

Acute oral toxicity : LD50: > 300 mg/kg

Acute inhalation toxicity : Remarks: Not relevant because of low vapour pressure.

Remarks: Not relevant because of low dust formation.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Guideline 402

ammonium nitrate:

Acute oral toxicity : LD50 (Rat): > 2.950 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : > 88,8 mg/l
Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402

disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

Acute oral toxicity : LD50 Oral (Rat): > 1.750 mg/kg

Skin corrosion/irritation

Product:

Remarks: No data available

Components:

potassium nitrate:

Species: Rabbit

Result: No skin irritation

Nitric acid, ammonium calcium salt:

Species: Rabbit

Result: No skin irritation

ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: non-irritant

Serious eye damage/eye irritation

Product:

Remarks: No data available

Components:

potassium nitrate:

Species: Rabbit

Result: No eye irritation

Nitric acid, ammonium calcium salt:

Species: Rabbit

Result: Irritating to eyes.

ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritant

Respiratory or skin sensitisation

Product:

Result: non-sensitizing

Components:

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

potassium nitrate:
Result: non-sensitizing

ammonium nitrate:
Result: Does not cause skin sensitisation.

germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects
The product has not been tested. The information is derived from the properties of the individual components.

Components:

potassium nitrate:
Genotoxicity in vitro : Remarks: No data available

ammonium nitrate:
Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Components:

potassium nitrate:
Remarks: Did not show carcinogenic effects in animal experiments.

ammonium nitrate:

Species: Rat
Remarks: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No toxicity to reproduction

Effects on foetal development : Remarks: Contains no ingredient listed as toxic to reproduction

Components:

potassium nitrate:

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

Effects on fertility	:	Remarks: No toxicity to reproduction
Effects on foetal development	:	Remarks: Did not show teratogenic effects in animal experiments.
ammonium nitrate:		
Effects on fertility	:	Species: Rat Remarks: Animal testing did not show any effects on fertility.
Effects on foetal development	:	Species: Rat Remarks: Did not show teratogenic effects in animal experiments.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

potassium nitrate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

potassium nitrate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

potassium nitrate:

Species: Rat
NOAEL: >= 1.500 mg/kg
Exposure time: 1 d

ammonium nitrate:

Species: Rat

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

NOAEL: > 1.500 mg/kg
Application Route: Oral
Exposure time: 28 d

Species: Rat
NOAEL: = 256 mg/kg
Application Route: Oral
Exposure time: 52 w
Method: OECD Test Guideline 453

Species: Rat
NOAEL: >= 185 mg/kg
Application Route: by inhalation
Exposure time: 2 w
Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Experience with human exposure

Product:

General Information : Danger of methaemoglobin formation.

Further information

Product:

Remarks: The product was not tested. The statement was derived from products of similar structure and composition.

SECTION 12: Ecological information

12.1 Toxicity

Components:

potassium nitrate:

Toxicity to fish : LC50 (Fish): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 490 mg/l
Exposure time: 48 h

Toxicity to algae : LC50 : >= 1.700 mg/l

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

Exposure time: 10 d

Nitric acid, ammonium calcium salt:

Toxicity to fish : LC50 (Guppy): 1.378 mg/l
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 490 mg/l

Toxicity to algae : LC50 (other aquatic plant): > 1.700 mg/l

ammonium nitrate:

Toxicity to fish : LC50 (Fish): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 490 mg/l
Exposure time: 48 h

LC50 : 490 mg/l

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l
Exposure time: 10 d

disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):

Toxicity to fish : LC50 (Fish): > 100 mg/l

Toxicity to algae : EC50 : 30 mg/l
Exposure time: 96 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The product works in the soil as fertilizer and is diminished in a few weeks.

Components:

potassium nitrate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Nitric acid, ammonium calcium salt:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

ammonium nitrate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Components:

potassium nitrate:

Bioaccumulation : Remarks: Does not bioaccumulate.

Nitric acid, ammonium calcium salt:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

ammonium nitrate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water

: log Pow: -3,1

12.4 Mobility in soil

Product:

Mobility : Remarks: Groundwater contamination is unlikely.

Distribution among environmental compartments

: Remarks: No data available

Components:

potassium nitrate:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: Not applicable

Components:

potassium nitrate:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

12.6 Endocrine disrupting properties

No data available

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

12.7 Other adverse effects

Product:

Additional ecological information : There is a high probability that the product is acute not harmful to aquatic organisms.
Additional ecological information
The product has not been tested. The information is derived from the properties of the individual components.
At higher pH values, which can be found in natural surface waters, an increase of toxic effects on aquatic organisms may be expected.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Check if agriculture use is possible.
Contact manufacturer.
Contaminated packaging : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 1759
ADR : UN 1759
RID : UN 1759
IMDG : UN 1759
IATA : UN 1759

14.2 UN proper shipping name

ADN : CORROSIVE SOLID, N.O.S.
(urea phosphate)
ADR : CORROSIVE SOLID, N.O.S.
(urea phosphate)
RID : CORROSIVE SOLID, N.O.S.
(urea phosphate)
IMDG : CORROSIVE SOLID, N.O.S.
(urea phosphate)
IATA : Corrosive solid, n.o.s.
(urea phosphate)

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

14.3 Transport hazard class(es)

ADN	:	8
ADR	:	8
RID	:	8
IMDG	:	8
IATA	:	8

14.4 Packing group

ADN		
Packing group	:	III
Classification Code	:	C10
Hazard Identification Number	:	80
Labels	:	8
ADR		
Packing group	:	III
Classification Code	:	C10
Hazard Identification Number	:	80
Labels	:	8
Tunnel restriction code	:	(E)
RID		
Packing group	:	III
Classification Code	:	C10
Hazard Identification Number	:	80
Labels	:	8
IMDG		
Packing group	:	III
Labels	:	8
EmS Code	:	F-A, S-B
Segregation group	:	1: Acids
IATA		
Packing instruction (cargo aircraft)	:	864
Packing instruction (passenger aircraft)	:	860
Packing instruction (LQ)	:	Y845
Packing group	:	III
Labels	:	8

14.5 Environmental hazards

ADN		
Environmentally hazardous	:	no

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class : WGK 1 slightly water endangering
(Germany)

Other regulations : TRGS 511 'Ammonium nitrate'

This product is subject to Regulation (EU) 2019/1148;
suspicious transactions, disappearance or theft of the product
must be reported to the relevant authority.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H272	: May intensify fire; oxidizer.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Ox. Sol.	: Oxidizing solids

Hakaphos® Calcidic Plus N 19-6-6(+14)



Version: 1.9
Date of last issue: 23.12.2022
Date of first issue: 11.10.2016

Revision Date:
07.04.2023

Skin Corr. : Skin corrosion

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECL - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN