

Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017 Revision Date: 07.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Floranid® Gazon Désherbant PRO 15-5-8 IBDU + weedkiller

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Fertilizer

Use of the Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company	: COMPO EXPERT GmbH Krögerweg 10 D-48155 Münster
Telephone	: +49 (0) 251 29 79 81 - 000
Telefax	: +49 (0) 251 29 79 81 - 111
E-mail address of person responsible for the SDS	: info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements	: H412
Supplemental Hazard Statements	: EUH208
Statements	EUH401

Harmful to aquatic life with long lasting effects.

Contains 2,4-D. May produce an allergic reaction. To avoid risks to man and the environment, comply with the instructions for use.



Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017 Revision Date: 07.04.2023

Precautionary statements	: P101	If medical advice is needed, have product container or label at hand.
	P102 Prevention:	Keep out of reach of children.
	P270	Do not eat, drink or smoke when using this product.
	Disposal:	
	P501	Dispose of contents / container in accordance with local / regional / national / international regulations.
Further information	Gefahrst	"Hazardous Substances" legislation (toffverordnung) appendix I, No. 5 (Ammonium roup C III)

2.3 Other hazards

None known.

Chemical nature

SECTION 3: Composition/information on ingredients

3.2 Mixtures

	:	Fertilizer Herbicide NPK-Fertilizer on basis: N,N"-(isobutylidene)diurea, ammonium nitrate, potassium salt, ammonium salts, phosphates, magnesium salts, calcium salts, other nutrients.
--	---	--

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
dimethylammonium 2,4- dichlorophenoxyacetate	2008-39-1 217-915-8	Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 2; H411	<= 1
3,6-dichloro-o-anisic acid, compound with dimethylamine (1:1)	2300-66-5 218-951-7	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	<= 0,15



Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017 Revision Date: 07.04.2023

ammonium nitrate	6484-52-2	Ox. Sol. 3; H272 Eye Irrit. 2; H319	<= 15
	229-347-8		
	01-2119490981-27- XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	If inhaled	:	If breathed in, move person into fresh air. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. In case of lung irritation, first treatment with dexametason aerosol (spray). Obtain medical attention.
	In case of skin contact	:	Wash off with soap and plenty of water.
	In case of eye contact	:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
	If swallowed	:	Clean mouth with water and drink afterwards plenty of water.
2	2 Most important symptoms and effects, both acute and delayed		

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Water
Unsuitable extinguishing media	: Foam Dry chemical Carbon dioxide (CO2) Sand



Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017 Revision Date: 07.04.2023

5.2 Special hazards arising from the substance or mixture			
Specific hazards during firefighting	 Can decompose at above 100 °C. Thermal decomposition products: Isobutyraldehyd Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammonia chlorine 		
5.3 Advice for firefighters			
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.		
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.		

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

: No special precautions required.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system. Retain and dispose of contaminated wash water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion	:	The product is not flammable. Keep away from sources of ignition - No smoking. Keep away from combustible materials. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Risk of explosion if heated under confinement.
Hygiene measures	:	Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: When stored loose do not mix with other fertilizers. Store well
aleas and containers	away from other substances. Keep away from direct sunlight. Protect against heat. Protect from contamination. Protect from
	rotoot againet noai rotoot nom oontanination rotoot nom



Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017 Revision Date: 07.04.2023

moisture.

Storage class (TRGS 510)	:	5.1C, Ammonium nitrate and ammonium nitrate containing preparations
Specific and use(s)		

7.3 Specific end use(s)

Specific use(s) : Not relevant

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
dimethylammoniu m 2,4- dichlorophenoxyac etate	2008-39-1	(Inhalable fraction)	1 mg/m3	DE TRGS 900
Peak-limit: excursion factor (category)	8;(II)			
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Risk of percutaneous absorption of amine- formulations and esters, with the exception of the acid., Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day



Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017

Revision Date:
07.04.2023

ubstance name		Environmental Compartment	Value
ammonium nitrate		Sewage treatment plant	18 mg/l
Exposure controls			
Personal protective equipm	ent		
Eye protection	:	In case of dust formation:	
		Tightly fitting safety goggles	
Hand protection			
Remarks	:	Impervious gloves	
Skin and body protection	:	Wearing of closed work clothing is reco	mmended.
Respiratory protection	:	respiratory protection only if aerosol or	r dust is formed.
Environmental exposure co	ntrole		
General advice		, Do not flush into surface water or sanit	arv sewer system
	•	Retain and dispose of contaminated wa	

Physical state	: granular
Colour	: beige
Odour	: characteristic, amine-like
Odour Threshold	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: Not applicable



Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017 **Revision Date:** 07.04.2023

Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: Not applicable
Bulk density	: ca. 1.000 kg/m³
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: > 130 °C To avoid thermal decomposition, do not overheat.
Viscosity Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance
Particle characteristics Particle Size Distribution	: D50 = 1,3 mm D50 Tolerance range = 0,9 mm - 1,7 mm Measurement technique: Optoelectronic measurement method

9.2 Other information

No data available



Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017 Revision Date: 07.04.2023

ivity
applied as directed.
applied as directed.
ions
: Evolution of ammonia under influence of alkalies.
: Keep away from heat and sources of ignition.
: Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or alkaline reacting substances, flammable oxidizable substances, nitrites, metallic salts, metallic powder, herbicide, chlorinated hydrocarbons, organic compounds.
ducts
 Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammonia chlorine Isobutyraldehyd

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	: LD50 (Rat): > 2.000 mg/kg	
Components: dimethylammonium 2,4-dich Acute oral toxicity	lorophenoxyacetate: : LD50 (Rat, female): 764 mg/kg Method: Acute Oral Toxicity.	
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h	
Acute dermal toxicity	: LD50 (Rabbit): 2.115 mg/kg	
		-

3,6-dichloro-o-anisic acid, compound with dimethylamine (1:1):



Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017 Revision Date: 07.04.2023

Acute inhalation toxicity	: LC50 (Rat): 4,46 mg/l Exposure time: 4 h
Acute dermal toxicity	: LD50 Dermal (Rat): > 2.000 mg/kg
ammonium nitrate: Acute oral toxicity	: LD50 (Rat): > 2.950 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: > 88,8 mg/l Method: No information available.
Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Species: Rabbit Method: OECD Test Guideline 404 Result: non-irritant

Components:

ammonium nitrate: Species: Rabbit Method: OECD Test Guideline 404 Result: non-irritant

Serious eye damage/eye irritation

Product:

Species: Rabbit Method: OECD Test Guideline 405 Result: non-irritant

Components:

ammonium nitrate: Species: Rabbit Method: OECD Test Guideline 405 Result: Irritant

Respiratory or skin sensitisation

Product:

Remarks: May cause sensitisation of susceptible persons by skin contact.



Revision Date:

07.04.2023

Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017

> **Components:** ammonium nitrate: Result: Does not cause skin sensitisation. germ cell mutagenicity Product: Genotoxicity in vitro : Remarks: Contains no hazardous ingredients according to GHS **Components:** ammonium nitrate: Genotoxicity in vitro : Method: OECD Test Guideline 471 **Result:** negative Carcinogenicity Product: Remarks: Contains no ingredient listed as a carcinogen **Components:** ammonium nitrate: Species: Rat Remarks: Animal testing did not show any carcinogenic effects. **Reproductive toxicity** Product: Effects on fertility Remarks: No toxicity to reproduction Effects on foetal : Remarks: Contains no ingredient listed as toxic to development reproduction **Components:** ammonium nitrate: Effects on fertility : Species: Rat Remarks: Animal testing did not show any effects on fertility. Effects on foetal : Species: Rat development Remarks: Did not show teratogenic effects in animal experiments.



Revision Date:

07.04.2023

Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

ammonium nitrate: Species: Rat NOAEL: > 1.500 mg/kg Application Route: Oral Exposure time: 28 d

Species: Rat NOAEL: = 256 mg/kg Application Route: Oral Exposure time: 52 w Method: OECD Test Guideline 453

Species: Rat NOAEL: >= 185 mg/kg Application Route: by inhalation Exposure time: 2 w Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Further information

Product:

Remarks: Danger of methaemoglobin formation. The product was not tested. The statement was derived from products of similar structure and composition.



Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017 Revision Date: 07.04.2023

SECTION 12: Ecological information

12.1 Toxicity

Product: Toxicity to fish	: (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: LC50 Method: OECD Test Guideline 203	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna): > 100 mg/l Exposure time: 48 h Method: Directive 84/449/EEC, C.2	
Toxicity to algae	: EC50 (Scenedesmus subspicatus): > 100 mg/l Exposure time: 72 h Method: DIN 38412	
Toxicity to bacteria	: EC0 (Pseudomonas putida): ca. 640 mg/l Exposure time: 16 h Test Type: activated sludge	
Components:		
dimethylammonium 2,4-dich	lorophenoxyacetate:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 1.170 mg/l Exposure time: 96 h	
	LC50 (Fish): 168,4 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna): 4 mg/l Exposure time: 48 h	
	EC50 (Daphnia (water flea)): 10 - 100 mg/l Exposure time: 48 h	
Toxicity to algae	: (unspecified algae): 59,9 mg/l Exposure time: 72 h	
3,6-dichloro-o-anisic acid, compound with dimethylamine (1:1):		
Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 97 mg/l Exposure time: 48 h	
Toxicity to algae	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 2,16 mg/l	
	12 / 16	



Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017 **Revision Date:** 07.04.2023

ammonium nitrate: Toxicity to fish	: LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): 490 mg/l Exposure time: 48 h
	LC50 : 490 mg/l
Toxicity to algae	: EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l Exposure time: 10 d
12.2 Persistence and degradabili	ity
Product:	
Biodegradability	: Remarks: No data available
Physico-chemical removability	 DOC reduction ca. 85 % Method: OECD 301E/92/69/EWG, C.4-B Remarks: The product can be degraded by abiotic (e.g. chemical or photolytic) processes.
Components:	
ammonium nitrate:	
Biodegradability	: Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.
12.3 Bioaccumulative potential	
Product:	
Bioaccumulation	: Remarks: No data available
Components: dimethylammonium 2,4-dich Bioaccumulation Partition coefficient: n-	Ilorophenoxyacetate: : Bioconcentration factor (BCF): 10 : log Pow: -0,83
octanol/water	. log i ow0,00
3,6-dichloro-o-anisic acid, c Partition coefficient: n- octanol/water	ompound with dimethylamine (1:1): : log Pow: 0,55
ammonium nitrate: Bioaccumulation	: Remarks: Bioaccumulation is unlikely.
	13/16
	- / -



Revision Date:

07.04.2023

Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017

Partition coefficient: n- octanol/water	: log Pow: -3,1
12.4 Mobility in soil	
Product:	
Mobility	: Remarks: No data available
Distribution among environmental compartments	: Remarks: Mobile in soils
12.5 Results of PBT and vPvB as	sessment
Product:	
Assessment	: Remarks: No data available
12.6 Endocrine disrupting proper	ties
No data available	
12.7 Other adverse effects	
Product:	
Additional ecological information	 Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. There is a high probability that the product is acute not
SECTION 13: Disposal conside	harmful to aquatic organisms.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	: Check if agriculture use is possible. Contact manufacturer.
Contaminated packaging	: Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good



Revision Date:

07.04.2023

Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
Water contaminating class (Germany)	: WGK 1 slightly water endangering		

Other regulations	: TRGS 511 'Ammonium nitrate'
	This product is subject to Regulation (EU) 2019/1148; suspicious transactions, disappearance or theft of the product must be reported to the relevant authority.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H272 H302 H317 H318 H319 H411 H412	:::::::::::::::::::::::::::::::::::::::	May intensify fire; oxidizer. Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox. Aquatic Chronic Eye Dam. Eye Irrit. Ox. Sol.	:	Acute toxicity Chronic aquatic toxicity Serious eye damage Eye irritation Oxidizing solids		



Version: 1.5 Date of last issue: 23.12.2022 Date of first issue: 16.01.2017 Revision Date: 07.04.2023

Skin Sens. : Skin sensitisation

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS -Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN