

Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017 Revision Date: 07.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basatop® Fair 25-5-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fertilizer Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company	: COMPO EXPERT GmbH Krögerweg 10 D-48155 Münster
Telephone	: +49 (0) 251 29 79 81 - 000
Telefax	: +49 (0) 251 29 79 81 - 111
E-mail address of person responsible for the SDS	: info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC	abelling (REGULATION (EC) No 1272/2008)			
Hazard statements	: H412	Harmful to aquatic life with long lasting effects.		
Precautionary statements	: Disposal: P501	Dispose of contents/ container to an approved waste disposal plant.		



Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017 Revision Date: 07.04.2023

Gefahrs	"Hazardous Substances" legislation (toffverordnung) appendix I, No. 5 (Ammonium group C III)
---------	---

2.3 Other hazards

According to our experience and to the information provided to us, the product does not have any harmful effects if it is used and handled as specified.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	: Fertilizer NPK - fertilizer containing: Ammonium Nitrate, ammonium salts, phosphates, potassium sulphate, magnesium sulphate, salts of calcium, potassium and possibly magnesium and trace elements. and Urea

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27- XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 10 - <= 45
Borates, tetra sodium salts, pentahydrate	12179-04-3 215-540-4 01-2119490790-32- XXXX	Repr. 1B; H360FD Eye Irrit. 2; H319	<= 0,2

Hazardous components

Basatop[®] Fair 25-5-8



Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

Revision Date:
07.04.2023

copper sulphate	7758-98-7	Eye Irrit. 2; H319	<= 0,5
		Skin Irrit. 2; H315	
	231-847-6	Aquatic Acute 1;	
		H400	
	01-2119520566-40-	Aquatic Chronic 1;	
		H410	
	XXXX	Acute Tox. 4; H302	
		Acute 10x. 4, 11302	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures If inhaled : Move to fresh air. Obtain medical attention. If unconscious place in recovery position and seek medical advice. In case of lung irritation, first treatment with dexametason aerosol (spray). In case of skin contact : Wash off with soap and water. In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. If swallowed : Clean mouth with water and drink afterwards plenty of water. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : Ingestion may provoke the following symptoms: Methaemoglobinemia Risks : Later control for pneumonia and lung oedema. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. There is no specific antidote available. **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media

	3 / 18
Unsuitable extinguishing media	: Foam Dry chemical Carbon dioxide (CO2)
Suitable extinguishing media	. Water

\M/ator



Revision Date:

07.04.2023

Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

	Sand
5.2 Special hazards arising from	the substance or mixture
Specific hazards during firefighting	 Thermal decomposition can lead to release of irritating gases and vapours. Nitrogen oxides (NOx) ammonia
5.3 Advice for firefighters	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
SECTION 6: Accidental releas	e measures
6.1 Personal precautions, protect	ive equipment and emergency procedures
Personal precautions	: Keep away from children.
6.2 Environmental precautions	
Environmental precautions	: Do not empty into drains. Retain and dispose of contaminated wash water.
6.3 Methods and material for con	tainment and cleaning up
	: Use mechanical handling equipment.
6.4 Reference to other sections	
For personal protection see se	ction 8.
SECTION 7: Handling and stor	age
7.1 Precautions for safe handling	
Advice on safe handling	 Keep away from direct sunlight. Keep away from heat. Protect from contamination. Protect from moisture.
Advice on protection against fire and explosion	: The product is not flammable. Keep away from heat and sources of ignition. Keep away from combustible materials.
Hygiene measures	: Wash hands before breaks and at the end of workday.



Revision Date:

07.04.2023

Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

7.2 Conditions for safe storage, including any incompatibilities

1.2 Conditions for sale storage,	
Requirements for storage areas and containers	: Keep away from heat. Keep away from sources of ignition - No smoking. Keep away from combustible material. Protect from contamination. When stored loose do not mix with other fertilizers. Protect from moisture.
Advice on common storage	 Keep away from strong acids. Keep away from strong bases. Keep away from combustible materials.
Storage class (TRGS 510)	: 5.1C, Ammonium nitrate and ammonium nitrate containing preparations
Dampness	: Keep in a dry place.
7.3 Specific end use(s)	
Specific use(s)	: Consult the technical guidelines for the use of this substance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Borates, tetra sodium salts, pentahydrate	12179-04-3		3 mg/m3	DE TRGS 900
Peak-limit: excursion factor (category)	8;(II)			
Further information	Commission for dangerous substances, The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		AGW	0,5 mg/m3 (Borate)	DE TRGS 900
Peak-limit: excursion factor (category)	2;(l)			
Further information	Commission for dangerous substances, The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
			1 mg/m3	ACGIHTLV
		TWA	1 mg/m3	GB EH40



Revision Date:

07.04.2023

Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

copper sulphate	7758-98-7		ng/m3 Copper (Cu))	MAK (DE)
Derived No Effect Le	evel (DNEL) accord	ling to Regulation	(EC) No. 1907/2006:	
Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
Borates, tetra sodium salts, pentahydrate	Workers	Inhalation	Long-term exposure	6,7 mg/m3
	Consumers	Inhalation	Long-term exposure	3,4 mg/m3
	Workers	Skin contact	Long-term exposure	316,4 mg/kg bw/day
	Consumers	Skin contact	Long-term exposure	159,5 mg/kg bw/day
	Consumers	Ingestion	Long-term exposure, Short-term exposure	0,79 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonium nitrate	Sewage treatment plant	18 mg/l
Borates, tetra sodium salts, pentahydrate	Fresh water	2,9 mg/l
	Marine water	2,9 mg/l
	Soil	5,7 mg/kg



Revision Date:

07.04.2023

Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

ĺ		h	Intermittent use/release	13,7 mg/l	
			Sewage treatment plant	10 mg/l	
8.2 Expo	osure controls				
Per	sonal protective equipment				
Eye	protection :	In	case of dust formation:		
		Sa	ifety glasses		
	d protection 1aterial :	Gl	oves		
Skir	and body protection :	No	o special protective equipment required.		
Res	piratory protection :	re	spiratory protection only if aerosol or dust is	formed.	
		Re	espirator with a particle filter (EN 143)		
		P1	L filter		
F.m.		la.			
	ironmental exposure control eral advice :		o not empty into drains.		
Ger		Retain and dispose of contaminated wash water.			
SECTION 9: Physical and chemical properties					
9.1 Infor	mation on basic physical ar		chemical properties		
Cole	our :	: v	arious		
Odd	our :	: 0	dourless		
Odd	our Threshold :	: N	lo data available		
рH	:	: c	a. 5, Concentration: 100 g/l (20 °C)		
Mel	ting point/range :	: N	lo data available		
			7 / 18		



Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

Boiling point/boiling range	: Not applicable
Flash point	: Not relevant
Evaporation rate	: Not applicable
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: Not explosive
Lower explosion limit	: Not explosive
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: Not applicable
Bulk density	: ca. 1.150 kg/m³
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Decomposition temperature	: > 130 °C To avoid thermal decomposition, do not overheat.
Viscosity Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance
Particle characteristics Particle Size Distribution	: D50 = 1,8 mm D50 Tolerance range = 1,4 mm - 2,2 mm Measurement technique: Optoelectronic measurement method

Revision Date: 07.04.2023



Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed. Decomposes on heating.

10.3	Possibility	of	hazardous	reactions
------	-------------	----	-----------	-----------

Hazardous reactions : Evolution of ammonia under influence of alkalies.

10.4 Conditions to avoid Conditions to avoid

: Keep away from heat and sources of ignition.

10.5 Incompatible materials

Materials to avoid	 Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or alkaline reacting substances, flammable oxidizable substances, nitrites, metallic salts, metallic powder, herbicide, chlorinated hydrocarbons, organic compounds.
	chomated flydrocarbons, organic compounds.

10.6 Hazardous decomposition products

Hazardous decomposition	: Nitrogen oxides (NOx)
products	ammonia

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Product:	
Acute oral toxicity	: Remarks: This information is not available. Health injuries are not known or expected under normal use.
<u>Components:</u> ammonium nitrate:	
Acute oral toxicity	: LD50 (Rat): > 2.950 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: > 88,8 mg/l Method: No information available.



Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017 Revision Date: 07.04.2023

Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402
Borates, tetra sodium salts,	pentahydrate:
Acute oral toxicity	: LD50 (Rat): 3.200 - 3.400 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2,0 mg/l Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg
copper sulphate: Acute oral toxicity	: LD50 Oral (Rat): 300 mg/kg

Skin corrosion/irritation

Product:

Result: non-irritant

Remarks: The product has not been tested. The information is derived from the properties of the individual components.

Components:

ammonium nitrate: Species: Rabbit Method: OECD Test Guideline 404 Result: non-irritant

Borates, tetra sodium salts, pentahydrate:

Species: Rabbit Result: No skin irritation

copper sulphate:

Assessment: Irritant

Serious eye damage/eye irritation

Product:

Species: Rabbit Method: OECD Test Guideline 405 Result: non-irritant

Components:

ammonium nitrate: Species: Rabbit Method: OECD Test Guideline 405 Result: Irritant



Revision Date:

07.04.2023

Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

Borates, tetra sodium salts, pentahydrate:

Species: Rabbit Assessment: Irritant Result: Moderate eye irritation

copper sulphate:

Assessment: Irritant

Respiratory or skin sensitisation

Product:

Result: non-sensitizing Remarks: The product has not been tested. The information is derived from the properties of the individual components.

Components:

ammonium nitrate: Result: Does not cause skin sensitisation.

Borates, tetra sodium salts, pentahydrate:

Test Type: Buehler Test Species: Guinea pig Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

germ cell mutagenicity

Product:		
Froduct.	Draduate	
	Flouuci.	

Genotoxicity in vitro : F	Remarks: No data available
---------------------------	----------------------------

Components:

ammonium nitrate:

Genotoxicity in vitro	:	Method: OECD Test Guideline 471
		Result: negative

Borates, tetra sodium salts, pentahydrate:

Germ cell mutagenicity-	:	In vitro tests showed mutagenic effects
Assessment		

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Components:



Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017 Revision Date: 07.04.2023

ammonium nitrate: Species: Rat Remarks: Animal testing did not show any carcinogenic effects. Borates, tetra sodium salts, pentahydrate:

Carcinogenicity - : Carcinogenicity classification not possible from current data. Assessment

Reproductive toxicity

Product: Effects on fertility ÷ Remarks: No toxicity to reproduction Effects on foetal : Remarks: Did not show teratogenic effects in animal development experiments. Information given is based on data obtained from similar substances. **Components:** ammonium nitrate: Effects on fertility : Species: Rat Remarks: Animal testing did not show any effects on fertility. Effects on foetal : Species: Rat development Remarks: Did not show teratogenic effects in animal experiments.

Borates, tetra sodium salts, pentahydrate:

Reproductive toxicity -	:	In animal testing, risk of impaired fertility was shown only after
Assessment		administration of very high doses of this substance.
		May damage fertility. May damage the unborn child.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.



Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

Repeated dose toxicity

Components:

ammonium nitrate: Species: Rat NOAEL: > 1.500 mg/kg Application Route: Oral Exposure time: 28 d

Species: Rat NOAEL: = 256 mg/kg Application Route: Oral Exposure time: 52 w Method: OECD Test Guideline 453

Species: Rat NOAEL: >= 185 mg/kg Application Route: by inhalation Exposure time: 2 w Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Experience with human exposure

Product:

General Information : Danger of methaemoglobin formation.

Further information

Product:

Remarks: The product was not tested. The statement was derived from products of similar structure and composition.

SECTION 12: Ecological information

12.1 Toxicity

Components:	
ammonium nitrate:	
Toxicity to fish	: LC50 (Fish): > 100 mg/l Exposure time: 96 h

13 / 18

Revision Date: 07.04.2023



Revision Date:

07.04.2023

Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): 490 mg/l Exposure time: 48 h			
	LC50 : 490 mg/l			
Toxicity to algae	: EC50 (Selenastrum capricornutum (green algae)): 1.700 m Exposure time: 10 d	g/l		
Borates, tetra sodium salts, pentahydrate:				
Toxicity to fish	: LC50 (dab): 74 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 242 mg/l Exposure time: 24 h			
Toxicity to algae	: EC10 (Scenedesmus subspicatus): 24 mg/l Exposure time: 96 h			
copper sulphate:				
Toxicity to fish	: LC50 (Salmo sp.): 0,1 - 2,5 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,024 mg/l Exposure time: 48 h			
Toxicity to algae	: EC50 (Scenedesmus quadricauda (Green algae)): 0,1 mg/l Exposure time: 4 h	[
12.2 Persistence and degradability				
Product:				
Biodegradability	: Remarks: No data available			
Components:				
ammonium nitrate:				
Biodegradability	: Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.			
12.3 Bioaccumulative potential				
Product:				
Bioaccumulation	: Remarks: Bioaccumulation is unlikely.			
<u>Components:</u> ammonium nitrate:				



Version: 3.5 **Revision Date:** 07.04.2023 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017 Bioaccumulation : Remarks: Bioaccumulation is unlikely. : log Pow: -3,1 Partition coefficient: noctanol/water 12.4 Mobility in soil Product: Mobility : Remarks: Groundwater contamination is unlikely. Distribution among : Remarks: No data available environmental compartments 12.5 Results of PBT and vPvB assessment Product: : Remarks: No data available Assessment 12.6 Endocrine disrupting properties No data available 12.7 Other adverse effects Product: Additional ecological : Information refers to the main component. information Do not flush into surface water or sanitary sewer system. **SECTION 13: Disposal considerations** 13.1 Waste treatment methods : Check if agriculture use is possible. Product Contact manufacturer. : Contaminated packaging should be emptied as far as Contaminated packaging possible; then it can be passed on for recycling after being thoroughly cleaned. **SECTION 14: Transport information** 14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good



Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH - Candidate List of Substances of Very High : This product contains substances of

Concern for Authorisation (Article 59). No 1907/2006 (REACH), Article 57). Borates, tetra sodium salts, pentahydrate

Water contaminating class (Germany)	: WGK 1 slightly water endangering	
Other regulations	: TRGS 511 'Ammonium nitrate'	

This product is subject to Regulation (EU) 2019/1148; suspicious transactions, disappearance or theft of the product must be reported to the relevant authority.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H272 :	May intensify fire; oxidizer.
H302 :	Harmful if swallowed.
H315 :	Causes skin irritation.
H319 :	Causes serious eye irritation.
H360FD :	May damage fertility. May damage the unborn child.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

Revision Date: 07.04.2023



Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

Full text of other abbreviations

Acute Tox. Aquatic Acute Aquatic Chronic Eye Irrit. Ox. Sol.	 Acute toxicity Acute aquatic toxicity Chronic aquatic toxicity Eye irritation Oxidizing solids Paproductive toxicity
Ox. Sol.	: Oxidizing solids
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS -Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date: 07.04.2023



Revision Date:

07.04.2023

Version: 3.5 Date of last issue: 23.12.2022 Date of first issue: 08.12.2017

DE / EN