

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basfoliar Shield SL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fertilizer

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Krögerweg 10
D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person responsible for the SDS : info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h
Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1 H314: Causes severe skin burns and eye damage.

Specific target organ toxicity - single exposure, Category 3 H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P260 Do not breathe mist or vapours. P280 Wear protective gloves/ eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P310 Immediately call a POISON CENTER or doctor/ physician. Storage: P405 Store locked up.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Liquid mixture of organic and inorganic salts of fertilizers.
extract of brown algae

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Basfoliar Shield SL

Version: 1.4
 Date of last issue: 23.12.2022
 Date of first issue: 23.08.2018

Revision Date:
 07.04.2023

potassium hydroxide	1310-58-3	Acute Tox. 4; H302 Skin Corr. 1A; H314 Met. Corr. 1; H290	>= 1 - <= 5
	215-181-3		
	01-2119487136-33-XXXX	specific concentration limit	
		Skin Corr. 1A; H314	
		>= 5 %	
		Skin Corr. 1B; H314	
		2 - < 5 %	
		Skin Irrit. 2; H315	
		0,5 - < 2 %	
tripotassium orthophosphate	7778-53-2	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335	>= 7 - <= 17
	231-907-1		
disodium metasilicate	6834-92-0	Skin Corr. 1B; H314 STOT SE 3; H335	>= 10 - <= 30
	229-912-9		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take off immediately all contaminated clothing.
- If inhaled : Fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with soap and plenty of water.
If symptoms persist, seek medical advice.
- In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes
and consult a physician.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do NOT induce vomiting.

Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water
Dry powder

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
In the event of fire and/or explosion do not breathe fumes.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear personal protective equipment.
Keep people away from and upwind of spill/leak.
In case of involuntary exposition of the product contact producer or supplier.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

none

Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes.
- Advice on protection against fire and explosion : No special precautions required.
- Hygiene measures : Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep containers tightly closed in a cool, well-ventilated place.
- Further information on storage conditions : Metal containers must be lined.
- Advice on common storage : Keep away from strong acids.
- Storage class (TRGS 510) : 8B, Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

- Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

The product does not contain any relevant quantities of materials with workplace related values that require supervising.

8.2 Exposure controls

Personal protective equipment

- Eye protection : Tightly fitting safety goggles (splash goggles) (EN 166)

Hand protection

- Remarks : Chemical resistant protective gloves (EN 374). chloroprene rubber (CR) - 0.5 mm coating thickness The selection of suitable depends upon the material, and also upon the quality of the gloves. The degree of protection will vary from manufacturer to manufacturer. As the product is a

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Skin and body protection : Long sleeved clothing
- Respiratory protection : Breathing apparatus needed only when aerosol or mist is formed.
- Protective measures : Handle in accordance with good industrial hygiene and safety practice.
- Do not breathe gas/fumes/vapour/spray.
- Avoid contact with skin and eyes.
- When using do not eat or drink.

Environmental exposure controls

- General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : liquid
- Colour : product specific
- Odour : characteristic
- pH : > 12, (20 °C)
- Boiling point/boiling range : ca. > 100 °C
- Flash point : Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : The product is not flammable.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: ca. 1,233 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No decomposition if stored and applied as directed.
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance

9.2 Other information

Surface tension : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Corrosive in contact with metals
With acid and aluminium.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

10.4 Conditions to avoid

Conditions to avoid : No dangerous reaction known under conditions of normal use.

10.5 Incompatible materials

Materials to avoid : Metals
Alkaline earth metals
Acids

10.6 Hazardous decomposition products

Hydrogen, by reaction with metals

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Components:

potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 365 mg/kg

tripotassium orthophosphate:

Acute oral toxicity : LD50 (Rat): 4.500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 4.640 mg/kg

disodium metasilicate:

Acute oral toxicity : LD50 (Rat): 1.153 mg/kg

Skin corrosion/irritation

Product:

Remarks: Causes severe irritation of eyes, skin and mucous membranes.

Components:

potassium hydroxide:

Remarks: Causes skin burns.

tripotassium orthophosphate:

Species: Rat

Result: Skin irritation

disodium metasilicate:

Species: Rabbit

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

Exposure time: 24 h
Result: Severe skin irritation

Serious eye damage/eye irritation

Product:

Remarks: The product causes irritation of eyes, skin and mucous membranes.

Components:

potassium hydroxide:

Remarks: Causes eye burns.

tripotassium orthophosphate:

Species: Rabbit

Result: Severe eye irritation

disodium metasilicate:

Remarks: No data available

Respiratory or skin sensitisation

Product:

Remarks: None known.

germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects
Information given is based on data obtained from similar substances.

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Reproductive toxicity

Product:

Effects on fertility :
Remarks: No toxicity to reproduction

Effects on foetal development : Remarks: Contains no ingredient listed as toxic to reproduction

Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

disodium metasilicate:

Assessment: May cause respiratory irritation.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Further information

Product:

Remarks: Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Components:

potassium hydroxide:

Toxicity to fish : LC50 (Fish): 50 - 165 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 30 - 1.000 mg/l
aquatic invertebrates Exposure time: 48 h

tripotassium orthophosphate:

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 750 mg/l

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

Exposure time: 96 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The product works in the soil as fertilizer and is diminished in a few weeks.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological information : See information supplied by the manufacturer.
Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Check if agriculture use is possible.

Contaminated packaging : Dispose of as unused product.
Observe national and local legal requirements.

SECTION 14: Transport information

14.1 UN number or ID number

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

ADN	: UN 1719
ADR	: UN 1719
RID	: UN 1719
IMDG	: UN 1719
IATA	: UN 1719

14.2 UN proper shipping name

ADN	: CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, disodium metasilicate)
ADR	: CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, disodium metasilicate)
RID	: CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, disodium metasilicate)
IMDG	: CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, disodium metasilicate)
IATA	: Caustic alkali liquid, n.o.s. (potassium hydroxide, disodium metasilicate)

14.3 Transport hazard class(es)

ADN	: 8
ADR	: 8
RID	: 8
IMDG	: 8
IATA	: 8

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: C5
Hazard Identification Number	: 80
Labels	: 8
ADR	
Packing group	: III
Classification Code	: C5
Hazard Identification Number	: 80
Labels	: 8
Tunnel restriction code	: (E)
RID	
Packing group	: III
Classification Code	: C5

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : III
Labels : 8
EmS Code : F-A, S-B
Segregation group : 18: Alkalis

IATA

Packing instruction (cargo aircraft) : 856
Packing instruction (passenger aircraft) : 852
Packing instruction (LQ) : Y841
Packing group : III
Labels : 8

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class (Germany) : WGK 1 slightly water endangering

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

Basfoliar Shield SL

Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

SECTION 16: Other information

Full text of H-Statements

H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Eye Irrit.	: Eye irritation
Met. Corr.	: Corrosive to metals
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar Shield SL



Version: 1.4
Date of last issue: 23.12.2022
Date of first issue: 23.08.2018

Revision Date:
07.04.2023

Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN