according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Basfoliar® Multi Si SL

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fertilizer

Substance/Mixture

#### 1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH

Krögerweg 10 D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

: info@compo-expert.com

## 1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone: +49 (0) 6132 - 84463

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting

effects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

# Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

# Basfoliar® Multi Si SL



Version: 1.3 **Revision Date:** Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

Hazard pictograms



Signal word Warning

Hazard statements Very toxic to aquatic life with long lasting H410

effects.

Precautionary statements Collect spillage. : P391

2.3 Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

: Liquid mixture of organic and inorganic salts of fertilzers. Chemical nature

# **Hazardous components**

Chemical Name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		- 45
zinc oxide	1314-13-2	Aquatic Acute 1; H400	>= 5 - <= 15
	215-222-5	Aquatic Chronic 1; H410	
	01-2119463881-32-		
	XXXX		
copper oxide (CuO)	1317-38-0		>= 5 - <= 15
	215-269-1		
		M-Factor (Acute	
		aquatic toxicity): 100	
		M-Factor (Chronic	
		aquatic toxicity): 10	

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Si SL



Version: 1.3 **Revision Date:** Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

If inhaled : If breathed in, move person into fresh air.

In case of skin contact : Wash off with soap and water.

: Immediately flush eye(s) with plenty of water. In case of eye contact

If symptoms persist, seek medical advice.

If swallowed : Rinse mouth with water.

Drink 1 or 2 glasses of water.

If symptoms persist, call a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

: No information available. Symptoms

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon

dioxide/sand/foam/alcohol resistant foam/chemical powder for

extinction.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: Not relevant

# 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: In case of combustion evolution of dangerous gases possible.

## 5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : The product is not flammable.

#### **SECTION 6: Accidental release measures**

according to Regulation (EC) No. 1907/2006

#### Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin, eyes and clothing.

6.2 Environmental precautions

Environmental precautions : Do not let product enter drains, surface water or subsoil water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Allow to solidify, use mechanical handling equipment.

Shovel into suitable container for disposal.

6.4 Reference to other sections

For personal protection see section 8.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling : Do not eat, drink or smoke when using this product.

Wash hands before breaks and at the end of workday.

Hygiene measures : Avoid contact with skin, eyes and clothing. Wash hands

before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Protect from atmospheric humidity. Keep away from direct sunlight. Keep in a cool, well ventilated place away from

reducing agents.

Advice on common storage : Segregate from reducing agents.

Keep away from food, drink and animal feedingstuffs.

Storage class (TRGS 510) : 12, Non Combustible Liquids

Recommended storage

temperature

: 5 - 30 °C

Other data : Protect against falling below the following temperature: -5°C

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

**SECTION 8: Exposure controls/personal protection** 

8.1 Control parameters

**Occupational Exposure Limits** 

according to Regulation (EC) No. 1907/2006

# Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
zinc oxide	1314-13-2		2 mg/m3	

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
zinc oxide	Workers	Inhalation	Long-term exposure	5 mg/m3
	Workers	Ingestion	Long-term exposure, Systemic effects	0,8 mg/kg
	Workers	Skin contact	Long-term exposure, Systemic effects	83 mg/kg

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name		Environmental Compartment	Value	
zinc oxide		Fresh water	0,0206 mg/l	
		Marine water	0,0061 mg/l	
Remarks:	Derivation of the PNEC, Zinc			
	<b>-</b>	Fresh water sediment	235,6 mg/l	
Derivation of the PNEC, Zinc				
	1	Marine sediment	113 mg/l	
	Derivation of the PNEC, Zinc			
	1	Soil	106,8 mg/l	
Derivation of the PNEC, Zinc				
	•	Behaviour in waste water treatment plants	0,052 mg/l	
	Derivation	of the PNEC, Zinc	•	

# 8.2 Exposure controls

## **Engineering measures**

Ensure thorough ventilation of stores and work areas.

# Personal protective equipment

Eye protection : Safety glasses

according to Regulation (EC) No. 1907/2006

#### Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

Hand protection

Remarks : Protective gloves

Skin and body protection : Wearing of closed work clothing is recommended.

Respiratory protection : No personal respiratory protective equipment normally

required.

respiratory protection only if aerosol or dust is formed.

**Environmental exposure controls** 

General advice : Do not let product enter drains, surface water or subsoil

water.

: odourless

: No data available

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : pink

Odour

Odour Threshold

pH : 8 - 9, Concentration: 10 g/l (20 °C)

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : does not ignite

Upper explosion limit : Not applicable

according to Regulation (EC) No. 1907/2006

#### Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

Lower explosion limit : Not applicable

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1,45 g/cm³ (20 °C)

Solubility(ies)

Water solubility : completely soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : Not applicable

Decomposition temperature : No decomposition if stored and applied as directed.

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Not considered an oxidizing substance

9.2 Other information

Surface tension : No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions. No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

Stable under normal conditions.

No decomposition if stored and applied as directed.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with reducing agents.

## 10.4 Conditions to avoid

according to Regulation (EC) No. 1907/2006

#### Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

Conditions to avoid : No dangerous reaction known under conditions of normal use.

10.5 Incompatible materials

Materials to avoid : Strong reducing agents

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed., No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

**Product:** 

Acute oral toxicity : No data available:

Acute inhalation toxicity : LC50 (Rat): 5 mg/l

Exposure time: 4 h

**Components:** 

zinc oxide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,7 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : Remarks: No data available

#### Skin corrosion/irritation

**Product:** 

Result: No skin irritation

## **Components:**

zinc oxide:

Remarks: non-irritant

## Serious eye damage/eye irritation

**Product:** 

Remarks: slight irritation

#### **Components:**

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Si SL



Version: 1.3 **Revision Date:** Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

zinc oxide:

Method: OECD Test Guideline 405

Remarks: non-irritant

Respiratory or skin sensitisation

**Product:** 

Result: non-sensitizing

**Components:** 

zinc oxide:

Method: OECD Test Guideline 406

Remarks: Did not cause sensitisation on laboratory animals.

germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

The product has not been tested. The information is derived

from the properties of the individual components.

**Components:** 

zinc oxide:

Assessment

Germ cell mutagenicity: In vivo tests did not show mutagenic effects

Carcinogenicity

**Product:** 

Remarks: Contains no ingredient listed as a carcinogen

**Components:** 

zinc oxide:

Carcinogenicity -: According to experience not expected

Assessment

Reproductive toxicity

**Product:** 

Effects on fertility

Remarks: No toxicity to reproduction

Effects on foetal : Remarks: Contains no ingredient listed as toxic to

development reproduction

according to Regulation (EC) No. 1907/2006

#### Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

**Components:** 

zinc oxide:

Reproductive toxicity - : No toxicity to reproduction

Assessment No experimental indication of genotoxic effects.

STOT - single exposure

**Product:** 

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Components:** 

zinc oxide:

Remarks: This information is not available.

STOT - repeated exposure

**Product:** 

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Components:** 

zinc oxide:

Remarks: No known effect.

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

**Endocrine disrupting properties** 

No data available

**Further information** 

No data available

**SECTION 12: Ecological information** 

12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: No data available

**Components:** 

zinc oxide:

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

Toxicity to fish : LC50 (Fish): 0,14 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 2,2 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 0,17 mg/l

Exposure time: 72 h Test Type: static test

copper oxide (CuO):

M-Factor (Acute aquatic

toxicity)

: 100

M-Factor (Chronic aquatic

toxicity)

: 10

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: The methods for determining the biological

degradability are not applicable to inorganic substances.

**Components:** 

zinc oxide:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Does not bioaccumulate.

12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among

environmental compartments

: Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : Remarks: Not applicable

11/16

according to Regulation (EC) No. 1907/2006

#### Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

Components:

zinc oxide:

Assessment : Non-classified PBT substance.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

**Product:** 

Additional ecological

information

: Do not flush into surface water or sanitary sewer system.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product : Disposal together with normal waste is not allowed. Special

disposal required according to local regulations.

Do not flush into surface water or sanitary sewer system.

Contaminated packaging : If recycling is not practicable, dispose of in compliance with

local regulations.

**SECTION 14: Transport information** 

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(zinc oxide, copper oxide)

()

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(zinc oxide, copper oxide)

()

according to Regulation (EC) No. 1907/2006

## Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(zinc oxide, copper oxide)

()

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(zinc oxide, copper oxide)

()

**IATA** : Environmentally hazardous substance, liquid, n.o.s.

(zinc oxide, copper oxide)

()

14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

**ADR** 

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

**RID** 

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

Segregation group

**IATA** 

according to Regulation (EC) No. 1907/2006

#### Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

: 964

Date of first issue: 05.12.2019

Packing instruction (cargo

aircraft)

Packing instruction : 964

(passenger aircraft)

Packing instruction (LQ) : Y964
Packing group : III
Labels : 9

14.5 Environmental hazards

**ADN** 

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

rid

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

ANNEX I;E1 ENVIRONMENTAL 100.000 kg 200.000 kg

**HAZARDS** 

Water contaminating class

(Germany)

: WGK 2 water endangering

## 15.2 Chemical Safety Assessment

according to Regulation (EC) No. 1907/2006

#### Basfoliar® Multi Si SL



Version: 1.3 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

Not relevant

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances: NZIoC - New Zealand Inventory of Chemicals: TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the

# Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

# Basfoliar® Multi Si SL



Version: 1.3 Revision Date: Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 05.12.2019

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN