according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basfoliar®Mg Flo

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fertilizer

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH

Krögerweg 10 D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

: info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : Not a hazardous substance or mixture

according to Regulation (EC) No.

1272/2008.

Supplemental Hazard

Statements

: EUH210

Safety data sheet available on request.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 Revision Date: Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

3.2 Mixtures

: Liquid mixture of organic and inorganic salts of fertilzers. Chemical nature

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Ethylene glycol	107-21-1 203-473-3	Acute Tox. 4; H302 Acute toxicity estimate Acute oral toxicity:	>1-<5
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 specific concentration limit Skin Sens. 1; H317 >= 0,05 % Acute toxicity estimate Acute oral toxicity: 500 mg/kg	< 0,005

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 **Revision Date:** Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : If breathed in, move person into fresh air.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

If irritation develops, seek medical attention.

If swallowed : Rinse mouth with water.

Drink 1 or 2 glasses of water.

If symptoms persist, seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon

dioxide/sand/foam/alcohol resistant foam/chemical powder for

extinction.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: In case of combustion evolution of dangerous gases possible.

nitrogen oxides

ammonia

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : The product is not flammable.

according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin, eyes and clothing.

6.2 Environmental precautions

Environmental precautions : Do not let product enter drains, surface water or subsoil water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust). Shovel into suitable container for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not eat, drink or smoke when using this product.

Wash hands before breaks and at the end of workday.

Ensure adequate ventilation.

Hygiene measures : Avoid contact with skin, eyes and clothing. Wash hands

before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep away from direct sunlight. Keep in a cool, well ventilated

place away from reducing agents.

Advice on common storage : Keep away from strong acids.

Keep away from strong bases.

Storage class (TRGS 510) : 12, Non Combustible Liquids

Recommended storage

temperature

: 5 - 45 °C

Other data : Protect against falling below the following temperature: -5°C

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethylene glycol	107-21-1		10 ppm 26 mg/m3	DE TRGS 900
Peak-limit: excursion factor (category)	2;(I)	,	· · · · · · · · · · · · · · · · · · ·	
		STEL	40 ppm 104 mg/m3	
		TWA	20 ppm 52 mg/m3	
			10 ml/m3 26 mg/m3	TRGS 900 (DE)

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Ammonia	7664-41-7,	TWA	20 ppm	2000/39/EC	
	7664-41-7		14 mg/m3		
Further information	Indicative				
		STEL	50 ppm	2000/39/EC	
			36 mg/m3		
Further information	Indicative				
			20 ppm	DE TRGS	
			14 mg/m3	900	
Peak-limit:	2;(I)				
excursion factor					
(category)					
Further information	Senate commission for the review of compounds at the work place dangerous				
	for the health (MAK-commission)., European Union (The EU has established				
	a limit value: deviations in value and peak limit are possible), When there is				
	compliance with the OEL and biological tolerance values, there is no risk of				
	harming the unborn child				

8.2 Exposure controls

Engineering measures

Ensure thorough ventilation of stores and work areas.

Personal protective equipment

Eye protection : Safety glasses

according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

Hand protection

Remarks : Protective gloves

Skin and body protection : Wearing of closed work clothing is recommended.

Respiratory protection : No personal respiratory protective equipment normally

required.

respiratory protection only if aerosol or dust is formed.

Environmental exposure controls

General advice : Do not let product enter drains, surface water or subsoil

water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : white

Odour : odourless

Odour Threshold : No data available

pH : 10, (20 °C)

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : does not ignite

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

Vapour pressure : 23 hPa

Relative vapour density : No data available

Density : 1,48 g/cm³ (20 °C)

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Not considered an oxidizing substance

9.2 Other information

Surface tension : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under normal conditions.

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with reducing agents.

10.4 Conditions to avoid

Conditions to avoid : No dangerous reaction known under conditions of normal use.

according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

10.5 Incompatible materials

Materials to avoid : Strong reducing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed., No hazardous decomposition products are

known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: The product has not been tested. The information is

derived from the properties of the individual components.

Acute inhalation toxicity : Remarks: The product has not been tested. The information is

derived from the properties of the individual components.

Acute dermal toxicity : Remarks: The product has not been tested. The information is

derived from the properties of the individual components.

Components:

Ethylene glycol:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2 ppm

Acute dermal toxicity : LD50 (mouse): > 3.500 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Skin corrosion/irritation

Product:

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Result: No eye irritation

Respiratory or skin sensitisation

Product:

Result: non-sensitizing

according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

The product has not been tested. The information is derived

from the properties of the individual components.

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Reproductive toxicity

Product:

Effects on fertility

Remarks: No toxicity to reproduction

Effects on foetal development

: Remarks: Contains no ingredient listed as toxic to

reproduction

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Further information

No data available

according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 **Revision Date:** Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

aquatic invertebrates

Toxicity to daphnia and other : Remarks: No data available

Toxicity to algae : Remarks: No data available

Components:

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Salmo trutta (brown trout)): = 2,18 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): = 2,18 mg/l

Exposure time: 48 h

: ErC50 (Pseudokirchneriella subcapitata (green algae)): = 0,11 Toxicity to algae

mg/l

Exposure time: 72 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The methods for determining the biological

degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among

environmental compartments

: Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: Not applicable

10 / 13

according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Observe national and local legal requirements.

Do not flush into surface water or sanitary sewer system.

Contaminated packaging : If recycling is not practicable, dispose of in compliance with

local regulations.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

(Germany)

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class

iass

: WGK 1 slightly water endangering

according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

15.2 Chemical Safety Assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H400 : Very toxic to aquatic life.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Acute aquatic toxicity
Eye Dam. : Serious eye damage
Skin Irrit. : Skin irritation

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical

according to Regulation (EC) No. 1907/2006

Basfoliar®Mg Flo



Version: 2.4 Revision Date:
Date of last issue: 23.12.2022 07.04.2023

Date of first issue: 08.08.2020

Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN