

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5  
Date of last issue: 02.01.2023  
Date of first issue: 22.01.2021

Revision Date:  
07.04.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Basfoliar S Flo  
UFI : M6S2-A0RY-C004-YYEE

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fertilizer  
Substance/Mixture

#### 1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH  
Krögerweg 10  
D-48155 Münster  
Telephone : +49 (0) 251 29 79 81 – 000  
Telefax : +49 (0) 251 29 79 81 - 111  
E-mail address of person : info@compo-expert.com  
responsible for the SDS

#### 1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h  
Telephone: +49 (0) 6132 - 84463

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 2 H315: Causes skin irritation.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5  
Date of last issue: 02.01.2023  
Date of first issue: 22.01.2021

Revision Date:  
07.04.2023

Signal word	:	Warning	
Hazard statements	:	H315	Causes skin irritation.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P103	Read label before use.
		<b>Prevention:</b>	
		P280	Wear eye protection/ face protection.
		<b>Response:</b>	
		P302 + P352	IF ON SKIN: Wash with plenty of water.
		P332 + P313	If skin irritation occurs: Get medical advice/ attention.

### 2.3 Other hazards

None known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
sulfur	7704-34-9  231-722-6  01-2119487295-27-XXXX	Skin Irrit. 2; H315	>= 30 - < 60
Ethylene glycol	107-21-1  203-473-3	Acute Tox. 4; H302  Acute toxicity estimate  Acute oral toxicity: 500 mg/kg	>= 1 - <= 10

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5  
Date of last issue: 02.01.2023  
Date of first issue: 22.01.2021

Revision Date:  
07.04.2023

1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	< 0,005
	220-120-9		
		specific concentration limit  Skin Sens. 1; H317  >= 0,05 %	
		Acute toxicity estimate   Acute oral toxicity: 500 mg/kg	

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                         |  |
|-------------------------|--|
| If inhaled              | : If breathed in, move person into fresh air.<br>If symptoms persist, call a physician.  |
| In case of skin contact | : Wash off immediately with soap and plenty of water.<br>Take off all contaminated clothing immediately.   |
| In case of eye contact  | : Rinse immediately with plenty of water, also under the eyelids,<br>for at least 15 minutes.<br>If eye irritation persists, consult a specialist. |
| If swallowed            | : Do NOT induce vomiting.<br>If symptoms persist, call a physician.  |

## Basfoliar S Flo



Version: 1.5  
Date of last issue: 02.01.2023  
Date of first issue: 22.01.2021

Revision Date:  
07.04.2023

---

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Product does not burn, fire-extinguishing activities according to surrounding.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Heating can release hazardous gases.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin, eyes and clothing.  
Ensure adequate ventilation.

### 6.2 Environmental precautions

Environmental precautions : Do not let product enter drains, surface water or subsoil water.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For personal protection see section 8.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5  
Date of last issue: 02.01.2023  
Date of first issue: 22.01.2021

Revision Date:  
07.04.2023

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin, eyes and clothing.  
Handle in accordance with good industrial hygiene and safety practice.  
Ensure thorough ventilation of stores and work areas.
- Hygiene measures : Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep containers tightly closed in a dry, cool and well-ventilated place.
- Advice on common storage : Keep away from food, drink and animal feedingstuffs.
- Storage class (TRGS 510) : 12, Non Combustible Liquids
- Recommended storage temperature : 5 - 20 °C

#### 7.3 Specific end use(s)

- Specific use(s) : Always read the label and product information before use.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethylene glycol	107-21-1		10 ppm 26 mg/m <sup>3</sup>	DE TRGS 900
Peak-limit: excursion factor (category)	2;(I)			
		STEL	40 ppm 104 mg/m <sup>3</sup>	
		TWA	20 ppm 52 mg/m <sup>3</sup>	
			10 ml/m <sup>3</sup> 26 mg/m <sup>3</sup>	TRGS 900 (DE)

#### 8.2 Exposure controls

##### Personal protective equipment

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5  
Date of last issue: 02.01.2023  
Date of first issue: 22.01.2021

Revision Date:  
07.04.2023

---

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection  
Material : PVC

Remarks : Protective gloves

Skin and body protection : Wearing of closed work clothing is recommended.

Respiratory protection : Ensure thorough ventilation of stores and work areas.  
Respiratory protection not required.

### Environmental exposure controls

General advice : Do not let product enter drains, surface water or subsoil water.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : 6 - 7

No information available. :

No information available. :

Flash point : The product is not flammable.

Evaporation rate : No data available

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5

Date of last issue: 02.01.2023

Date of first issue: 22.01.2021

Revision Date:

07.04.2023

---

Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1,43 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	
Water solubility	: miscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No decomposition if stored and applied as directed.
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance

### 9.2 Other information

Surface tension	: No data available
-----------------	---------------------

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

Stable under normal conditions.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5

Date of last issue: 02.01.2023

Date of first issue: 22.01.2021

Revision Date:

07.04.2023

---

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No dangerous reaction known under conditions of normal use.

### 10.6 Hazardous decomposition products

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

#### Components:

##### Ethylene glycol:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2 ppm

Acute dermal toxicity : LD50 (mouse): > 3.500 mg/kg

##### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

#### Skin corrosion/irritation

##### Product:

Result: Skin irritation

#### Serious eye damage/eye irritation

##### Product:

Remarks: May irritate eyes.



# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5  
Date of last issue: 02.01.2023  
Date of first issue: 22.01.2021

Revision Date:  
07.04.2023

---

### Respiratory or skin sensitisation

#### Product:

Remarks: No data available

### germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

#### Components:

##### sulfur:

Germ cell mutagenicity-  
Assessment : Did not show mutagenic effects in animal experiments.

### Carcinogenicity

#### Product:

Remarks: Contains no ingredient listed as a carcinogen

#### Components:

##### sulfur:

Carcinogenicity -  
Assessment : Did not show carcinogenic effects in animal experiments.

### Reproductive toxicity

#### Product:

Effects on fertility :  
Remarks: No toxicity to reproduction

Effects on foetal  
development : Remarks: Contains no ingredient listed as toxic to  
reproduction

#### Components:

##### sulfur:

Reproductive toxicity -  
Assessment : Animal testing did not show any effects on fertility.  
Did not show teratogenic effects in animal experiments.

### STOT - single exposure

#### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5  
Date of last issue: 02.01.2023  
Date of first issue: 22.01.2021

Revision Date:  
07.04.2023

---

### STOT - repeated exposure

#### Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

### Endocrine disrupting properties

No data available

### Further information

No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

#### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Toxicity to fish : LC50 (Salmo trutta (brown trout)): = 2,18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): = 2,18 mg/l  
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): = 0,11 mg/l  
Exposure time: 72 h

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

#### Components:

sulfur:

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5  
Date of last issue: 02.01.2023  
Date of first issue: 22.01.2021

Revision Date:  
07.04.2023

---

Biodegradability : Remarks: Inherently biodegradable.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

#### Components:

##### sulfur:

Bioaccumulation : Remarks: Does not bioaccumulate.

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

#### Components:

##### sulfur:

Distribution among environmental compartments : Medium:Soil  
Remarks: Moderately mobile in soils

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : Remarks: Not applicable

#### Components:

##### sulfur:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Check if agriculture use is possible.  
Disposal together with normal waste is not allowed. Special disposal required according to local regulations.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5  
Date of last issue: 02.01.2023  
Date of first issue: 22.01.2021

Revision Date:  
07.04.2023

---

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class : WGK 1 slightly water endangering  
(Germany)

#### 15.2 Chemical Safety Assessment

No data available

---

### SECTION 16: Other information

#### Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H400	: Very toxic to aquatic life.

#### Full text of other abbreviations

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5

Date of last issue: 02.01.2023

Date of first issue: 22.01.2021

Revision Date:

07.04.2023

---

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar S Flo



Version: 1.5  
Date of last issue: 02.01.2023  
Date of first issue: 22.01.2021

Revision Date:  
07.04.2023