

## Basfoliar ReSist SL



Version: 1.0

Revision Date:  
06.05.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Basfoliar ReSist SL  
UFI : 2RV2-3027-W00E-3YA2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Fertilizer

#### 1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH  
Krögerweg 10  
D-48155 Münster  
  
Telephone : +49 (0) 251 29 79 81 – 000  
Telefax : +49 (0) 251 29 79 81 - 111  
  
E-mail address of person  
responsible for the SDS : info@compo-expert.com

#### 1.4 Emergency telephone number

Quality / Safety / Environment  
Telephone: +49 (0) 2151 - 579 - 0

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.  
Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.  
H319 Causes serious eye irritation.

## Basfoliar ReSist SL



Version: 1.0

Revision Date:  
06.05.2021

Precautionary statements	: P102 P101	Keep out of reach of children. If medical advice is needed, have product container or label at hand.
	<b>Prevention:</b> P280	Wear protective gloves/ eye protection/ face protection.
	<b>Response:</b> P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
	P337 + P313	If eye irritation persists: Get medical advice/ attention.

### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Potassium silicate	1312-76-1 215-199-1	Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335	>= 1 - <= 4

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

If inhaled	: If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.
In case of skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
In case of eye contact	: Rinse immediately with plenty of lukewarm water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

## Basfoliar ReSist SL



Version: 1.0

Revision Date:  
06.05.2021

If swallowed : Call a physician immediately.  
Drink plenty of water.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Water spray  
Dry powder  
Alcohol-resistant foam

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Thermal decomposition can lead to release of irritating gases and vapours.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin, eyes and clothing.  
Keep out unprotected persons and animals.

### 6.2 Environmental precautions

Environmental precautions : Do not let product enter drains, surface water or subsoil water.

## Basfoliar ReSist SL



Version: 1.0

Revision Date:  
06.05.2021

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Use only in area provided with appropriate exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures : Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Keep containers tightly closed in a cool, well-ventilated place.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Storage class (TRGS 510) : 12, Non Combustible Liquids

### 7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

We are not aware of any national exposure limit.

### 8.2 Exposure controls

#### Engineering measures

Ensure thorough ventilation of stores and work areas.

#### Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection

Remarks : Chemical resistant protective gloves (EN 374). Neoprene gloves polyvinylchloride (PVC) - 0.7 mm coating thickness

Skin and body protection : Wearing of closed work clothing is recommended.

Respiratory protection : Not necessary if room is well-ventilated.

## Basfoliar ReSist SL



Version: 1.0

Revision Date:  
06.05.2021

Combination filter EN 141 Type ABEK-P3 for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles.

### Environmental exposure controls

General advice : Do not let product enter drains, surface water or subsoil water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: blue
Odour	: very faint
Odour Threshold	: No data available
pH	: 11,5, Concentration: 10 g/l
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1,03 - 1,05 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	
Water solubility	: completely soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No decomposition if stored and applied as directed.

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar ReSist SL



Version: 1.0

Revision Date:  
06.05.2021

---

Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance

### 9.2 Other information

Surface tension	: No data available
-----------------	---------------------

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	: No dangerous reaction known under conditions of normal use.
---------------------	---

### 10.4 Conditions to avoid

Conditions to avoid	: Heat, flames and sparks.
---------------------	----------------------------

### 10.5 Incompatible materials

Materials to avoid	: nitrates
--------------------	------------

### 10.6 Hazardous decomposition products

Ammonia gas may be liberated at high temperatures.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

#### Components:

#### **Potassium silicate:**

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 2,06 mg/l Exposure time: 4 h
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 mg/kg

## Basfoliar ReSist SL



Version: 1.0

Revision Date:  
06.05.2021

### Skin corrosion/irritation

**Product:**

Result: irritating

### Serious eye damage/eye irritation

**Product:**

Result: Because of its pH value, this product can be regarded as irritating to the eyes and skin.

### Respiratory or skin sensitisation

**Product:**

Result: non-sensitizing

### Germ cell mutagenicity

**Product:**

Genotoxicity in vitro : Remarks: No data available

### Carcinogenicity

**Product:**

Remarks: Contains no ingredient listed as a carcinogen

### Reproductive toxicity

**Product:**

Effects on fertility :  
Remarks: No toxicity to reproduction

Effects on foetal development : Remarks: Contains no ingredient listed as toxic to reproduction

### STOT - single exposure

**Product:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

**Product:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## Basfoliar ReSist SL



Version: 1.0

Revision Date:  
06.05.2021

---

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Product:**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

**Components:**

**Potassium silicate:**

Toxicity to fish : LC50 (Fish): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 100 mg/l  
Exposure time: 48 h

#### 12.2 Persistence and degradability

**Product:**

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD test.

#### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation : Remarks: Does not bioaccumulate.

#### 12.4 Mobility in soil

**Product:**

Mobility : Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).. This mixture contains no substance considered to be very persistent and very bio-accumulating (vPvB)..

#### 12.6 Other adverse effects

No data available

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods



## Basfoliar ReSist SL



Version: 1.0

Revision Date:  
06.05.2021

---

Product	: Must not be disposed together with household garbage. Do not allow product to reach sewage system. Observe national and local legal requirements.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

### SECTION 14: Transport information

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class : WGK 1 slightly water endangering  
(Germany)

#### 15.2 Chemical Safety Assessment

No data available

---

### SECTION 16: Other information

#### Full text of H-Statements

H290 : May be corrosive to metals.  
H314 : Causes severe skin burns and eye damage.  
H318 : Causes serious eye damage.  
H335 : May cause respiratory irritation.

#### Full text of other abbreviations

Eye Dam. : Serious eye damage  
Met. Corr. : Corrosive to metals

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

## Basfoliar ReSist SL



Version: 1.0

Revision Date:

06.05.2021

Skin Corr. : Skin corrosion  
STOT SE : Specific target organ toxicity - single exposure

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN