according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basfoliar® ZnMn Flo

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fertiliser

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH

Krögerweg 10 D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone:+49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

*

Signal word : Warning

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Inorganic fertiliser

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
zinc oxide	1314-13-2	Aquatic Acute 1;	>= 25 - < 30
	215-222-5	H400	
	030-013-00-7	Aquatic Chronic 1;	
	01-2119463881-32-	H410	
	XXXX		
ethanediol	107-21-1	Acute Tox. 4; H302	>= 1 - < 10
	203-473-3		
	603-027-00-1		
	01-2119456816-28-		
	XXXX		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,0025 - <
	220-120-9	Acute Tox. 2; H330	0,025
	613-088-00-6	Skin Irrit. 2; H315	
	01-2120761540-60-	Eye Dam. 1; H318	
	XXXX	Skin Sens. 1; H317	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version 1.1	Revision Date: 25.09.2024	SDS Number: M0060	Date of last issue: 13.09.2024 Date of first issue: 13.09.2024
			Aquatic Acute 1; H400 Aquatic Chronic 1; H410
			M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1
			specific concentration limit Skin Sens. 1; H317 >= 0,036 %
			Acute toxicity estimate
			Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0,21 mg/l

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : If breathed in, move person into fresh air.

In the case of inhalation of aerosol/mist consult a physician if

necessary.

In case of skin contact : Wash off immediately with soap and plenty of water.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water

Carbon dioxide (CO2)

Dry powder

Sand

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Carbon monoxide, carbon dioxide and unburned hydrocar-

bons (smoke).

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid contact with skin, eyes and clothing.

Avoid formation of aerosol.

Do not breathe vapours or spray mist. For personal protection see section 8. For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Wear personal protective equipment.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Use only in an area containing explosion proof equipment.

Do not use in areas without adequate ventilation. Keep away from sources of ignition - No smoking.

Advice on protection against :

fire and explosion

Vapours may form explosive mixtures with air. Vapours are

heavier than air and may spread along floors.

Hygiene measures : Keep away from food, drink and animal feedingstuffs. Wash

hands before eating, drinking, or smoking. Wash hands before

breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Further information on stor-

age conditions

: Keep container tightly closed and in a well-ventilated place.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Keep away from oxidizing agents and strongly acid or alkaline

materials.

Storage class (TRGS 510) : 12

Recommended storage tem: :

perature

5 - 30 °C

Further information on stor-

age stability

: Protect from frost, heat and sunlight.

7.3 Specific end use(s)

Specific use(s) : Not relevant

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
zinc oxide	1314-13-2	MAK (measured as the alveolate fraction)	0,1 mg/m3	DE DFG MAK			
		Further information: Zinc chloride: peak limit I(1), Damage to the embryo or					
	foetus is unlik	foetus is unlikely when the MAK value or the BAT value is observed					
		MAK (inhalable fraction)	2 mg/m3	DE DFG MAK			
	Further information: Zinc chloride: peak limit I(1), Damage to the foetus is unlikely when the MAK value or the BAT value is observ						
ethanediol	107-21-1	TWA	20 ppm 52 mg/m3	2000/39/EC			
		Further information: Identifies the possibility of significant uptake through the skin, Indicative					
		STEL	40 ppm 104 mg/m3	2000/39/EC			
	Further information: Identifies the possibility of significant uptake through the skin, Indicative						
		MAK	10 ppm 26 mg/m3	DE DFG MAK			
	Further information: Danger of absorption through the skin, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed						
		AGW (Vapour and aerosols)	10 ppm 26 mg/m3	DE TRGS 900			
	Peak-limit: excursion factor (category): 2;(I)						
	Further inform	mation: Skin absorption, When there is compliance with the OEL al tolerance values, there is no risk of harming the unborn child					

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile rub-

ber category III according to EN 374.

Break through time : > 480 minGlove thickness : > 0.3 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protec-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024 1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

tive glove. As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in

advance and has to be tested before use.

Skin and body protection : Long sleeved clothing

Respiratory protection : Do not breathe vapours or spray mist.

In the case of dust or aerosol formation use respirator with an

approved filter.

Equipment should conform to EN 14387

Filter type : Combined particulates, inorganic and acidic gas/vapour, am-

monia/amines and organic vapour type (ABEK-P)

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

Wash contaminated clothing before re-use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : beige

Odour : none

Melting point/range : ca. 0 °C

Boiling point/boiling range : ca. 100 °C

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : does not ignite

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

pH : 8 - 9 (20 °C)

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : 23 hPa (20 °C)

Density : 1,8 g/cm³ (20 °C)

9.2 Other information

Explosives : Not explosive

Flammability (liquids) : Will not burn

Self-ignition : not auto-flammable

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Potential for exothermic hazard

10.4 Conditions to avoid

Conditions to avoid : Strong sunlight for prolonged periods.

10.5 Incompatible materials

Materials to avoid : No dangerous reaction known under conditions of normal use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

10.6 Hazardous decomposition products

Carbon dioxide (CO2) Nitrogen oxides (NOx) Carbon monoxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Components:

zinc oxide:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

ethanediol:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 450 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l

Test atmosphere: dust/mist

Assessment: The component/mixture is highly toxic after short

term inhalation.

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

zinc oxide:

Assessment : No skin irritation

ethanediol:

Assessment : No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit Exposure time : 4 h

Assessment : Irritating to skin.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Components:

zinc oxide:

Assessment : No eye irritation

ethanediol:

Assessment : No eye irritation

1,2-benzisothiazol-3(2H)-one:

Assessment : Risk of serious damage to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Components:

zinc oxide:

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

ethanediol:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

1,2-benzisothiazol-3(2H)-one:

Species : Guinea pig

Assessment : May cause sensitisation by skin contact.

Method : OECD Test Guideline 406

Assessment : Does not cause respiratory sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

zinc oxide:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

ethanediol:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Remarks: Based on available data, the classification criteria

are not met.

Genotoxicity in vivo : Remarks: No data available

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

zinc oxide:

Carcinogenicity - Assess-

: Not classifiable as a human carcinogen.

ment

ethanediol:

Carcinogenicity - Assess-

ment

Not classifiable as a human carcinogen.

1,2-benzisothiazol-3(2H)-one:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

Remarks : Based on available data, the classification criteria are not met.

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

zinc oxide:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

No effects on or via lactation

ethanediol:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

No effects on or via lactation

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Remarks: No data available

Reproductive toxicity - As-

sessment

No toxicity to reproduction

No effects on or via lactation

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

zinc oxide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

ethanediol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

zinc oxide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

ethanediol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Remarks : Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

zinc oxide:

No aspiration toxicity classification

ethanediol:

No aspiration toxicity classification

1,2-benzisothiazol-3(2H)-one:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

SECTION 12: Ecological information

12.1 Toxicity

Components:

zinc oxide:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,94 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,11

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,055

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

: 1

Toxicity to microorganisms : EC50 (activated sludge): 12,8 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

Ecotoxicology Assessment

12.2 Persistence and degradability

Components:

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Test Type: aerobic

Result: Not readily biodegradable.

Biodegradation: 85 % Exposure time: 63 d

Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Components:

1,2-benzisothiazol-3(2H)-one:

Partition coefficient: n- : log Pow: 0,63 - 0,76 (20 °C)

octanol/water Method: Regulation (EC) No. 440/2008, Annex, A.8

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

zinc oxide:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

1,2-benzisothiazol-3(2H)-one:

Assessment : Remarks: No data available

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not flush into surface water or sanitary sewer system.

In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Empty containers retain residue and can be dangerous.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Zinc oxide)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Zinc oxide)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Zinc oxide)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Zinc oxide)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Zinc oxide)

14.3 Transport hazard class(es)

Class Subsidiary risks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous Dangerous Goods

IATA_P (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Regulatory basis : IMSBC Code

Remarks : Product is not allowed to be transported in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High :

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL HAZARDS

Water hazard class (Germa- : WGK 2 obviously hazardous to water

ny) Classification according to AwSV, Annex 1 (5.2)

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

Protection Act - MuSchG).

15.2 Chemical safety assessment

Not relevant

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Skin Irrit. : Skin irritation Skin Sens. : Skin sensitisation

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

DE DFG MAK : Germany. MAK BAT Annex IIa

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit

DE DFG MAK / MAK : MAK value

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - Interna-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® ZnMn Flo



Version Revision Date: SDS Number: Date of last issue: 13.09.2024
1.1 25.09.2024 M0060 Date of first issue: 13.09.2024

tional Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 1 H410 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN