

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.2	25.09.2024	M0078	Date of first issue: 14.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Pi	oduct identifier
--------	------------------

Trade name

: EasyStart® Microfast 13-40-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fertiliser stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company	:	COMPO EXPERT GmbH Krögerweg 10 D-48155 Münster
Telephone	:	+49 (0) 251 29 79 81 – 000
Telefax	:	+49 (0) 251 29 79 81 - 111
E-mail address of person responsible for the SDS	:	info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h Telephone:+49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)					
Hazard statements	:	H412	Harmful to aquatic life with long lasting effects.		
Precautionary statements	:	Disposal:			
		P501	Dispose of contents/ container to an approved waste disposal plant.		



Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.2	25.09.2024	M0078	Date of first issue: 14.09.2024

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Inorganic fertiliser

Components

Components		Ole estil estile e	
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Manganese sulfate	10034-96-5	Eye Dam. 1; H318	>= 1 - < 2,5
-	232-089-9	STOT RE 2; H373	
	01-2119456624-35-	Aquatic Chronic 2;	
	XXXX	H411	
ammonium nitrate	6484-52-2	Ox. Sol. 3; H272	>= 1 - < 10
	229-347-8	Eye Irrit. 2; H319	
	01-2119490981-27-		
	0050		
zinc oxide	1314-13-2	Aquatic Acute 1;	>= 1 - < 2,5
	215-222-5	H400	
	030-013-00-7	Aquatic Chronic 1;	
	01-2119463881-32-	H410	
	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EasyStart® Microfast 13-40-0



Version 1.2	Revision Date: 25.09.2024	SDS Number: M0078	Date of last issue: 21.09.2024 Date of first issue: 14.09.2024
			exposure exists refer to Section 8 for specific equipment.
lf inha	aled		move person into fresh air. persist, call a physician.
In case of skin contact		: Wash off with	soap and water.
In case of eye contact		and consult a	phly with plenty of water for at least 15 minutes physician. persists, consult a specialist.
lf swa	llowed	: Clean mouth Obtain medic	with water and drink afterwards plenty of water. al attention.
4.2 Most i	mportant symptoms	and effects, both a	cute and delayed
Symp	toms	: Ingestion may Methaemoglo	<pre>r provoke the following symptoms: binemia</pre>

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Water Dry chemical Water mist Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet Carbon dioxide (CO2) Foam Sand
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Thermal decomposition can lead to release of irritating gases and vapours. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Nitrogen oxides (NOx) Carbon monoxide Carbon oxides Oxides of phosphorus Sulphur oxides



Version 1.2	Revision Date: 25.09.2024		DS Number: 0078	Date of last issue: 21.09.2024 Date of first issue: 14.09.2024
	for firefighters			
	I protective equipment fighters	-	essary.	ed breathing apparatus for firefighting if nec-
Further information		:	must not be disch Fire residues and	contaminated fire extinguishing water must accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and	l emergency procedures
--	------------------------

Personal precautions	 Use personal protective equipment. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before re-use. Avoid breathing dust. For personal protection see section 8. For disposal considerations see section 13.
----------------------	---

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid contact with skin and eyes. Wear personal protective equipment. Keep away from combustible material. Keep away from heat and sources of ignition. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed. The product should only be used in areas from which all naked lights and other sources of ignition have been

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EasyStart® Microfast 13-40-0



Versi 1.2	ion	Revision Date: 25.09.2024		DS Number: 0078	Date of last issue: 21.09.2024 Date of first issue: 14.09.2024
				excluded. Electric appropriate stanc	cal equipment should be protected to the lard.
ł	Hygien	e measures	:		food, drink and animal feedingstuffs. Wash ing, drinking, or smoking. Wash hands before end of workday.
[Dust ex	plosion class	:	No data available	
7.2 C	Conditio	ons for safe storage,	inc	luding any incom	patibilities
		information on stor- nditions	:		sources of ignition - No smoking. Keep away ht. Protect from moisture. Protect from con-
,	Advice on common storage		:	Keep away from Keep away from	
Ş	Storage	e class (TRGS 510)	:	13	
	Further age sta	information on stor- bility	:	Protect from frost	, heat and sunlight.
7.3 S	specific	end use(s)			
9	Specifi	c use(s)	:	Not relevant	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Manganese sulfate	10034-96-5	AGW (Inhalable	0,2 mg/m3	DE TRGS		
		fraction)	(Manganese)	900		
	Peak-limit: ex	cursion factor (categ	ory): 8;(II)			
	Further inform	nation: For Permanga	anates an excursion factor of	1(II) applies.,		
	When there is	compliance with the	e OEL and biological tolerand	e values, there		
	is no risk of harming the unborn child					
		AGW (Alveolate	0,02 mg/m3	DE TRGS		
		fraction)	(Manganese)	900		
	Peak-limit: excursion factor (category): 8;(II)					
	Further inform	nation: For Permanga	anates an excursion factor of	1(II) applies.,		
	When there is compliance with the OEL and biological tolerance values, there					
	is no risk of harming the unborn child					
		MAK (measured	0,02 mg/m3	DE DFG MAK		
		as the alveolate				

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ersion	Revision Dat					f last issue: 21.09.2024	
2 25.09.2024		M007	′8	Da	ate of	f first issue: 14.09.2024	
1			frac	tion)	1		
		Further inform	ation	: Damage to th	e er	nbryo or foetus is unlikely	y when the
						ed, Permanganates: Pea	
		category I(1)					
			MAł frac	K (inhalable tion)	0,2	mg/m3	DE DFG MAR
		Further inform	ation	: Damage to th	e em	nbryo or foetus is unlikely	y when the
		MAK value or	the B	AT value is ob	serve	ed, Permanganates: Pea	ak limitation
		category I(1)					
			ΤW	A (inhalable	0,2	mg/m3	2017/164/EU
			frac		(Ma	anganese)	
		Further inform	ation	: Indicative	/e		
			TW	A (Respirable	0,0)5 mg/m3	2017/164/EU
			frac	tion)	(Ma	anganese)	
		Further inform	ation	: Indicative			
zinc c	oxide	1314-13-2	MA	K (measured	0,1	mg/m3	DE DFG MAK
			as t	ne alveolate			
			frac				
						k limit I(1), Damage to th	
		foetus is unlike			alue	or the BAT value is obse	
				< (inhalable	2 mg/m3		DE DFG MAK
				raction)			
		Further information: Zinc chloride: peak limit I(1), Damage to the embryo o					
		foetus is unlikely when the MAK value or the BAT value is observed					
Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:							
Subst	tance name	End Use		Exposure rou	ites	Potential health ef- fects	Value
				<u>.</u>			

Substance hame	End Use	Exposure routes	fects	value
N,N"- (isobutylidene)diurea	Workers	Skin contact	Long-term systemic effects	37,5 mg/kg
	Workers	Inhalation	Long-term systemic effects	66,12 mg/m3
	Consumers	Skin contact	Long-term systemic effects	18,75 mg/kg
	Consumers	Inhalation	Long-term systemic effects	16,31 mg/m3
	Consumers	Ingestion	Long-term systemic effects	9,37 mg/kg
ammonium sulphate	Workers	Skin contact	Long-term systemic effects	42,667 mg/kg
	Workers	Inhalation	Long-term systemic effects	11,167 mg/m3
	Consumer use	Oral	Long-term systemic effects	6,4 mg/kg
	Consumer use	Skin contact	Long-term systemic effects	12,8 mg/kg
	Consumer use	Inhalation	Long-term systemic effects	1,667 mg/kg
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EasyStart® Microfast 13-40-0

/ersion I.2	Revision Date: 25.09.2024	SDS Nur M0078		er: Date of last issue: 21.09.2024 Date of first issue: 14.09.2024			
		Workers		Long-term systemic effects	5,12 mg/kg bw/day		
		Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day		
		Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3		
		Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day		

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
N,N"-(isobutylidene)diurea	Fresh water	0,5 mg/l
	Marine water	0,05 mg/l
	Fresh water sediment	1,76 mg/l
	Marine sediment	0,176 mg/l
	Soil	10,7 mg/l
	Behaviour in waste water treatment plants	640 mg/l
ammonium sulphate	Fresh water	0,312 mg/l
	Marine water	0,0312 mg/l
	Intermittent use/release	0,53 mg/l
	Soil	62,6 mg/kg
		16,12 mg/l
	Fresh water	0,063 mg/kg
ammonium nitrate	Sewage treatment plant	18 mg/l

8.2 Exposure controls

Personal protective equipme	ent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166
Hand protection Material Directive	:	Gloves Equipment should conform to EN 374
Remarks	:	As the product is a mixture of several substances, the dura- bility of the glove materials cannot be calculated in advance and has to be tested before use.
Skin and body protection	:	Long sleeved clothing
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter. Equipment should conform to EN 14387
Filter type	:	Filter type P
Protective measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash contaminated clothing before re-use.



Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.2	25.09.2024	M0078	Date of first issue: 14.09.2024

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Colour	:	beige
Odour	:	very faint
Melting point/range	:	not determined
Boiling point/boiling range	:	not determined
Flammability	:	Will not burn
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	> 130 °C
рН	:	4,5 - 5,5 (20 °C) Concentration: 100 g/l
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	Not applicable

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EasyStart® Microfast 13-40-0



Vers 1.2	sion	Revision Date: 25.09.2024		S Number: 078	Date of last issue: 21.09.2024 Date of first issue: 14.09.2024
	Bulk de	ensity	:	780 - 980 kg/m³	
	Particle characteristics Particle Size Distribution		:	D50 = 1,2 mm ± Measurement teo od	0,3 mm chnique: Optoelectronic measurement meth-
9.2 Other information					
	Oxidizii	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Self-ignition		:	not auto-flammat	ble
	Minimu centrat	m explosible dust con- ion	:	No data available	
	Dust ex	plosion class	:	No data available	9

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	None reasonably foreseeable. Heating can release hazardous gases.
10.4 Conditions to avoid Conditions to avoid	:	Hot surface(s) Direct sources of heat.

10.5 Incompatible materials

: Strong bases
Organic materials
Powdered metals

10.6 Hazardous decomposition products

Hazardous decomposition	:	Nitrogen oxides (NOx)
products		Oxides of phosphorus
		Sulphur oxides
		ammonia



Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.2	25.09.2024	M0078	Date of first issue: 14.09.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

Manganese sulfate:

Acute oral toxicity	:	Assessment: The substance or mixture has no acute oral tox- icity
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal toxicity
ammonium nitrate:		
Acute oral toxicity	:	Assessment: The substance or mixture has no acute oral tox- icity
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala-

tion toxicity Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

zinc oxide:

Acute oral toxicity	:	Assessment: The substance or mixture has no acute oral tox- icity
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

Manganese sulfate:

Assessment	: No skin irritation
------------	----------------------

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ersion 2	Revision Date: 25.09.2024		DS Number: 0078	Date of last issue: 21.09.2024 Date of first issue: 14.09.2024
ammo	onium nitrate:			
Asses	sment	:	No skin irritation	n
zinc c	oxide:			
Asses	sment	:	No skin irritation	1
	us eye damage/eye I on available data, tl			are not met.
	oonents:			
Mang	anese sulfate:			
-	sment	:	Risk of serious	damage to eyes.
ammo	onium nitrate:			
Speci		:	Rabbit	
	sure time ssment	:	24 h Irritating to eyes	
Metho		:	OECD Test Gu	
zinc c	oxide:			
Asses	sment	:	No eye irritatior)
Respi	ratory or skin sens	itisatio	on	
Skin s	sensitisation			
Based	l on available data, tl	he clas	sification criteria	are not met.
Respi	ratory sensitisatior	า		
Based	l on available data, tl	he clas	sification criteria	are not met.
<u>Comp</u>	oonents:			
Mang	anese sulfate:			
Asses	sment	:	Does not cause	e skin sensitisation.
Asses	sment	:	Does not cause	e respiratory sensitisation.
ammo	onium nitrate:			
Asses	sment	:	Does not cause	skin sensitisation.
Asses	sment	:	Does not cause	e respiratory sensitisation.
	oxide:			
zinc c				
	sment	:	Does not cause	e skin sensitisation.



Vers 1.2	sion	Revision Date: 25.09.2024		OS Number: 0078	Date of last issue: 21.09.2024 Date of first issue: 14.09.2024
		cell mutagenicity on available data, the	clas	sification criteria ar	e not met.
	<u>Comp</u>	onents:			
	Manga	anese sulfate:			
	Germ o sessmo	cell mutagenicity- As- ent	:	Weight of evidend cell mutagen.	e does not support classification as a germ
	ammo	nium nitrate:			
	Genoto	oxicity in vitro	:	Method: OECD To Result: negative	est Guideline 471
	Germ o sessmo	cell mutagenicity- As- ent	:	Weight of evidend cell mutagen.	e does not support classification as a germ
	zinc o	xide:			
	Germ o sessmo	cell mutagenicity- As- ent	:	Weight of evidend cell mutagen.	e does not support classification as a germ
	Based	ogenicity on available data, the o onents:	clas	sification criteria ar	e not met.
	-	anese sulfate: ogenicity - Assess-	:	Not classifiable as	s a human carcinogen.
	ammo	nium nitrate:			
	Carcine ment	ogenicity - Assess-	:	Not classifiable as	s a human carcinogen.
	zinc o	xide:			
	Carcine ment	ogenicity - Assess-	:	Not classifiable as	s a human carcinogen.
	-	ductive toxicity on available data, the	clas	sification criteria ar	e not met.
	Comp	onents:			
	-	anese sulfate: ductive toxicity - As- ent	:	No toxicity to repr	oduction

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Vers 1.2	sion	Revision Date: 25.09.2024	-)S Number:)078	Date of last issue: 21.09.2024 Date of first issue: 14.09.2024
				No effects on o	r via lactation
	2000	nium nitrate:			
		luctive toxicity - As-	:	No toxicity to re	production
				No effects on o	r via lactation
	zinc ox	(ide:			
	Reprod sessme	luctive toxicity - As- ent	:	No toxicity to re	production
				No effects on o	r via lactation
		• single exposure on available data, the	clas	sification criteria	are not met
		onents:	olao		
		nese sulfate:			
	Assess		:		or mixture is not classified as specific target single exposure.
	ammoi	nium nitrate:			
	Assess	ment	:		or mixture is not classified as specific target single exposure.
	zinc ox	vide:			
	Assess		:		or mixture is not classified as specific target single exposure.
		on available data, the	clas	sification criteria	are not met.
	Compo	onents:			
	Manga	nese sulfate:			
	Assess	ment	:		or mixture is classified as specific target organ ted exposure, category 2.
	ammoi	nium nitrate:			
	Assess	ment	:		or mixture is not classified as specific target repeated exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EasyStart® Microfast 13-40-0



/ersion I.2	Revision Date: 25.09.2024	SDS Number: M0078	Date of last issue: 21.09.2024 Date of first issue: 14.09.2024
zinc	oxide:		
Asse	ssment		or mixture is not classified as specific target repeated exposure.
Repe	eated dose toxicity		
<u>Com</u>	ponents:		
amm	onium nitrate:		
Spec		: Rat	
NOA		: > 1.500 mg/kg	
	cation Route	: Oral : 28 d	
Expo	sure time	: 28 d	
Spec		: Rat	
NOA		= 256 mg/kg	
	cation Route	: Oral	
Expo Meth	sure time od	: 52 w : OECD Test Gu	uideline 453
Weth	00	. 0200103000	
Spec		: Rat	
NOA		: >= 185 mg/kg	
	cation Route	: inhalation (dus	t/mist/fume)
⊂xpo Meth	sure time od	: 2 w : OECD Test Gu	uideline 412
-	ration toxicity d on available data, th	e classification criteria	are not met.
<u>Com</u>	ponents:		
Mano	ganese sulfate:		
	spiration toxicity classi	fication	
amm	onium nitrate:		
No as	spiration toxicity classi	fication	
zinc	oxide:		
No as	spiration toxicity classi	fication	
1 2 Infor	mation on other haz	arda	
-	ocrine disrupting pro		
<u>Prod</u>			
Asse	ssment	ered to have e REACH Article	<pre>//mixture does not contain components consi ndocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605</pre>

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at



Version	Revision Date: 25.09.2024	SDS Number:	Date of last issue: 21.09.2024	
1.2		M0078	Date of first issue: 14.09.2024	
levels of 0.1% or higher.				

SECTION 12: Ecological information

12.1 Toxicity

Manganese sulfate: Toxicity to fish (Chronic tox- icity)	:	NOEC: 4.496,89 µg/l Exposure time: 30 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		
ammonium nitrate:		
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 490 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (diatoms): 1.700 mg/l Exposure time: 10 h
Toxicity to microorganisms	:	EC50 (activated sludge): 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
zinc oxide:		

Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

ammonium nitrate:

Biodegradability	:	Remarks: The methods for determining the biological degra-
		dability are not applicable to inorganic substances.



Version 1.2	Revision Date: 25.09.2024	SDS Number: M0078	Date of last issue: 21.09.2024 Date of first issue: 14.09.2024
12.3 Bioa	ccumulative potential		
Com	oonents:		
amm	onium nitrate:		
Bioac	cumulation	: Remarks: Bioa	accumulation is unlikely.
	ion coefficient: n- ol/water	: log Pow: -3,1	
12.4 Mobi	lity in soil		
No da	ata available		
12.5 Resu	Its of PBT and vPvB a	assessment	
Produ	uct:		
Asses	ssment	to be either pe	e/mixture contains no components considered ersistent, bioaccumulative and toxic (PBT), or t and very bioaccumulative (vPvB) at levels of r.
<u>Com</u>	oonents:		
Mano	anese sulfate:		
-	ssment		not persistent, bioaccumulative, and toxic (PBT). not very persistent and very bioaccumulative
zinc (oxide:		
_	ssment		not persistent, bioaccumulative, and toxic (PBT). not very persistent and very bioaccumulative
12.6 Endo	crine disrupting prop	erties	
Produ	uct:		
Asses	ssment	ered to have e REACH Article	e/mixture does not contain components consid- endocrine disrupting properties according to e 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Version 1.2	Revision Date: 25.09.2024	SDS Number: M0078	Date of last issue: 21.09.2024 Date of first issue: 14.09.2024
Produ	uct	Dispose of in a Waste codes s	to surface water or sanitary sewer system. accordance with local regulations. should be assigned by the user based on the which the product was used.
Conta	aminated packaging		ng contents. ers should be taken to an approved waste han- cycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	1	:	Not regulated as a dangerous good
ADF	R	:	Not regulated as a dangerous good
RID		:	Not regulated as a dangerous good
IMD	G	:	Not regulated as a dangerous good
IAT	A_P	:	Not regulated as a dangerous good
14.2 UN	proper shipping name		
ADN	4	:	Not regulated as a dangerous good
ADF	R	:	Not regulated as a dangerous good
RID		:	Not regulated as a dangerous good
IMD	G	:	Not regulated as a dangerous good
IAT	A_P	:	Not regulated as a dangerous good
14.3 Tra	nsport hazard class(es)		
ADN	4	:	Not regulated as a dangerous good
ADF	R	:	Not regulated as a dangerous good
RID		:	Not regulated as a dangerous good
IMD	G	:	Not regulated as a dangerous good
IAT	A_P	:	Not regulated as a dangerous good
14.4 Pac	king group		
ADN	١	:	Not regulated as a dangerous good
ADF	R	:	Not regulated as a dangerous good
RID		:	Not regulated as a dangerous good
IMD	G	:	Not regulated as a dangerous good
ΙΑΤ	A (Cargo)	:	Not regulated as a dangerous good
ΙΑΤ	A_P (Passenger)	:	Not regulated as a dangerous good



I)

EasyStart® Microfast 13-40-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.2	25.09.2024	M0078	Date of first issue: 14.09.2024

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Regulatory basis	:	IMSBC Code
МНВ	:	no
IMSBC Group	:	С

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of e sives precursors	exp	lo-
This product is regulated by Regulation (EU) 2019/1148: a cious transactions, and significant disappearances and the should be reported to the relevant national contact point.		
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving	Not	applicable

15.2 Chemical safety assessment

dangerous substances.

Not relevant

Commission Regulation (EU) 2020/878

EasyStart® Microfast 13-40-0



Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.2	25.09.2024	M0078	Date of first issue: 14.09.2024

SECTION 16: Other information

Full text of H-Statements		
H272	:	May intensify fire; oxidizer.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ns	
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Ox. Sol.	:	Oxidizing solids
STOT RE	:	Specific target organ toxicity - repeated exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a
		fourth list of indicative occupational exposure limit values
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
2017/164/EU / TWA		Limit Value - eight hours
DE DFG MAK / MAK	:	MAK value
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-



Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.2	25.09.2024	M0078	Date of first issue: 14.09.2024

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information					
Classification of the m	ixture:	Classification procedure:			
Aquatic Chronic 3	H412	Calculation method			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN