

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Hydrospeed® CaB-Max 15-0-0

Unique Formula Identifier (UFI) : A7J5-G0CR-8001-S1A2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fertiliser

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Krögerweg 10
D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person responsible for the SDS : info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h
Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Reproductive toxicity, Category 1B	H360FD: May damage fertility. May damage the unborn child.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H360FD	May damage fertility. May damage the unborn child.

Precautionary statements

:

Prevention:

P201	Obtain special instructions before use.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.

Disposal:

P501	Dispose of contents/ container to an approved waste disposal plant.
------	---

Hazardous components which must be listed on the label:

calcium nitrate
boric acid

Additional Labelling

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Inorganic fertiliser

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
calcium nitrate	10124-37-5 233-332-1 01-2119495093-35-0014	Ox. Sol. 3; H272 Acute Tox. 4; H302 Eye Dam. 1; H318 Acute toxicity estimate Acute oral toxicity: 300,03 mg/kg	>= 70 - < 90
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27-0050	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 1 - < 10
boric acid	10043-35-3 233-139-2 005-007-00-2 01-2119486683-25-XXXX	Repr. 1B; H360FD	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : If breathed in, move person into fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

- | | | |
|------------------------|---|---|
| In case of eye contact | : | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Clean mouth with water and drink afterwards plenty of water.
Obtain medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|----------|---|---|
| Symptoms | : | Ingestion may provoke the following symptoms:
Methaemoglobinemia |
| Risks | : | Harmful if swallowed.
Causes serious eye damage.
May damage fertility. May damage the unborn child. |

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|------------------------|
| Treatment | : | Treat symptomatically. |
|-----------|---|------------------------|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|--------------------------------|---|--|
| Suitable extinguishing media | : | Water
Dry chemical
Water mist
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : | High volume water jet
Carbon dioxide (CO ₂)
Foam
Sand |

5.2 Special hazards arising from the substance or mixture

- | | | |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | Thermal decomposition can lead to release of irritating gases and vapours.
Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Nitrogen oxides (NO _x)
Carbon oxides |

5.3 Advice for firefighters

- | | | |
|---|---|--|
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary. |
| Further information | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid contact with skin, eyes and clothing.
Wash contaminated clothing before re-use.
Avoid breathing dust.
For personal protection see section 8.
For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
Wear personal protective equipment.
Keep away from combustible material.
Keep away from heat and sources of ignition.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed. During processing, dust may form explosive mixture in air.

Hygiene measures : Keep away from food, drink and animal feedingstuffs. Wash hands before eating, drinking, or smoking. Wash hands before breaks and at the end of workday.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Keep away from sources of ignition - No smoking. Keep away from direct sunlight. Protect from moisture.

Advice on common storage : Keep away from combustible materials.
Keep away from food, drink and animal feedingstuffs.

Storage class (TRGS 510) : 6.1D

Further information on storage stability : Protect from frost, heat and sunlight.

7.3 Specific end use(s)

Specific use(s) : Not relevant

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
boric acid	10043-35-3	MAK (inhalable fraction)	10 mg/m ³	DE DFG MAK
Further information: According to currently available information damage to the embryo or foetus cannot be excluded after exposure to concentrations at the level of the MAK and BAT values				
		AGW (Inhalable fraction)	0,5 mg/m ³ (Borate)	DE TRGS 900
Peak-limit: excursion factor (category): 2;(I)				
Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m ³
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m ³
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
----------------	---------------------------	-------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

ammonium nitrate	Sewage treatment plant	18 mg/l
------------------	------------------------	---------

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Hand protection

Material : Gloves

Directive : Equipment should conform to EN 374

Remarks : As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before use.

Skin and body protection : Long sleeved clothing

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
Equipment should conform to EN 14387

Filter type : Filter type P

Protective measures : Handle in accordance with good industrial hygiene and safety practice.
Wash contaminated clothing before re-use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Colour : white

Odour : none

Melting point/range : 98 °C (1.013 hPa)

Boiling point/boiling range : No data available

Flammability : Will not burn

Upper explosion limit / Upper flammability limit : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version 1.1	Revision Date: 21.09.2024	SDS Number: M0101	Date of last issue: 21.09.2024 Date of first issue: 21.09.2024
----------------	------------------------------	----------------------	---

Lower explosion limit / Lower flammability limit : Not applicable

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : None known.

pH : 6 - 7

Solubility(ies)
Water solubility : 2.300 g/l

Partition coefficient: n-octanol/water : Not applicable

Bulk density : 900 kg/m³

Particle characteristics
Particle size : > 2 mm

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : does not ignite

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Heating can release hazardous gases.
Dust can form an explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Hot surface(s)
Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition products : Nitrogen oxides (NO_x)
ammonia

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 625 mg/kg
Method: Calculation method

Components:

calcium nitrate:

Acute oral toxicity : LD50 (Rat, female): > 300 - < 2.000 mg/kg
Method: OECD Test Guideline 423
Assessment: Harmful if swallowed.

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

ammonium nitrate:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version 1.1	Revision Date: 21.09.2024	SDS Number: M0101	Date of last issue: 21.09.2024 Date of first issue: 21.09.2024
----------------	------------------------------	----------------------	---

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

boric acid:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

calcium nitrate:

Assessment : No skin irritation

ammonium nitrate:

Assessment : No skin irritation

boric acid:

Assessment : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

calcium nitrate:

Assessment : Risk of serious damage to eyes.

ammonium nitrate:

Species : Rabbit
Exposure time : 24 h
Assessment : Irritating to eyes.
Method : OECD Test Guideline 405

boric acid:

Assessment : No eye irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version 1.1	Revision Date: 21.09.2024	SDS Number: M0101	Date of last issue: 21.09.2024 Date of first issue: 21.09.2024
----------------	------------------------------	----------------------	---

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Components:

calcium nitrate:

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

ammonium nitrate:

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

boric acid:

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

calcium nitrate:

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

ammonium nitrate:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

boric acid:

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

Components:

calcium nitrate:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

ammonium nitrate:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

boric acid:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

calcium nitrate:

Reproductive toxicity - Assessment : No toxicity to reproduction
No effects on or via lactation

ammonium nitrate:

Reproductive toxicity - Assessment : No toxicity to reproduction
No effects on or via lactation

boric acid:

Effects on fertility : Remarks: Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments
No effects on or via lactation

STOT - single exposure

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

Components:

calcium nitrate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

ammonium nitrate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

boric acid:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

calcium nitrate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

ammonium nitrate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

boric acid:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

ammonium nitrate:

Species : Rat
NOAEL : > 1.500 mg/kg
Application Route : Oral
Exposure time : 28 d

Species : Rat
NOAEL : = 256 mg/kg
Application Route : Oral
Exposure time : 52 w
Method : OECD Test Guideline 453

Species : Rat

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

NOAEL	:	>= 185 mg/kg
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 w
Method	:	OECD Test Guideline 412

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

calcium nitrate:

No aspiration toxicity classification

ammonium nitrate:

No aspiration toxicity classification

boric acid:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

SECTION 12: Ecological information

12.1 Toxicity

Components:

ammonium nitrate:

Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 490 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (diatoms): 1.700 mg/l Exposure time: 10 h
Toxicity to microorganisms	:	EC50 (activated sludge): 1.000 mg/l Exposure time: 3 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

Method: OECD Test Guideline 209

boric acid:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 79,7 mg/l Remarks: Boron
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Ceriodaphnia dubia (water flea)): 91 mg/l Remarks: Boron
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (microalgae)): 52,4 mg/l Remarks: Boron
Toxicity to fish (Chronic toxicity)	:	NOEC: 6,4 mg/l Species: Danio rerio (zebra fish) Remarks: Boron
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 14,2 mg/l Species: Daphnia magna (Water flea) Remarks: Boron

12.2 Persistence and degradability

Components:

ammonium nitrate:

Biodegradability	:	Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.
------------------	---	---

12.3 Bioaccumulative potential

Components:

ammonium nitrate:

Bioaccumulation	:	Remarks: Bioaccumulation is unlikely.
Partition coefficient: n-octanol/water	:	log Pow: -3,1

boric acid:

Partition coefficient: n-octanol/water	:	log Pow: -1,09 (22 °C)
--	---	------------------------

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

calcium nitrate:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

boric acid:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Do not flush into surface water or sanitary sewer system. Dispose of in accordance with local regulations. Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	: Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good

14.4 Packing group

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA_P (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Regulatory basis	:	IMSBC Code
Remarks	:	Product is not allowed to be transported in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version 1.1	Revision Date: 21.09.2024	SDS Number: M0101	Date of last issue: 21.09.2024 Date of first issue: 21.09.2024
----------------	------------------------------	----------------------	---

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: boric acid (Number on list 30)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : boric acid

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. calcium nitrate (ANNEX II)
ammonium nitrate (ANNEX I)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Water hazard class (Germany) : WGK 1 slightly hazardous to water
Classification according to AwSV, Annex 1 (5.2)

Other regulations:

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

Not relevant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

SECTION 16: Other information

Full text of H-Statements

H272	: May intensify fire; oxidizer.
H302	: Harmful if swallowed.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H360FD	: May damage fertility. May damage the unborn child.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Ox. Sol.	: Oxidizing solids
Repr.	: Reproductive toxicity
DE DFG MAK	: Germany. MAK BAT Annex IIa
DE TRGS 900	: Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK	: MAK value
DE TRGS 900 / AGW	: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Hydrospeed® CaB-Max 15-0-0

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2024
1.1	21.09.2024	M0101	Date of first issue: 21.09.2024

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Acute Tox. 4	H302
Eye Dam. 1	H318
Repr. 1B	H360FD

Classification procedure:

Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN