

Version	Revision Date:	SDS Number:	Date of last issue: 14.11.2024
1.2	05.02.2025	M0110	Date of first issue: 26.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Basfoliar® 36 Extra SL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fertiliser stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company	:	COMPO EXPERT GmbH Krögerweg 10 D-48155 Münster
Telephone	:	+49 (0) 251 29 79 81 – 000
Telefax	:	+49 (0) 251 29 79 81 - 111
E-mail address of person responsible for the SDS	:	info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h Telephone:+49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.

Further information : German "Hazardous Substances" legislation (Gefahrstoffverordnung) appendix I, No. 5 (Ammonium Nitrate group D II)





Version	Revision Date:	SDS Number:	Date of last issue: 14.11.2024
1.2	05.02.2025	M0110	Date of first issue: 26.09.2024

2.3 Other hazards

Basfoliar® 36 Extra SL

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Componente

Chemical nature : Inorganic fertiliser

Components			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27- 0050	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 20 - < 30
Manganese(II) nitrate tetrahydtate	20694-39-7 233-828-8 01-2119487993-17- XXXX	Ox. Sol. 3; H272 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)	>= 1 - < 10
Copper disodium-EDTA	14025-15-1 237-864-5 01-2119963944-23- XXXX	Acute Tox. 4; H302 Eye Irrit. 2; H319 Acute toxicity esti- mate Acute oral toxicity: 890 mg/kg	>= 1 - < 10
boric acid	10043-35-3 233-139-2 005-007-00-2 01-2119486683-25- XXXX	Repr. 1B; H360FD	>= 0,1 - < 0,3

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



Version	Revision Date:	SDS Number:	Date of last issue: 14.11.2024
1.2	05.02.2025	M0110	Date of first issue: 26.09.2024

SECTION 4: First aid measures

4.1 Description of first aid measures			
If inhaled	:	If breathed in, move person into fresh air. In the case of inhalation of aerosol/mist consult a physician if necessary.	
In case of skin contact	:	Wash off immediately with soap and plenty of water.	
In case of eye contact	:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. If eye irritation persists, consult a specialist.	
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.	

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Water Carbon dioxide (CO2) Dry powder Sand
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Nitrogen oxides (NOx)
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



Version	Revision Date:	SDS Number:	Date of last issue: 14.11.2024
1.2	05.02.2025	M0110	Date of first issue: 26.09.2024

must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Avoid contact with skin, eyes and clothing. Avoid formation of aerosol.
	Do not breathe vapours or spray mist.
	For personal protection see section 8.
	For disposal considerations see section 13.

Environmental precautions	:	Do not flush into surface water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

6.2 Environmental precautions

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Wear personal protective equipment. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	No special precautions required.
Hygiene measures	:	Keep away from food, drink and animal feedingstuffs. Wash hands before eating, drinking, or smoking. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store in a receptacle equipped with a vent.
--------------------------	---	---

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



Vers 1.2	sion	Revision Date: 05.02.2025		DS Number: 0110	Date of last issue: 14.11.2024 Date of first issue: 26.09.2024
	areas a	and containers			
	Advice	on common storage	:	Keep away from t	food, drink and animal feedingstuffs.
	Storage	e class (TRGS 510)	:	12	
	Recom peratur	mended storage tem- e	:	5 - 40 °C	
	Further age sta	information on stor- ability	:	Protect from frost	, heat and sunlight.
7.3	•	c end use(s) c use(s)	:	Not relevant	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Manganese(II)	20694-39-7	AGW (Inhalable	0,2 mg/m3	DE TRGS	
nitrate tetrahydtate		fraction)	(Manganese)	900	
	Peak-limit: ex	cursion factor (categ	ory): 8;(II)		
			anates an excursion factor of OEL and biological tolerance		
		arming the unborn ch		e values, mere	
	15 110 115K 01 116	AGW (Alveolate	0,02 mg/m3	DE TRGS	
		fraction)	(Manganese)	900	
	Peak-limit: ex	cursion factor (categ		900	
		· · ·	anates an excursion factor of	1(II) applies	
			e OEL and biological tolerand		
		arming the unborn ch			
		MAK (measured	0,02 mg/m3	DE DFG MAK	
		as the alveolate fraction)			
	Further inform		e embryo or foetus is unlikel	when the	
			served, Permanganates: Pea		
	category I(1)		C C		
		MAK (inhalable fraction)	0,2 mg/m3	DE DFG MAK	
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed, Permanganates: Peak limitation category I(1)				
		TWA (inhalable fraction)	0,2 mg/m3 (Manganese)	2017/164/EU	
	Further inform	nation: Indicative	· · ·		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



Ver 1.2		ision Date:)2.2025	SDS Numbe M0110		te of last issue: 14.11.2024 te of first issue: 26.09.2024	
			TWA fractio	(Respirable on)	0,05 mg/m3 (Manganese)	2017/164/EU
		Further	information: I	ndicative		
	boric acid	10043-	35-3 MAK fractio	(inhalable	10 mg/m3	DE DFG MAK
		the em	Further information: According to currently available information the embryo or foetus cannot be excluded after exposure to con- the level of the MAK and BAT values			
			AGW (Inhalable 0,5 mg/m3 fraction) (Borate)			DE TRGS 900
		Peak-li	Peak-limit: excursion factor (category): 2;(I)			
		Further	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	, , , , , , , , , , , , , , , , , , , ,	J	()	
Substance name	End Use	Exposure routes	Potential health ef- fects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonium nitrate	Sewage treatment plant	18 mg/l

8.2 Exposure controls

Personal protective equipme Eye/face protection	afety glasses with side-shields conforming to EN	166
Hand protection Material	chemical resistant gloves made of butyl rubber or er category III according to EN 374.	nitrile rub-
Break through time Glove thickness Directive	480 min 0,3 mm quipment should conform to EN 374	
Remarks	he data about break through time/strength of ma tandard values! The exact break through time/str naterial has to be obtained from the producer of the ve glove. As the product is a mixture of several s he durability of the glove materials cannot be calc dvance and has to be tested before use.	ength of he protec- ubstances,
Skin and body protection	ong sleeved clothing	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



Version 1.2	Revision Date: 05.02.2025	SDS Number: M0110	Date of last issue: 14.11.2024 Date of first issue: 26.09.2024
Respi	iratory protection	In the case approved f	athe vapours or spray mist. of dust or aerosol formation use respirator with an ilter. should conform to EN 14387
Fil	ter type		particulates, inorganic and acidic gas/vapour, am- nes and organic vapour type (ABEK-P)
Prote	ctive measures	practice.	accordance with good industrial hygiene and safety aminated clothing before re-use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	none
Melting point/range	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	not determined
Auto-ignition temperature	:	does not ignite
рН	:	5,5 (20 °C)
Solubility(ies) Water solubility	:	soluble

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



Version 1.2	Revision Date: 05.02.2025	SDS Number: M0110	Date of last issue: 14.11.2024 Date of first issue: 26.09.2024	
	rtition coefficient: n- anol/water	: Not applicab	le	
De	nsity	: 1,345 g/cm ³	(20 °C)	
	er information plosives	: Not explosive	e	
Ox	idizing properties	: The substan	ce or mixture is not classified as oxidizing.	
Fla	mmability (liquids)	: Will not burn		
Se	lf-ignition	: not auto-flam	nmable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid : Strong sunlight for prolonged periods.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



VersionRevision Date:SDS Number:Date of last issue: 14.11.20241.205.02.2025M0110Date of first issue: 26.09.2024	
---	--

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product:		
Acute oral toxicity	:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Components:		
ammonium nitrate:		
Acute oral toxicity	:	Assessment: The substance or mixture has no acute oral tox icity
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal toxicity
Manganese(II) nitrate tetral	hydta	ate:
Acute oral toxicity	:	Assessment: The substance or mixture has no acute oral tox icity
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal toxicity
Copper disodium-EDTA:		
Acute oral toxicity	:	LD50 (Rat): 890 mg/kg Assessment: Harmful if swallowed.
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal toxicity
boric acid:		
Acute oral toxicity	:	Assessment: The substance or mixture has no acute oral tox icity
Acute inhalation toxicity		Assessment: The substance or mixture has no acute inhala-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



ersion 2	Revision Date: 05.02.2025	SDS M011	Number: 0	Date of last issue: 14.11.2024 Date of first issue: 26.09.2024
		tic	on toxicity	
Acute	dermal toxicity		ssessment: T xicity	The substance or mixture has no acute dermal
	corrosion/irritation d on available data, th	na classifi	cation criteria	a are not met
	onents:			
ammo	onium nitrate:			
	ssment	: N	o skin irritatio	on
Mang	anese(II) nitrate tetr	ahydtate	:	
-	sment	: In	ritating to ski auses skin ir	
Resul	l de la construcción de la constru	. 0		
Сорр	er disodium-EDTA:			
Asses	ssment	: N	o skin irritatio	on
boric	acid:			
Asses	ssment	: N	o skin irritatio	on
Serio	us eye damage/eye	irritation		
Based	d on available data, th	ne classifi	cation criteria	a are not met.
<u>Produ</u>	uct:			
Speci			abbit	
Metho			ECD Test G	
Resul Rema			o eye irritatio	from similar materials
Kenna		. D		
<u>Comp</u>	oonents:			
ammo	onium nitrate:			
Speci			abbit	
	sure time		4 h	
	sment		ritating to eye ECD Test G	
Metho	Da	: 0	ECD Test G	lideline 405
-	anese(II) nitrate tetr	-		
	sment		ritating to eye	
Resul	t	: C	auses seriou	s eye irritation.
	er disodium-EDTA:			
Сорр	er disodium-EDTA.			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



rsion 2	Revision Date: 05.02.2025		0S Number: 0110	Date of last issue: 14.11.2024 Date of first issue: 26.09.2024
boric	acid:			
Asses	ssment	:	No eye irritatio	on
Resp	iratory or skin sensiti	satio	n	
	sensitisation d on available data, the	clas	sification criteria	a are not met.
-	iratory sensitisation d on available data, the	clas	sification criteria	a are not met.
<u>Com</u>	oonents:			
	onium nitrate: ssment	:	Does not caus	se skin sensitisation.
Asses	ssment	:	Does not caus	se respiratory sensitisation.
Mang	anese(II) nitrate tetral	hydta	ate:	
Asses	ssment	:	Does not caus	se skin sensitisation.
Asses	ssment	:	Does not caus	se respiratory sensitisation.
Сорр	er disodium-EDTA:			
Asses	ssment	:	Does not caus	se skin sensitisation.
Asses	ssment	:	Does not caus	se respiratory sensitisation.
boric	acid:			
Asses	ssment	:	Does not caus	se skin sensitisation.
Asses	ssment	:	Does not caus	se respiratory sensitisation.
	a cell mutagenicity d on available data, the	clas	sification criteria	a are not met.
<u>Comp</u>	oonents:			
ammo	onium nitrate:			
Geno	toxicity in vitro	:	Method: OECI Result: negativ	D Test Guideline 471 ve
Germ sessn	cell mutagenicity- As- nent	:	Weight of evid cell mutagen.	lence does not support classification as a ger

Manganese(II) nitrate tetrahydtate:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



/ersior I.2	า	Revision Date: 05.02.2025		9S Number: 9110	Date of last issue: 14.11.2024 Date of first issue: 26.09.2024
	erm c ssme	ell mutagenicity- As- ent	:	Weight of evidenc cell mutagen.	e does not support classification as a germ
Co	орреі	disodium-EDTA:			
	erm c ssme	ell mutagenicity- As- ent	:	Weight of evidenc cell mutagen.	e does not support classification as a germ
bo	oric a	cid:			
	erm c ssme	ell mutagenicity- As- ent	:	Weight of evidenc cell mutagen.	e does not support classification as a germ
Ca	arcino	ogenicity			
Ba	ased o	on available data, the c	clas	sification criteria are	e not met.
<u>Co</u>	ompo	onents:			
an	nmor	nium nitrate:			
	arcinc ent	genicity - Assess-	:	Not classifiable as	a human carcinogen.
Ma	anga	nese(II) nitrate tetrah	vdta	ate:	
Ca	-	ogenicity - Assess-	-		a human carcinogen.
Co	iegac	disodium-EDTA:			
Ca		ogenicity - Assess-	:	Not classifiable as	a human carcinogen.
bo	oric a	cid:			
Ca		ogenicity - Assess-	:	Not classifiable as	a human carcinogen.
	-	luctive toxicity on available data, the o	class	sification criteria are	e not met.
		onents:			
		nium nitrate:			
Re	-	uctive toxicity - As-	:	No toxicity to repre	oduction
				No effects on or v	ia lactation
Ma	anga	nese(II) nitrate tetrah	vdt:	ate:	
	-	uctive toxicity - As-	-		oduction

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



sion	Revision Date: 05.02.2025	SDS Number: M0110	Date of last issue: 14.11.2024 Date of first issue: 26.09.2024
sessr	ment		
		No effects on	or via lactation
Сорр	per disodium-EDTA:		
	oductive toxicity - As-	: No toxicity to	reproduction
		No effects on	or via lactation
boric	acid:		
Effect	ts on fertility		ear evidence of adverse effects on sexual func- ity, and/or on development, based on animal
Repro sessr	oductive toxicity - As- ment		ce of adverse effects on sexual function and fer development, based on animal experiments
STOT	r - single exposure	No effects on	or via lactation
Base	Γ - single exposure d on available data, the ponents:		
Baseo <u>Com</u> ammo	d on available data, the ponents: onium nitrate:	e classification criter	ia are not met.
Baseo <u>Com</u> ammo	d on available data, the ponents:	e classification criter	
Based <u>Com</u> amm Asses	d on available data, the ponents: onium nitrate:	e classification criter : The substanc organ toxican	ia are not met. ce or mixture is not classified as specific target
Based <u>Com</u> amm Asses Mang	d on available data, the ponents: onium nitrate: ssment	e classification criter : The substanc organ toxican hydtate: : The substanc	ia are not met. ce or mixture is not classified as specific target at, single exposure.
Based <u>Com</u> amm Asses Mang Asses	d on available data, the ponents: onium nitrate: ssment ganese(II) nitrate tetra	e classification criter : The substanc organ toxican hydtate: : The substanc toxicant, sing	ia are not met. ce or mixture is not classified as specific target at, single exposure. ce or mixture is classified as specific target orga
Based <u>Com</u> amm Asses Mang Asses Copp	d on available data, the ponents: onium nitrate: ssment ganese(II) nitrate tetra ssment	e classification criter : The substanc organ toxican hydtate: : The substanc toxicant, sing irritation. : The substanc	ia are not met. ce or mixture is not classified as specific target at, single exposure. ce or mixture is classified as specific target orga
Based <u>Com</u> amm Asses Mang Asses Copp Asses	d on available data, the ponents: onium nitrate: ssment ganese(II) nitrate tetra ssment per disodium-EDTA:	e classification criter : The substanc organ toxican hydtate: : The substanc toxicant, sing irritation. : The substanc	ia are not met. ce or mixture is not classified as specific target it, single exposure. ce or mixture is classified as specific target orga le exposure, category 3 with respiratory tract ce or mixture is not classified as specific target

STOT - repeated exposure

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



ersion 2	Revision Date: 05.02.2025	SDS Number: M0110	Date of last issue: 14.11.2024 Date of first issue: 26.09.2024
<u>Com</u>	oonents:		
amm	onium nitrate:		
Asses	ssment		ce or mixture is not classified as specific target nt, repeated exposure.
Mang	janese(II) nitrate tet	rahydtate:	
Asses	ssment		ce or mixture is not classified as specific target nt, repeated exposure.
Сорр	er disodium-EDTA:		
	ssment	: The substan	ce or mixture is not classified as specific target nt, repeated exposure.
boric	acid:		
	acid: ssment		ce or mixture is not classified as specific target nt, repeated exposure.
Asses			
Asses Repe	ssment		
Asses Repe <u>Com</u> j	ated dose toxicity		
Asses Repe <u>Com</u> amm Speci	ated dose toxicity ponents: onium nitrate:	organ toxica : Rat	nt, repeated exposure.
Asses Repe <u>Com</u> amm Speci NOAE	ated dose toxicity ponents: onium nitrate: es EL	organ toxica : Rat : > 1.500 mg/ł	nt, repeated exposure.
Asses Repe <u>Com</u> amm Speci NOAE Applic	ated dose toxicity ponents: onium nitrate: es EL cation Route	organ toxica : Rat : > 1.500 mg/ł : Oral	nt, repeated exposure.
Asses Repe <u>Com</u> amm Speci NOAE Applic	ated dose toxicity ponents: onium nitrate: es EL	organ toxica : Rat : > 1.500 mg/ł	nt, repeated exposure.
Asses Repe <u>Comj</u> ammo Speci NOAE Applio Expos	ated dose toxicity ponents: onium nitrate: es EL cation Route sure time	organ toxica : Rat : > 1.500 mg/ł : Oral	nt, repeated exposure.
Asses Repe <u>Com</u> amm Speci NOAE Applic	ated dose toxicity ponents: onium nitrate: es EL cation Route sure time	organ toxica : Rat : > 1.500 mg/ł : Oral : 28 d	nt, repeated exposure.
Asses Repe <u>Comp</u> amme Speci NOAE Applic Expos	ated dose toxicity ponents: onium nitrate: es EL cation Route sure time	organ toxica : Rat : > 1.500 mg/ł : Oral : 28 d : Rat	nt, repeated exposure.
Asses Repe <u>Comp</u> amme Speci NOAE Applic Expos Speci NOAE Applic Expos	ated dose toxicity ponents: onium nitrate: les EL cation Route sure time es EL cation Route sure time	organ toxica : Rat : > 1.500 mg/ł : Oral : 28 d : Rat : = 256 mg/kg : Oral : 52 w	rt, repeated exposure.
Asses Repe <u>Comp</u> amme Speci NOAE Applic Speci NOAE Applic	ated dose toxicity ponents: onium nitrate: les EL cation Route sure time es EL cation Route sure time	organ toxica : Rat : > 1.500 mg/ł : Oral : 28 d : Rat : = 256 mg/kg : Oral : 52 w	nt, repeated exposure.
Asses Repe <u>Comp</u> amme Speci NOAE Applic Expos NOAE Applic Expos Metho	ated dose toxicity ponents: onium nitrate: es EL cation Route sure time es EL cation Route sure time od	organ toxica : Rat : > 1.500 mg/k : Oral : 28 d : Rat : = 256 mg/kg : Oral : 52 w : OECD Test	rt, repeated exposure.
Asses Repe <u>Comp</u> amme Speci NOAE Applic Expos NOAE Applic Expos Metho	ated dose toxicity ponents: onium nitrate: es EL cation Route sure time es EL cation Route sure time od	organ toxica : Rat : > 1.500 mg/l : Oral : 28 d : Rat : = 256 mg/kg : Oral : 52 w : OECD Test of : Rat	kg Guideline 453
Asses Repe <u>Comp</u> amme Speci NOAE Applic Expos MoAE Applic Expos Metho	ated dose toxicity ponents: onium nitrate: es EL cation Route sure time es EL cation Route sure time od	organ toxica : Rat : > 1.500 mg/l : Oral : 28 d : Rat : = 256 mg/kg : Oral : 52 w : OECD Test : Rat : >= 185 mg/kg	rt, repeated exposure. kg Guideline 453
Asses Repe Comp amma Speci NOAE Applia Expos NOAE Applia Expos Metho Speci NOAE	ated dose toxicity ponents: onium nitrate: es EL cation Route sure time es EL cation Route sure time od	organ toxica : Rat : > 1.500 mg/l : Oral : 28 d : Rat : = 256 mg/kg : Oral : 52 w : OECD Test : Rat : >= 185 mg/kg	kg Guideline 453

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

ammonium nitrate:

No aspiration toxicity classification

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



Version	Revision Date:	SDS Number:
1.2	05.02.2025	M0110

Date of last issue: 14.11.2024 Date of first issue: 26.09.2024

Manganese(II) nitrate tetrahydtate:

No aspiration toxicity classification

Copper disodium-EDTA:

No aspiration toxicity classification

boric acid:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

ammonium nitrate:

Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 490 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (diatoms): 1.700 mg/l Exposure time: 10 h
Toxicity to microorganisms	:	EC50 (activated sludge): 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
boric acid:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 79,7 mg/l Remarks: Boron
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Ceriodaphnia dubia (water flea)): 91 mg/l Remarks: Boron

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



Version 1.2	Revision Date: 05.02.2025		DS Number: 0110	Date of last issue: 14.11.2024 Date of first issue: 26.09.2024
	Toxicity to algae/aquatic plants		EC50 (Pseudokiro mg/l Remarks: Boron	chneriella subcapitata (microalgae)): 52,4
To: icit	xicity to fish (Chronic tox- y)	:	NOEC: 6,4 mg/l Species: Danio re Remarks: Boron	rio (zebra fish)
aqı	xicity to daphnia and other uatic invertebrates (Chron- oxicity)	:	NOEC: 14,2 mg/l Species: Daphnia Remarks: Boron	magna (Water flea)
12.2 Pe	rsistence and degradabil	ity		
<u>Co</u>	mponents:			
am	monium nitrate:			
Bio	degradability	:		ethods for determining the biological degra- plicable to inorganic substances.
12.3 Bio	paccumulative potential			
<u>Co</u>	mponents:			
am	monium nitrate:			
Bio	accumulation	:	Remarks: Bioaccu	umulation is unlikely.
	rtition coefficient: n- anol/water	:	log Pow: -3,1	
bo	ric acid:			
Pa	rtition coefficient: n- anol/water	:	log Pow: -1,09 (22	2 °C)
	bbility in soil data available			
-	sults of PBT and vPvB as	sse	ssment	
Pro	oduct:			
	sessment	:	to be either persis	ixture contains no components considered stent, bioaccumulative and toxic (PBT), or id very bioaccumulative (vPvB) at levels of
<u>Co</u>	mponents:			
Co	pper disodium-EDTA:			
	sessment	:	Substance is not	persistent, bioaccumulative, and toxic (PBT).
			16 / 20	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



Version 1.2	Revision Date: 05.02.2025	SDS Number: M0110	Date of last issue: 14.11.2024 Date of first issue: 26.09.2024
		Substance i (vPvB).	s not very persistent and very bioaccumulative
boric	acid:		
Asses	ssment		s not persistent, bioaccumulative, and toxic (PBT). s not very persistent and very bioaccumulative
12.6 Endo	crine disrupting pro	perties	
Produ	<u>uct:</u>		
Asses	ssment	ered to have REACH Arti (EU) 2017/2	nce/mixture does not contain components consid- e endocrine disrupting properties according to cle 57(f) or Commission Delegated regulation 100 or Commission Regulation (EU) 2018/605 at % or higher.
12.7 Othe	r adverse effects		
No da	ita available		

Product	:	Do not flush into surface water or sanitary sewer system. In accordance with local and national regulations.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® 36 Extra SL



Version 1.2	Revision Date: 05.02.2025	SDS Number: M0110	Date of last issue: 14.11.2024 Date of first issue: 26.09.2024
IMDG	6	: Not regulated	l as a dangerous good
IATA	_P	: Not regulated	as a dangerous good
14.3 Tran	sport hazard class(e	;)	
ADN		: Not regulated	as a dangerous good
ADR		: Not regulated	l as a dangerous good
RID		: Not regulated	as a dangerous good
IMDG	6	: Not regulated	as a dangerous good
IATA	_P	: Not regulated	l as a dangerous good
14.4 Pack	ing group		
ADN		: Not regulated	as a dangerous good
ADR		: Not regulated	as a dangerous good
RID		: Not regulated	l as a dangerous good
IMDG	6	: Not regulated	as a dangerous good
ΙΑΤΑ	(Cargo)	: Not regulated	as a dangerous good
IATA	_P (Passenger)	: Not regulated	as a dangerous good
	ronmental hazards egulated as a dangerc	us good	
•	ial precautions for u pplicable	ser	
14.7 Marit	time transport in bull	according to IMO	instruments
Regu Rema	latory basis arks	: IMSBC Code : Product is not	t allowed to be transported in bulk.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	boric acid
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable



Version	Revision Date:	SDS Number:	Date of last issue: 14.11.2024	
1.2	05.02.2025	M0110	Date of first issue: 26.09.2024	
				_

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspi- ammonium nitrate (ANNEX I) cious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive 2012/18/E pean Parliament and of the Co control of major-accident hazar dangerous substances.	cil on the		
Water hazard class (Germa- ny)	:	WGK 1 slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)

15.2 Chemical safety assessment

Not relevant

SECTION 16: Other information

Full text of H-Statements

H302 : H315 : H319 :	May intensify fire; oxidizer. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.
H335 :	May cause respiratory irritation. May damage fertility. May damage the unborn child.

Full text of other abbreviations

Acute Tox. Eye Irrit. Ox. Sol.	:	Acute toxicity Eye irritation Oxidizing solids
Repr.	:	Reproductive toxicity
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
2017/164/EU / TWA	:	Limit Value - eight hours
DE DFG MAK / MAK	:	MAK value
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regula-



Version	Revision Date:	SDS Number:	Date of last issue: 14.11.2024
1.2	05.02.2025	M0110	Date of first issue: 26.09.2024

tion (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN