Basfoliar® Buffer SL



Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2024
1.1	16.01.2025	M0115	Date of first issue: 26.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: Basfoliar® Buffer SL
1.2 Relevant identified us	es of the substance or mixture and uses advised against
Use of the Sub- stance/Mixture	: Fertiliser
1.3 Details of the supplier	of the safety data sheet
Company	: COMPO EXPERT GmbH

Company	•	Krögerweg 10 D-48155 Münster
Telephone	:	+49 (0) 251 29 79 81 – 000
Telefax	:	+49 (0) 251 29 79 81 - 111
E-mail address of person responsible for the SDS	:	info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h Telephone:+49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)							
Skin irritation, Category 1	H314: Causes severe skin burns and eye damage.						
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting ef- fects.						
2.2 Label elements							

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Danger

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Version 1.1	Revision Date: 16.01.2025	SDS Number: M0115	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024
Hazaı	rd statements	: H314 H412	Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.
Preca	utionary statements	: Prevention	:
		P264 P280	Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face pro- tection.
		P260	Do not breathe dust or mist.
		Response:	
		P305 + P35	1 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rins- ing. Immediately call a POISON CENTER/ doctor.
		P332 + P31	
		Disposal:	
		P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

phosphoric acid Zinc sulphate, monohydrate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Inorga

: Inorganic fertiliser

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
phosphoric acid	7664-38-2	Met. Corr. 1; H290	>= 10 - < 20

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



ersion .1	Revision Date: 16.01.2025	SDS Number: M0115	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024			
		231-633-2 015-011-00-6 01-21194859 0125				
Zincs	sulphate, monohydrate	7446-19-7 231-793-3 030-006-00-9 01-21194746 XXXX	Acute Tox. 4; H302 >= 1 - < 2, Eye Dam. 1; H318 Aquatic Acute 1;			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

lf inhaled	:	If breathed in, move person into fresh air. In the case of inhalation of aerosol/mist consult a physician if necessary.
In case of skin contact	:	Wash off immediately with soap and plenty of water.
In case of eye contact	:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Vers 1.1	sion	Revision Date: 16.01.2025	-	DS Number: 0115	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024			
				If eye irritation pe	rsists, consult a specialist.			
	If swallowed :			Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.				
4.2	4.2 Most important symptoms and effects, both acute and delayed							
	Risks		:	Causes skin irritation. Causes serious eye damage.				
4.3 I	4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically.							
SEC	CTION	5: Firefighting meas	sur	es				
5.1 E	Extingu	ishing media						
	Suitable extinguishing media		:	Water Carbon dioxide (0 Dry powder Sand	CO2)			
	Unsuitable extinguishing : media		:	High volume water jet				
5.2 \$	Special	hazards arising from	the	e substance or mi	xture			
			:	Do not allow run-off from fire fighting to enter drains or water courses.				
Hazardous combustion prod- : ucts		Oxides of phosphorus						
5.3	5.3 Advice for firefighters							
	Specia for firef	l protective equipment ighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-			
	Further	information	:	be disposed of in Collect contamina	contaminated fire extinguishing water must accordance with local regulations. ated fire extinguishing water separately. This parged into drains.			

SECTION 6: Accidental release measures

Personal precautions	:	Use personal protective equipment. Avoid contact with skin, eyes and clothing.
		Avoid formation of aerosol.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Versio 1.1	on	Revision Date: 16.01.2025	-	DS Number: 0115	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024
				For personal prot	apours or spray mist. ection see section 8. siderations see section 13.
6 2 E	nviron	montal procautions			
6.2 Environmental precautions Environmental precautions :		:	Do not flush into surface water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.		
63 M	lethod	s and material for co	ntai	nment and cleani	ng up
		Is for cleaning up	:	Soak up with iner	rt absorbent material (e.g. sand, silica gel, ersal binder, sawdust).
6 4 D	oforon	ce to other sections			
			n 8	For disposal cons	siderations see section 13.
		•		•	
SEC	TION	7: Handling and sto	ora	ge	
71 P	recaut	ions for safe handling	a		
		on safe handling	ษ :	Avoid formation of	of aerosol.
		5			apours or spray mist.
				Avoid contact wit Wear personal pr	n skin and eyes. otective equipment.
				Smoking, eating	and drinking should be prohibited in the ap-
				plication area. Dispose of rinse regulations.	water in accordance with local and national
L	Advice	on protection against		No special preca	utions required
		explosion	•		
H	Hygien	e measures	:		food, drink and animal feedingstuffs. Wash ing, drinking, or smoking. Wash hands before e end of workday.
7.2 C	onditi	ons for safe storage,	inc	luding any incom	patibilities
F	Further	niformation on stor- nditions	:		ghtly closed and in a well-ventilated place.
ŀ	Advice	on common storage	:	Keep away from	food, drink and animal feedingstuffs.
S	Storage	e class (TRGS 510)	:	8B	
F	Recom	mended storage tem-	:	5 - 40 °C	

Further information on stor- : Protect from frost, heat and sunlight.

perature

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2024
1.1	16.01.2025	M0115	Date of first issue: 26.09.2024
age stability			

7.3 Specific end use(s)

Specific use(s) : Not relevant

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
phosphoric acid	7664-38-2	TWA	1 mg/m3	2000/39/EC		
	Further inform	nation: Indicative				
		STEL	2 mg/m3	2000/39/EC		
	Further inform	nation: Indicative				
		MAK (inhalable fraction)	2 mg/m3	DE DFG MAK		
	Further inform	nation: Damage to th	e embryo or foetus is unlikely	y when the		
	MAK value or	the BAT value is ob	served			
		AGW (Inhalable 2 mg/m3 DE T		DE TRGS		
		fraction)		900		
	Peak-limit: excursion factor (category): 2;(I)					
	Further information: When there is compliance with the OEL and biological					
	tolerance valu	-				
Zinc sulphate,	7446-19-7	MAK (measured	0,1 mg/m3	DE DFG MAK		
monohydrate as the alveolate fraction)						
	Further inform	nation: Zinc chloride:	peak limit I(1), Damage to th	e embryo or		
	foetus is unlikely when the MAK value or the BAT value is observed					
		MAK (inhalable 2 mg/m3 DE D		DE DFG MAK		
	fraction)					
	Further information: Zinc chloride: peak limit I(1), Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed					

8.2 Exposure controls

Personal protective equipm Eye/face protection	nent :	Safety glasses with side-shields conforming to EN166
Hand protection		
Material	:	Chemical resistant gloves made of butyl rubber or nitrile rub- ber category III according to EN 374.
Break through time	:	> 480 min
Glove thickness	:	> 0,3 mm
Directive	:	Equipment should conform to EN 374
Remarks	:	The data about break through time/strength of material are standard values! The exact break through time/strength of

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Version 1.1	Revision Date: 16.01.2025	SDS Number: M0115	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024			
		tive glove. A the durability	to be obtained from the producer of the protec- us the product is a mixture of several substances, y of the glove materials cannot be calculated in d has to be tested before use.			
Skin	and body protection	: Long sleeve	Long sleeved clothing			
Respiratory protection		In the case of approved filt	Do not breathe vapours or spray mist. In the case of dust or aerosol formation use respirator with ar approved filter. Equipment should conform to EN 14387			
Fi	lter type		articulates, inorganic and acidic gas/vapour, am- es and organic vapour type (ABEK-P)			
Protective measures		practice.	ccordance with good industrial hygiene and safety minated clothing before re-use.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	green
Odour	:	none
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	not determined
Auto-ignition temperature	:	does not ignite

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Versio 1.1	on	Revision Date: 16.01.2025		S Number: 115	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024			
þ	рН		:	0,65 (20 °C)				
S	Solubilit Wate	y(ies) er solubility	:	completely misci	ble			
	Partitior octanol/	n coefficient: n- /water	:	Not applicable				
C	Density		: 1,23 g/cm³ (20 °C)					
920	ther in	formation						
	9.2 Other information Explosives Oxidizing properties		:	Not explosive				
C			:	The substance o	r mixture is not classified as oxidizing.			
F	Flamma	ability (liquids)	:	Will not burn				
S	Self-ign	ition	:	not auto-flammal	ble			
Ν	Metal corrosion rate :		:	Not corrosive to	metals			
				Not corrosive to	metals			

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Strong sunlight for prolonged periods.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2024
1.1	16.01.2025	M0115	Date of first issue: 26.09.2024

10.5 Incompatible materials

Materials to avoid : Incompatible with strong bases and oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity
Based on available data, the classification criteria are not met.

Assessment

Product: Acute oral toxicity :	ute toxicity estimate: > 2.000 mg/kg thod: Calculation method	
Components:		
phosphoric acid:		
Acute oral toxicity :	50 (Rat): > 300 - 2.000 mg/kg thod: OECD Test Guideline 423 sessment: Harmful if swallowed.	
Acute inhalation toxicity :	sessment: The substance or mixture han toxicity	as no acute inhala-
Acute dermal toxicity :	sessment: The substance or mixture ha	as no acute dermal
Zinc sulphate, monohydrate:		
Acute oral toxicity :	50 (Rat): 1.260 mg/kg	
Acute inhalation toxicity :	sessment: The substance or mixture han toxicity	as no acute inhala-
Acute dermal toxicity :	sessment: The substance or mixture ha icity	as no acute dermal
Skin corrosion/irritation		
Causes skin irritation.		
Components:		
phosphoric acid:	_	

: Causes severe burns.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



sion	Revision Date: 16.01.2025	SDS I M011	Number: 5	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024
Zinc	sulphate, monohydra	ate:		
	ssment		o skin irritatio	n
Serio	ous eye damage/eye	rritation		
Caus	es serious eye damag	e.		
<u>Com</u>	ponents:			
phos	phoric acid:			
Asses	ssment	: Ri	sk of serious	damage to eyes.
Zinc	sulphate, monohydra	ate:		
Asses	ssment	: Ri	sk of serious	damage to eyes.
Resp	iratory or skin sensi	tisation		
-	sensitisation			
Base	d on available data, th	e classifio	cation criteria	are not met.
-	iratory sensitisation d on available data, th	e classifio	cation criteria	are not met.
	ponents:			
phos	phoric acid:			
Asse	ssment	: De	bes not caus	e skin sensitisation.
Asses	ssment	: D	oes not caus	e respiratory sensitisation.
Zinc	sulphate, monohydra	ate:		
Asses	ssment	: D	bes not caus	e skin sensitisation.
Asse	ssment	: D	pes not caus	e respiratory sensitisation.
Germ	cell mutagenicity			
Base	d on available data, th	e classifio	cation criteria	are not met.
<u>Com</u>	ponents:			
phos	phoric acid:			
Germ sessr	cell mutagenicity- As nent		eight of evide I mutagen.	ence does not support classification as a ge
Zinc	sulphate, monohydra	ate:		
		- : W		ence does not support classification as a ge

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Vers 1.1	ion	Revision Date: 16.01.2025		OS Number: 0115	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024		
		ogenicity on available data, the o	clas	sification criteria ar	e not met.		
	Components:						
	phosphoric acid: Carcinogenicity - Assess- : ment			Not classifiable as	s a human carcinogen.		
		ulphate, monohydrate ogenicity - Assess-		Not classifiable as	s a human carcinogen.		
	Reproductive toxicity Based on available data, the class		sification criteria ar	e not met.			
	phospl Reprod	omponents: hosphoric acid: eproductive toxicity - As- : essment		No toxicity to reproduction			
				No effects on or v	ia lactation		
		ulphate, monohydrate luctive toxicity - As- ent		No toxicity to repr No effects on or v			
		single exposure on available data, the o onents:	clas	sification criteria ar	e not met.		
		noric acid:					
	Assess		:	The substance or organ toxicant, sir	mixture is not classified as specific target ngle exposure.		
	Zinc sı	ulphate, monohydrate	: :				
	Assess	•	:	The substance or organ toxicant, sir	mixture is not classified as specific target ngle exposure.		
	0T0T						

STOT - repeated exposure

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



/ersion I.1	Revision Date: 16.01.2025	SDS Number: M0115	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024
<u>Com</u>	oonents:		
phos	phoric acid:		
Asses	ssment		or mixture is not classified as specific target repeated exposure.
Zinc	sulphate, monohydr	ate:	
Asses	ssment		or mixture is not classified as specific target repeated exposure.
-	ation toxicity d on available data, th	e classification criteria	are not met.
Com	oonents:		
phos	phoric acid:		
No as	piration toxicity classi	fication	
Zinc	sulphate, monohydr	ate:	
No as	piration toxicity classi	fication	
1.2 Infor	mation on other haz	ards	
Endo	crine disrupting pro	perties	
Produ	uct:		
Asses	ssment	ered to have en REACH Article	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components: Zinc sulphate, monohydrate: Toxicity to fish : LC50 : 315 μg/l Exposure time: 96 h M-Factor (Acute aquatic toxicity) : Toxicity to fish (Chronic toxicity) : NOEC: 0,1 mg/l Exposure time: 96 d Species: Oncorhynchus mykiss (rainbow trout)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Version 1.1	Revision Date: 16.01.2025	-	DS Number: 0115	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
	istence and degradab ata available	ility		
	ccumulative potential ata available			
	ility in soil ata available			
12.5 Resu	llts of PBT and vPvB a	asse	ssment	
<u>Prod</u> Asse	<u>uct:</u> ssment	:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
<u>Com</u>	ponents:			
phos	phoric acid:			
Asse	ssment	:		persistent, bioaccumulative, and toxic (PBT). very persistent and very bioaccumulative
12.6 Endo	ocrine disrupting prop	ertie	S	
Prod	uct:			
Asse	ssment	:	ered to have end REACH Article 5	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at bighter

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Do not flush into surface water or sanitary sewer system. In accordance with local and national regulations.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Version 1.1	Revision Date: 16.01.2025		OS Number: 0115	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024
			Empty container	s retain residue and can be dangerous.
SECTIO	N 14: Transport infor	mat	ion	
14.1 UN r	number or ID number			
ADN		:	UN 1805	
ADR		:	UN 1805	
RID		:	UN 1805	
IMDO	3	:	UN 1805	
ΙΑΤΑ	۱.	:	UN 1805	
14.2 UN p	proper shipping name			
ADN		:	PHOSPHORIC A	ACID, SOLUTION
ADR		:	PHOSPHORIC A	ACID, SOLUTION
RID		:	PHOSPHORIC A	ACID, SOLUTION
IMDO	G	:	PHOSPHORIC A	ACID SOLUTION
ΙΑΤΑ	۱.	:	Phosphoric acid,	solution
14.3 Tran	sport hazard class(es)			
			Class	Subsidiary risks
ADN		:	8	
ADR		:	8	
RID		:	8	
IMDO	G	:	8	
ΙΑΤΑ	۱.	:	8	
14.4 Pack	king group			
Class	ing group sification Code ard Identification Number	: : :	III C1 80 8	
Class Haza Labe Tunn RID Pack	ing group sification Code ard Identification Number		III C1 80 8 (E) III C1	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Labels : <th>80 8 III 8 F-A, S-B Acids 856 Y841 III Corrosives 852 Y841</th>	80 8 III 8 F-A, S-B Acids 856 Y841 III Corrosives 852 Y841
IMDG Packing group Labels EmS Code Remarks IATA (Cargo) Packing instruction (cargo Packing instruction (LQ) Packing group Labels IATA_P (Passenger) Packing instruction (LQ) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing instruction (LQ) Packing group Labels IATA_P (Passenger) Packing instruction (LQ) Packing group Labels IATA_S Environmental hazards	III 8 F-A, S-B Acids 856 Y841 III Corrosives 852
Packing group : Labels : 2 EmS Code : Remarks : / IATA (Cargo) Packing instruction (cargo : 2 aircraft) Packing instruction (LQ) : / Packing group : Labels : / IATA_P (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) : / Packing group : Labels : / IATA_B (Passenger) Packing instruction (LQ) : / Packing group : Labels : /	8 F-A, S-B Acids 856 Y841 III Corrosives 852
Labels : 2 EmS Code : 1 Remarks : 7 IATA (Cargo) Packing instruction (cargo : 2 aircraft) Packing instruction (LQ) : 7 Packing group : 1 Labels : 6 IATA_P (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) : 7 Packing group : 1 Labels : 6 IATA_B (Passenger) Packing instruction (LQ) : 7 Packing group : 1 Labels : 6 IATA_B (Passenger) Packing instruction (LQ) : 7 Packing group : 1 Labels : 6 IATA_B (Passenger) Packing instruction (LQ) : 7 Packing group : 1 Labels : 6 IATA_B (Passenger) Packing instruction (LQ) : 7 Packing group : 1 Labels : 6 IATA_B (Passenger) Packing instruction (LQ) : 7 Packing group : 1 Labels : 6 IATA_B (Passenger) Packing instruction (LQ) : 7 Packing instruction (LQ) : 7 Packing group : 1 Labels : 6 IATA_B (Passenger) Packing instruction (LQ) : 7 Packing Jacking Jacki	8 F-A, S-B Acids 856 Y841 III Corrosives 852
EmS Code : I Remarks : . IATA (Cargo) : . Packing instruction (cargo : . aircraft) : . Packing instruction (LQ) : . Packing group : . Labels : . Packing instruction (passen- : . ger aircraft) . . Packing instruction (LQ) : . Packing group : . Labels : . Tacking group : . Packing instruction (LQ) : . Packing group : . Labels : . 14.5 Environmental hazards . . ADN . .	F-A, S-B Acids 856 Y841 III Corrosives 852
Remarks : / IATA (Cargo) : : Packing instruction (cargo aircraft) : : Packing instruction (LQ) : : Packing group : : Labels : : IATA_P (Passenger) : : Packing instruction (passen- ger aircraft) : : Packing group : : Packing group : : Labels : : Packing group : : Packing instruction (LQ) : : Packing group : : Labels : : 14.5 Environmental hazards : :	Acids 856 Y841 III Corrosives 852
Packing instruction (cargo : a aircraft) Packing instruction (LQ) : Packing group : Labels : 0 IATA_P (Passenger) Packing instruction (passen- : a ger aircraft) Packing instruction (LQ) : Packing group : Labels : 0 14.5 Environmental hazards ADN	Y841 III Corrosives 852
aircraft) Packing instruction (LQ) : Packing group : Labels : IATA_P (Passenger) Packing instruction (passen- : a ger aircraft) Packing instruction (LQ) : Packing group : Labels : 0 14.5 Environmental hazards ADN	Y841 III Corrosives 852
Packing instruction (LQ) : Packing group : Labels : IATA_P (Passenger) Packing instruction (passen- : a ger aircraft) Packing instruction (LQ) : Packing group : Labels : 0 14.5 Environmental hazards ADN	III Corrosives 852
Labels : (IATA_P (Passenger) Packing instruction (passen- : a ger aircraft) Packing instruction (LQ) : Packing group : I Labels : (14.5 Environmental hazards ADN	Corrosives 852
IATA_P (Passenger) Packing instruction (passen- : a ger aircraft) Packing instruction (LQ) : ` Packing group : I Labels : (14.5 Environmental hazards ADN	852
Packing instruction (passen- : a ger aircraft) Packing instruction (LQ) : Packing group : I Labels : 0 14.5 Environmental hazards ADN	
ger aircraft) Packing instruction (LQ) : Packing group : Labels : 0 14.5 Environmental hazards	
Packing group : 1 Labels : 0 14.5 Environmental hazards ADN	Y841
Labels : 0 14.5 Environmental hazards ADN	
14.5 Environmental hazards ADN	
ADN	Corrosives
Environmentally hazardous : I	
	no
ADR	
—	no
RID	
	no
Marine pollutant : I	

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

-	-	
Regulatory basis :	IMSBC	Code
Remarks :	Not app	licable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Not applicable Concern for Authorisation (Article 59).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Buffer SL



Version 1.1	Revision Date: 16.01.2025	SDS Number: M0115	Date of last issue: 26.09.2024 Date of first issue: 26.09.2024				
•	Regulation (EC) No 1005/2009 on substances that de- : Not applicable plete the ozone layer						
	Ilation (EU) 2019/1021 (recast)	on persistent organic	pollu- : Not applicable				
	REACH - List of substances subject to authorisation : Not applicable (Annex XIV)						
pean contr	Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.						
Wate ny)	Water hazard class (Germa- : WGK 2 obviously hazardous to water ny) Classification according to AwSV, Annex 1 (5.2)						

15.2 Chemical safety assessment

Not relevant

SECTION 16: Other information

Full text of	H-Statements
--------------	--------------

H290 H302 H314 H318 H400 H410	:	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Met. Corr. Skin Corr. 2000/39/EC	-	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Corrosive to metals Skin corrosion Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
DE DFG MAK DE TRGS 900 2000/39/EC / TWA 2000/39/EC / STEL DE DFG MAK / MAK DE TRGS 900 / AGW	:	Germany. MAK BAT Annex IIa Germany. TRGS 900 - Occupational exposure limit values. Limit Value - eight hours

Basfoliar® Buffer SL



Version	Revision Date:	SDS Number:	Date of last issue: 26.09.2024
1.1	16.01.2025	M0115	Date of first issue: 26.09.2024

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information					
Classification of the m	ixture:	Classification procedure:			
Skin Irrit. 1	H314	Calculation method			
Aquatic Chronic 3	H412	Calculation method			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN