

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
1.4	05.02.2025	M0117	Date of first issue: 31.10.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Basfoliar® P-Max SL

Unique Formula Identifier (UFI) : R8W2-406M-R00E-20TF

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fertiliser

#### 1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH  
Krögerweg 10  
D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person responsible for the SDS : info@compo-expert.com

#### 1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h  
Telephone:+49 (0) 6132 - 84463

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Skin corrosion, Category 1	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version 1.4      Revision Date: 05.02.2025      SDS Number: M0117      Date of last issue: 31.01.2025  
Date of first issue: 31.10.2024

Hazard pictograms

:



Signal word

: Danger

Hazard statements

: H290      May be corrosive to metals.  
H314      Causes severe skin burns and eye damage.  
H411      Toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**  
P280      Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.  
**Response:**  
P303 + P361 + P353      IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P310      IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310      IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P391      Collect spillage.

### Hazardous components which must be listed on the label:

phosphoric acid  
Zinc sulphate, monohydrate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version  
1.4

Revision Date:  
05.02.2025

SDS Number:  
M0117

Date of last issue: 31.01.2025  
Date of first issue: 31.10.2024

Chemical nature : Inorganic fertiliser

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
phosphoric acid	7664-38-2 231-633-2 015-011-00-6 01-2119485924-24-XXXX	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318  specific concentration limit Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 %  Acute toxicity esti- mate  Acute oral toxicity: 300,03 mg/kg	>= 10 - < 20
Zinc sulphate, monohydrate	7446-19-7 231-793-3 030-006-00-9 01-2119474684-27-XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1  Acute toxicity esti- mate  Acute oral toxicity: 1.260 mg/kg	>= 3 - < 10

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
1.4	05.02.2025	M0117	Date of first issue: 31.10.2024

- 
- |                         |   |   |
|-------------------------|---|---|
| If inhaled              | : | If breathed in, move person into fresh air.<br>In the case of inhalation of aerosol/mist consult a physician if necessary.  |
| In case of skin contact | : | Wash off immediately with soap and plenty of water.<br>Take off all contaminated clothing immediately.<br>If symptoms persist, call a physician.  |
| In case of eye contact  | : | Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>Remove contact lenses.<br>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br>Keep eye wide open while rinsing.<br>Protect unharmed eye.<br>Continue rinsing eyes during transport to hospital.<br>If eye irritation persists, consult a specialist. |
| If swallowed            | : | Clean mouth with water and drink afterwards plenty of water.<br>Do NOT induce vomiting.   |

### 4.2 Most important symptoms and effects, both acute and delayed

- |       |   |  |
|-------|---|--|
| Risks | : | Causes serious eye damage.<br>Causes severe burns. |
|-------|---|--|

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |                        |
|-----------|---|------------------------|
| Treatment | : | Treat symptomatically. |
|-----------|---|------------------------|

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                              |   |  |
|------------------------------|---|--|
| Suitable extinguishing media | : | Water<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry powder<br>Sand |
|------------------------------|---|--|

- |                                |   |                       |
|--------------------------------|---|-----------------------|
| Unsuitable extinguishing media | : | High volume water jet |
|--------------------------------|---|-----------------------|

### 5.2 Special hazards arising from the substance or mixture

- |                                       |   |   |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products         | : | Oxides of phosphorus  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
1.4	05.02.2025	M0117	Date of first issue: 31.10.2024

---

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- 

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Avoid contact with skin, eyes and clothing.  
Avoid formation of aerosol.  
Do not breathe vapours or spray mist.  
For personal protection see section 8.  
For disposal considerations see section 13.

### 6.2 Environmental precautions

- Environmental precautions : Do not flush into surface water.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

### 6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours or spray mist.  
Avoid contact with skin and eyes.  
Wear personal protective equipment.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : No special precautions required.
-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version 1.4      Revision Date: 05.02.2025      SDS Number: M0117      Date of last issue: 31.01.2025  
Date of first issue: 31.10.2024

Hygiene measures : Keep away from food, drink and animal feedingstuffs. Wash hands before eating, drinking, or smoking. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Keep container tightly closed and in a well-ventilated place.

Advice on common storage : Keep away from food, drink and animal feedingstuffs. Keep away from strong bases.

Storage class (TRGS 510) : 8B

Recommended storage temperature : 5 - 40 °C

Further information on storage stability : Protect from frost, heat and sunlight.

### 7.3 Specific end use(s)

Specific use(s) : Not relevant

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
phosphoric acid	7664-38-2	TWA	1 mg/m <sup>3</sup>	2000/39/EC
		Further information: Indicative		
		STEL	2 mg/m <sup>3</sup>	2000/39/EC
		Further information: Indicative		
		MAK (inhalable fraction)	2 mg/m <sup>3</sup>	DE DFG MAK
		Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed		
		AGW (Inhalable fraction)	2 mg/m <sup>3</sup>	DE TRGS 900
		Peak-limit: excursion factor (category): 2;(I)		
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child		
Zinc sulphate, monohydrate	7446-19-7	MAK (measured as the alveolate fraction)	0,1 mg/m <sup>3</sup>	DE DFG MAK
		Further information: Zinc chloride: peak limit I(1), Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed		
		MAK (inhalable	2 mg/m <sup>3</sup>	DE DFG MAK

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version 1.4      Revision Date: 05.02.2025      SDS Number: M0117      Date of last issue: 31.01.2025  
Date of first issue: 31.10.2024

		fraction)		
Further information: Zinc chloride: peak limit I(1), Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed				

### 8.2 Exposure controls

#### Personal protective equipment

- Eye/face protection : Safety glasses with side-shields conforming to EN166
- Hand protection
- Material : Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.
- Break through time : > 480 min
- Glove thickness : > 0,3 mm
- Directive : Equipment should conform to EN 374
- Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before use.
- Skin and body protection : Long sleeved clothing
- Respiratory protection : Do not breathe vapours or spray mist.  
In the case of dust or aerosol formation use respirator with an approved filter.  
Equipment should conform to EN 14387
- Filter type : Combined particulates, inorganic and acidic gas/vapour, ammonia/amines and organic vapour type (ABEK-P)
- Protective measures : Handle in accordance with good industrial hygiene and safety practice.  
Wash contaminated clothing before re-use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : liquid
- Colour : colourless
- Odour : none
- Melting point/range : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
1.4	05.02.2025	M0117	Date of first issue: 31.10.2024

---

Boiling point/boiling range : ca. 120 °C

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : not determined

Auto-ignition temperature : does not ignite

pH : 0,80 (20 °C)

Solubility(ies)  
Water solubility : completely soluble

Partition coefficient: n-octanol/water : Not applicable

Density : 1,54 g/cm<sup>3</sup> (20 °C)

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Will not burn

Self-ignition : not auto-flammable



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
1.4	05.02.2025	M0117	Date of first issue: 31.10.2024

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Conditions to avoid : Strong sunlight for prolonged periods.

#### 10.5 Incompatible materials

Materials to avoid : Incompatible with strong bases and oxidizing agents.  
Metals

#### 10.6 Hazardous decomposition products

Oxides of phosphorus

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

##### Components:

##### phosphoric acid:

Acute oral toxicity : LD50 (Rat): > 300 - 2.000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: Harmful if swallowed.

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

##### Zinc sulphate, monohydrate:

Acute oral toxicity : LD50 (Rat): 1.260 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version 1.4	Revision Date: 05.02.2025	SDS Number: M0117	Date of last issue: 31.01.2025 Date of first issue: 31.10.2024
----------------	------------------------------	----------------------	---

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Causes severe burns.

#### **Product:**

Result : Corrosive after 4 hours or less of exposure  
Remarks : Based on data from similar materials

#### **Components:**

##### **phosphoric acid:**

Assessment : Causes severe burns.

##### **Zinc sulphate, monohydrate:**

Assessment : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Components:**

##### **phosphoric acid:**

Assessment : Risk of serious damage to eyes.

##### **Zinc sulphate, monohydrate:**

Assessment : Risk of serious damage to eyes.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### **Components:**

##### **phosphoric acid:**

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version 1.4      Revision Date: 05.02.2025      SDS Number: M0117      Date of last issue: 31.01.2025  
Date of first issue: 31.10.2024

---

### **Zinc sulphate, monohydrate:**

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

#### **Components:**

##### **phosphoric acid:**

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

##### **Zinc sulphate, monohydrate:**

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

#### **Components:**

##### **phosphoric acid:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

##### **Zinc sulphate, monohydrate:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### **Components:**

##### **phosphoric acid:**

Reproductive toxicity - Assessment : No toxicity to reproduction

No effects on or via lactation

##### **Zinc sulphate, monohydrate:**

Reproductive toxicity - Assessment : No toxicity to reproduction

No effects on or via lactation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version 1.4      Revision Date: 05.02.2025      SDS Number: M0117      Date of last issue: 31.01.2025  
Date of first issue: 31.10.2024

---

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### Components:

##### phosphoric acid:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### Zinc sulphate, monohydrate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Components:

##### phosphoric acid:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### Zinc sulphate, monohydrate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### phosphoric acid:

No aspiration toxicity classification

##### Zinc sulphate, monohydrate:

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
1.4	05.02.2025	M0117	Date of first issue: 31.10.2024

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **Zinc sulphate, monohydrate:**

Toxicity to fish : LC50 : 315 µg/l  
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0,1 mg/l  
Exposure time: 96 d  
Species: Oncorhynchus mykiss (rainbow trout)

M-Factor (Chronic aquatic toxicity) : 1

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

##### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

##### Components:

##### **phosphoric acid:**

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

#### 12.6 Endocrine disrupting properties

##### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
1.4	05.02.2025	M0117	Date of first issue: 31.10.2024

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- |                        |   |  |
|------------------------|---|--|
| Product                | : | Do not flush into surface water or sanitary sewer system.<br>In accordance with local and national regulations.  |
| Contaminated packaging | : | Empty remaining contents.<br>Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>Empty containers retain residue and can be dangerous. |

## SECTION 14: Transport information

### 14.1 UN number or ID number

- |      |   |         |
|------|---|---------|
| ADN  | : | UN 3264 |
| ADR  | : | UN 3264 |
| RID  | : | UN 3264 |
| IMDG | : | UN 3264 |
| IATA | : | UN 3264 |

### 14.2 UN proper shipping name

- |      |   |  |
|------|---|--|
| ADN  | : | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.<br>(phosphoric acid, Zinc sulphate, monohydrate) |
| ADR  | : | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.<br>(phosphoric acid, Zinc sulphate, monohydrate) |
| RID  | : | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.<br>(phosphoric acid, Zinc sulphate, monohydrate) |
| IMDG | : | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.<br>(phosphoric acid, Zinc sulphate, monohydrate) |
| IATA | : | Corrosive liquid, acidic, inorganic, n.o.s.<br>(phosphoric acid, Zinc sulphate, monohydrate) |

### 14.3 Transport hazard class(es)

- |     | Class | Subsidiary risks |
|-----|-------|------------------|
| ADN | :     | 8                |
| ADR | :     | 8                |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version 1.4      Revision Date: 05.02.2025      SDS Number: M0117      Date of last issue: 31.01.2025  
Date of first issue: 31.10.2024

---

**RID** : 8  
**IMDG** : 8  
**IATA** : 8

### 14.4 Packing group

#### ADN

Packing group : III  
Classification Code : C1  
Hazard Identification Number : 80  
Labels : 8

#### ADR

Packing group : III  
Classification Code : C1  
Hazard Identification Number : 80  
Labels : 8  
Tunnel restriction code : (E)

#### RID

Packing group : III  
Classification Code : C1  
Hazard Identification Number : 80  
Labels : 8

#### IMDG

Packing group : III  
Labels : 8  
EmS Code : F-A, S-B  
Remarks : Acids

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 856  
Packing instruction (LQ) : Y841  
Packing group : III  
Labels : Corrosives

#### IATA\_P (Passenger)

Packing instruction (passenger aircraft) : 852  
Packing instruction (LQ) : Y841  
Packing group : III  
Labels : Corrosives

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
1.4	05.02.2025	M0117	Date of first issue: 31.10.2024

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Regulatory basis : IMSBC Code  
Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS

Water hazard class (Germany) : WGK 3 highly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

### 15.2 Chemical safety assessment

Not relevant



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
1.4	05.02.2025	M0117	Date of first issue: 31.10.2024

### SECTION 16: Other information

#### Full text of H-Statements

H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H318	: Causes serious eye damage.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Met. Corr.	: Corrosive to metals
Skin Corr.	: Skin corrosion
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
DE DFG MAK	: Germany. MAK BAT Annex IIa
DE TRGS 900	: Germany. TRGS 900 - Occupational exposure limit values.
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
DE DFG MAK / MAK	: MAK value
DE TRGS 900 / AGW	: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure-Activity Relationship

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Basfoliar® P-Max SL

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
1.4	05.02.2025	M0117	Date of first issue: 31.10.2024

---

tative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Met. Corr. 1	H290
Skin Corr. 1	H314
Eye Dam. 1	H318
Aquatic Chronic 2	H411

#### Classification procedure:

Calculation method
Based on product data or assessment
Based on product data or assessment
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN