according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024 1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basfoliar® Naranja SL 3-12-20

Unique Formula Identifier

(UFI)

: 03U2-F0XQ-3001-HG7U

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Fertiliser

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH

Krögerweg 10 D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

: info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone:+49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1 H318: Causes serious eye damage.

Reproductive toxicity, Category 1B H360FD: May damage fertility. May damage the

unborn child.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



SDS Number: Date of last issue: 02.10.2024 Version **Revision Date:** Date of first issue: 02.10.2024 1.1 14.11.2024 M0119

Hazard pictograms





Signal word Danger

H318 Causes serious eve damage. Hazard statements

May damage fertility. May damage the unborn H360FD

child.

Prevention: Precautionary statements

> P201 Obtain special instructions before use.

Do not handle until all safety precautions have P202

been read and understood.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection/ hearing protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Hazardous components which must be listed on the label:

Tripotassium phosphate

boric acid

Additional Labelling

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024 1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Inorganic fertiliser

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Tripotassium phosphate	7778-53-2	Eye Dam. 1; H318	>= 10 - < 20
	231-907-1	STOT SE 3; H335	
	01-2119487136-33-	(Respiratory system)	
	xxxx		
boric acid	10043-35-3	Repr. 1B; H360FD	>= 1 - < 10
	233-139-2		
	005-007-00-2		
	01-2119486683-25-		
	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : If breathed in, move person into fresh air.

In the case of inhalation of aerosol/mist consult a physician if

necessary.

In case of skin contact : Wash off immediately with soap and plenty of water.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.

May damage fertility. May damage the unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024 1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water

Carbon dioxide (CO2)

Dry powder Sand

Unsuitable extinguishing :

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Heating or fire can release toxic gas.

Hazardous combustion prod: :

ucts

Nitrogen oxides (NOx)

Hazardous combustion products

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid contact with skin, eyes and clothing.

Avoid formation of aerosol.

Do not breathe vapours or spray mist. For personal protection see section 8. For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024
1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

acid binder, universal binder, sawdust).

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Wear personal protective equipment.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

No special precautions required.

Hygiene measures : Keep away from food, drink and animal feedingstuffs. Wash

hands before eating, drinking, or smoking. Wash hands before

breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in a receptacle equipped with a vent.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Storage class (TRGS 510) : 6.1D

Recommended storage tem-

5 - 40 °C

perature

Further information on stor-

age stability

: Protect from frost, heat and sunlight.

7.3 Specific end use(s)

Specific use(s) : Not relevant

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024
1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

		of exposure)				
boric acid	10043-35-3	MAK (inhalable	10 mg/m3	DE DFG MAK		
		fraction)	-			
	Further inform	Further information: According to currently available information damage to				
		the embryo or foetus cannot be excluded after exposure to concentrations at				
	the level of th	the level of the MAK and BAT values				
		AGW (Inhalable	0,5 mg/m3	DE TRGS		
		fraction)	(Borate)	900		
	Peak-limit: ex	Peak-limit: excursion factor (category): 2;(I)				
	Further inform	Further information: When there is compliance with the OEL and biological				
	tolerance valu	tolerance values, there is no risk of harming the unborn child				

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile rub-

ber category III according to EN 374.

Break through time : > 480 minGlove thickness : > 0.3 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in

advance and has to be tested before use.

Skin and body protection : Long sleeved clothing

Respiratory protection : Do not breathe vapours or spray mist.

In the case of dust or aerosol formation use respirator with an

approved filter.

Equipment should conform to EN 14387

Filter type : Combined particulates, inorganic and acidic gas/vapour, am-

monia/amines and organic vapour type (ABEK-P)

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

Wash contaminated clothing before re-use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024
1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

Colour : orange

Odour : none

Melting point/range : ca. 0 °C

Boiling point/boiling range : ca. 100 °C

Upper explosion limit / Upper :

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : not determined

Auto-ignition temperature : does not ignite

pH : 11,4 (20 °C)

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Density : 1,37 g/cm³ (20 °C)

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Will not burn

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024
1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

Self-ignition : not auto-flammable

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Strong sunlight for prolonged periods.

10.5 Incompatible materials

Materials to avoid : Metals

Oxidizing agents

10.6 Hazardous decomposition products

ammonia

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

Tripotassium phosphate:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

boric acid:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral tox-

icity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024
1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

Tripotassium phosphate:

Assessment : No skin irritation

boric acid:

Assessment : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Tripotassium phosphate:

Species : Rabbit Exposure time : 7 Days

Result : Risk of serious damage to eyes.

boric acid:

Assessment : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Components:

Tripotassium phosphate:

Assessment : Does not cause respiratory sensitisation.

Assessment : Does not cause skin sensitisation.

boric acid:

Assessment : Does not cause skin sensitisation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024
1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

Assessment : Does not cause respiratory sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Tripotassium phosphate:

Germ cell mutagenicity- As-

sessment

: Weight of evidence does not support classification as a germ

cell mutagen.

boric acid:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Tripotassium phosphate:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

boric acid:

Carcinogenicity - Assess-

ment

Not classifiable as a human carcinogen.

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Tripotassium phosphate:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

No effects on or via lactation

boric acid:

Effects on fertility : Remarks: Clear evidence of adverse effects on sexual func-

tion and fertility, and/or on development, based on animal

experiments

Reproductive toxicity - As-

sessment

: Clear evidence of adverse effects on sexual function and fertil-

ity, and/or on development, based on animal experiments

No effects on or via lactation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024
1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

Tripotassium phosphate:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

boric acid:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

Tripotassium phosphate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

boric acid:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Tripotassium phosphate:

No aspiration toxicity classification

boric acid:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024
1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Tripotassium phosphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l

Exposure time: 3 h
Test Type: static test

Method: OECD Test Guideline 209

boric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 79,7 mg/l

Remarks: Boron

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Ceriodaphnia dubia (water flea)): 91 mg/l

Remarks: Boron

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): 52,4

mg/l

Remarks: Boron

Toxicity to fish (Chronic tox-

icity)

NOEC: 6,4 mg/l

Species: Danio rerio (zebra fish)

Remarks: Boron

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 14,2 mg/l

Species: Daphnia magna (Water flea)

Remarks: Boron

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024
1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

boric acid:

Partition coefficient: n-

octanol/water

log Pow: -1,09 (22 °C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

boric acid:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not flush into surface water or sanitary sewer system.

In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste han-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024 1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA_P : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA_P : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA_P : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA_P (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024
1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

Regulatory basis : IMSBC Code

Remarks : Product is not allowed to be transported in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

boric acid (Number on list 30)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

boric acid

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspipotassium nitrate (ANNEX II) cious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class (Germa- : WGK 1 slightly hazardous to water

ny) Classification according to AwSV, Annex 1 (5.2)

Other regulations:

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024 1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

Not relevant

SECTION 16: Other information

Full text of H-Statements

H318 : Causes serious eye damage. H335 : May cause respiratory irritation.

H360FD : May damage fertility. May damage the unborn child.

Full text of other abbreviations

Eye Dam. : Serious eye damage Repr. : Reproductive toxicity

STOT SE : Specific target organ toxicity - single exposure

DE DFG MAK : Germany. MAK BAT Annex IIa

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE DFG MAK / MAK : MAK value

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Basfoliar® Naranja SL 3-12-20



Version Revision Date: SDS Number: Date of last issue: 02.10.2024
1.1 14.11.2024 M0119 Date of first issue: 02.10.2024

Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Eye Dam. 1H318Calculation methodRepr. 1BH360FDCalculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN