according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



SDS Number: Version **Revision Date:** Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Flexicote 15-8-13 9M, Flexicote 15-8-13 9M

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Fertiliser

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH

> Krögerweg 10 D-48155 Münster

Telephone : +49 (0) 251 29 79 81 - 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

: info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone:+49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Inorganic fertiliser

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
ammonium nitrate	6484-52-2	Ox. Sol. 3; H272	>= 30 - < 50
	229-347-8	Eye Irrit. 2; H319	
	01-2119490981-27-		
	0050		
Ferrous sulfate monohydrate	17375-41-6	Acute Tox. 4; H302	>= 1 - < 10
	231-753-5	Skin Irrit. 2; H315	
	026-003-00-7	Eye Irrit. 2; H319	
	01-2119513203-57-	A suita taudaltu sati	
	XXXX	Acute toxicity esti- mate	
		mate	
		Acute oral toxicity:	
		300,03 mg/kg	
disodium tetraborate pentahydrate	12179-04-3	Eye Irrit. 2; H319	>= 0,1 - < 0,3
alsocialii tetrasorate peritarryarate	215-540-4	Repr. 1B; H360FD	7 0,1 0,0
	005-011-02-9	110pi: 15, 110001 5	
	01-2119490790-32-		
	XXXX		
copper sulphate pentahydrate	7758-99-8	Acute Tox. 4; H302	>= 0,1 - < 0,25
	231-847-6	Eye Dam. 1; H318	, ,
	029-023-00-4	Aquatic Acute 1;	
	01-2119520566-40-	H400	
	XXXX	Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 10	
		M-Factor (Chronic	
		aquatic toxicity): 1	
		Acute toxicity esti-	
	<u> </u>	Acute toxicity esti-	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

		mate Acute oral toxicity: 481 mg/kg 482 mg/kg	
Fatty acids, C16-18, compds. with C16-18-alkyl amines	1428547-35-6 800-984-9 01-2119981718-20- XXXX	Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ————————————————————————————————————	>= 0,025 - < 0,1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : If breathed in, move person into fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Ingestion may provoke the following symptoms:

Methaemoglobinemia

4.3 Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water

Dry chemical Water mist

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Carbon dioxide (CO2)

Foam Sand

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Thermal decomposition can lead to release of irritating gases

and vapours.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Nitrogen oxides (NOx)

Carbon monoxide Carbon oxides

Oxides of phosphorus

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid contact with skin, eyes and clothing. Wash contaminated clothing before re-use.

Avoid breathing dust.

For personal protection see section 8. For disposal considerations see section 13.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

Wear personal protective equipment. Keep away from combustible material. Keep away from heat and sources of ignition.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed. The product should only be used in areas from

which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the

appropriate standard.

Hygiene measures : Keep away from food, drink and animal feedingstuffs. Wash

hands before eating, drinking, or smoking. Wash hands before

breaks and at the end of workday.

Dust explosion class : No data available

7.2 Conditions for safe storage, including any incompatibilities

Further information on stor-

age conditions

: Keep away from sources of ignition - No smoking. Keep away

from direct sunlight. Protect from moisture. Protect from con-

tamination.

Advice on common storage : Keep away from combustible materials.

Keep away from strong acids. Keep away from strong bases.

Keep away from food, drink and animal feedingstuffs.

Further information on stor- : Protect from frost, heat and sunlight.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

age stability

7.3 Specific end use(s)

Specific use(s) : Not relevant

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ferrous sulfate monohydrate	17375-41-6	OELV - 8 hrs (TWA)	1 mg/m3 (Iron)	IE OEL
		OELV - 15 min (STEL)	2 mg/m3 (Iron)	IE OEL
disodium tetra- borate pentahy- drate	12179-04-3	OELV - 8 hrs (TWA)	2 mg/m3	IE OEL
	Further information: Repr 1B - Substances which are presumed human reproductive toxicants			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
disodium tetraborate pentahydrate	Workers	Inhalation	Long-term local ef- fects	17,04 mg/m3
	Workers	Inhalation	Acute local effects	17,04 mg/m3
	Workers	Inhalation	Long-term systemic effects	9,8 mg/m3
	Consumers	Oral	Acute systemic effects	1,15 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef- fects	3,4 mg/m3
	Consumers	Oral	Long-term systemic effects	1,15 mg/m3
	Consumers	Inhalation	Long-term systemic effects	4,9 mg/m3
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

ammonium sulphate	Workers	Skin contact	Long-term systemic effects	42,667 mg/kg
	Workers	Inhalation	Long-term systemic effects	11,167 mg/m3
	Consumer use	Oral	Long-term systemic effects	6,4 mg/kg
	Consumer use	Skin contact	Long-term systemic effects	12,8 mg/kg
	Consumer use	Inhalation	Long-term systemic effects	1,667 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment Value	
disodium tetraborate pentahy-	Fresh water	2,9 mg/l
drate		_
	Marine water	2,9 mg/l
	Soil	5,7 mg/l
	Sewage treatment plant	10 mg/l
ammonium nitrate	Sewage treatment plant	18 mg/l
ammonium sulphate	Fresh water	0,312 mg/l
	Marine water	0,0312 mg/l
	Intermittent use/release	0,53 mg/l
	Soil	62,6 mg/kg
		16,12 mg/l
	Fresh water	0,063 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Hand protection

Material : Gloves

Guideline : Equipment should conform to EN 374

Remarks : As the product is a mixture of several substances, the dura-

bility of the glove materials cannot be calculated in advance

and has to be tested before use.

Skin and body protection : Long sleeved clothing

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Equipment should conform to EN 14387

Filter type : Filter type P

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

Wash contaminated clothing before re-use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Colour : various

Odour : very faint

Melting point/range : ca. 133 °C

Boiling point/boiling range : not determined

Flammability : Will not burn

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : > 130 °C

pH : ca. 5 (20 °C)

Concentration: 100 g/l

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version SDS Number: Date of last issue: -Revision Date:

28.07.2025 Date of first issue: 28.07.2025 1.0 M0558

Bulk density : ca. 1.150 kg/m3

9.2 Other information

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : not auto-flammable

Minimum explosible dust con- : No data available

centration

: No data available **Dust explosion class**

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions None reasonably foreseeable.

Heating can release hazardous gases.

10.4 Conditions to avoid

Conditions to avoid Hot surface(s)

Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Strong bases

> Organic materials Powdered metals

10.6 Hazardous decomposition products

Hazardous decomposition

products

Nitrogen oxides (NOx) Oxides of phosphorus

Sulphur oxides ammonia

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Components:

ammonium nitrate:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

Ferrous sulfate monohydrate:

Acute oral toxicity : LD50: > 300 - < 2.000 mg/kg

Assessment: Harmful if swallowed.

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

disodium tetraborate pentahydrate:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

copper sulphate pentahydrate:

Acute oral toxicity : Acute toxicity estimate: 481 mg/kg

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

LD50 (Rat): 482 mg/kg

Assessment: Harmful if swallowed.

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

Fatty acids, C16-18, compds. with C16-18-alkyl amines:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

ammonium nitrate:

Assessment : No skin irritation

Ferrous sulfate monohydrate:

Assessment : Irritating to skin.

disodium tetraborate pentahydrate:

Assessment : No skin irritation

copper sulphate pentahydrate:

Assessment : No skin irritation

Fatty acids, C16-18, compds. with C16-18-alkyl amines:

Assessment : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

Components:

ammonium nitrate:

Species : Rabbit Exposure time : 24 h

Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

Ferrous sulfate monohydrate:

Assessment : Irritating to eyes.

disodium tetraborate pentahydrate:

Species : Rabbit

Result : Irritating to eyes.

copper sulphate pentahydrate:

Assessment : Risk of serious damage to eyes.

Fatty acids, C16-18, compds. with C16-18-alkyl amines:

Assessment : Risk of serious damage to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Components:

ammonium nitrate:

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

Ferrous sulfate monohydrate:

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

disodium tetraborate pentahydrate:

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

copper sulphate pentahydrate:

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

Fatty acids, C16-18, compds. with C16-18-alkyl amines:

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

ammonium nitrate:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Ferrous sulfate monohydrate:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

disodium tetraborate pentahydrate:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Based on data from similar materials

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

copper sulphate pentahydrate:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Fatty acids, C16-18, compds. with C16-18-alkyl amines:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

Components:

ammonium nitrate:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Ferrous sulfate monohydrate:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

disodium tetraborate pentahydrate:

Remarks : Animal testing did not show any carcinogenic effects.

Based on data from similar materials

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

copper sulphate pentahydrate:

Carcinogenicity - Assess-

ment

Not classifiable as a human carcinogen.

Fatty acids, C16-18, compds. with C16-18-alkyl amines:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

ammonium nitrate:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

No effects on or via lactation

Ferrous sulfate monohydrate:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

No effects on or via lactation

disodium tetraborate pentahydrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

Result: Embryotoxic effects and adverse effects on the off-

spring were detected.

Remarks: Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal

experiments

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertil-

ity, and/or on development, based on animal experiments

No effects on or via lactation

copper sulphate pentahydrate:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

No effects on or via lactation

Fatty acids, C16-18, compds. with C16-18-alkyl amines:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

No effects on or via lactation

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

ammonium nitrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Ferrous sulfate monohydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

disodium tetraborate pentahydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

copper sulphate pentahydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Fatty acids, C16-18, compds. with C16-18-alkyl amines:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

ammonium nitrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Ferrous sulfate monohydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

disodium tetraborate pentahydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

copper sulphate pentahydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Fatty acids, C16-18, compds. with C16-18-alkyl amines:

Exposure routes : Ingestion

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

ammonium nitrate:

Species : Rat

NOAEL : > 1.500 mg/kg

Application Route : Oral Exposure time : 28 d

Species : Rat

NOAEL : = 256 mg/kg

Application Route : Oral Exposure time : 52 w

Method : OECD Test Guideline 453

Species : Rat

NOAEL : >= 185 mg/kg

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 w

Method : OECD Test Guideline 412

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

ammonium nitrate:

No aspiration toxicity classification

Ferrous sulfate monohydrate:

No aspiration toxicity classification

disodium tetraborate pentahydrate:

No aspiration toxicity classification

copper sulphate pentahydrate:

No aspiration toxicity classification

Fatty acids, C16-18, compds. with C16-18-alkyl amines:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

ammonium nitrate:

Toxicity to fish : LC50 (Fish): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 490 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

ErC50 (diatoms): 1.700 mg/l

plants

Exposure time: 10 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



SDS Number: Version **Revision Date:** Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

EC50 (activated sludge): 1.000 mg/l Toxicity to microorganisms

Exposure time: 3 h

Method: OECD Test Guideline 209

disodium tetraborate pentahydrate:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 79,7 mg/l

aquatic invertebrates

Toxicity to daphnia and other : LC50 (Ceriodaphnia dubia (water flea)): 91 mg/l

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 52,4

mg/l

Toxicity to fish (Chronic tox-

icity)

NOEC: 6,4 mg/l

Species: Danio rerio (zebra fish)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 14,2 mg/l Species: Daphnia magna (Water flea)

copper sulphate pentahydrate:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 38,4 - 256,2

g/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 33,8 - 792 g/l

Exposure time: 48 h

M-Factor (Acute aquatic tox- :

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 66 g/l

Exposure time: 14 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

21,5 - 181 g/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 1

Fatty acids, C16-18, compds. with C16-18-alkyl amines:

M-Factor (Acute aquatic tox- : 10

icity)

M-Factor (Chronic aquatic

toxicity)

: 1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

ammonium nitrate:

Biodegradability : Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Components:

ammonium nitrate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: -3,1

disodium tetraborate pentahydrate:

Partition coefficient: n-

octanol/water

: log Pow: -1,53 (22 °C)

copper sulphate pentahydrate:

Partition coefficient: n-

octanol/water

: Remarks: Not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

disodium tetraborate pentahydrate:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not flush into surface water or sanitary sewer system.

Dispose of in accordance with local regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good

IMDG : UN 2071 IATA : UN 2071

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good RID : Not regulated as a dangerous good

IMDG : AMMONIUM NITRATE BASED FERTILIZER

IATA : Ammonium nitrate based fertilizer

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

RID : Not regulated as a dangerous good

Class Subsidiary risks

IMDG : 9
IATA : 9

14.4 Packing group

ADR : Not regulated as a dangerous good

Remarks : UN2071: not subject to ADR / RID (special provision 193)

RID : Not regulated as a dangerous good

Remarks : UN2071: not subject to ADR / RID (special provision 193)

IMDG

Packing group : III Labels : 9

EmS Code : F-H, S-Q

IATA (Cargo)

Packing instruction (cargo

aircraft)

Packing instruction (LQ) : Y958
Packing group : III

Labels : Miscellaneous Dangerous Goods

958

IATA (Passenger)

Packing instruction (passen- : 958

ger aircraft)

Packing instruction (LQ) : Y958
Packing group : III

Labels : Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Regulatory basis : IMSBC Code

IMSBC Group : B

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version **Revision Date:** SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High disodium tetraborate pentahydrate

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable

tants (recast)

REACH - List of substances subject to authorisation Not applicable

(Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspi- ammonium nitrate (ANNEX I) cious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Ammonium nitrate: fertilizers capable of self-sustaining decomposition

: Not applicable

Not applicable

15.2 Chemical safety assessment

Not relevant

SECTION 16: Other information

Full text of H-Statements

H272 May intensify fire; oxidizer. Harmful if swallowed. H302 H315 Causes skin irritation.

H318 Causes serious eve damage. H319 Causes serious eve irritation.

H360FD May damage fertility. May damage the unborn child.

May cause damage to organs through prolonged or repeated H373

exposure if swallowed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eve Dam. : Serious eve damage

Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids
Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure

IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occu-

pational Exposure Limit Values - Code of Practice, Schedule 1

and 2

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min : Occupational exposure limit value (15-minute reference period)

(STEL) od

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Flexicote 15-8-13 9M



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.07.2025 M0558 Date of first issue: 28.07.2025

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN