# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## NSM 15-10-20 (+3,7+0,2 Mo)

| Version | Revision Date: | SDS Number: | Date of last issue: 26.05.2026 |
|---|---|---|---|
| 2.1 | 30.09.2026 | M0739 | Date of first issue: 12.03.2026 |

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : NSM 15-10-20 (+3,7+0,2 Mo)

Unique Formula Identifier (UFI) : DPR5-F04H-7004-DN0W

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fertiliser

### 1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Krögerweg 10
D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person responsible for the SDS : productsafety@compo-expert.com

### 1.4 Emergency telephone

GBK GmbH - Global Regulatory Compliance - 24h
Telephone:+49 (0) 6132 - 84463

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

| | |
|---|---|
| Oxidizing solids, Category 2 | H272: May intensify fire; oxidizer. |
| Long-term (chronic) aquatic hazard, Category 3 | H412: Harmful to aquatic life with long lasting effects. |

### 2.2 Label elements

**Labeling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



| | | | |
|---|---|---|---|
| Signal Word | : | Danger | |
| Hazard Statements | : | H272 | May intensify fire; oxidizer. |
| | | H412 | Harmful to aquatic life with long lasting effects. |
| Precautionary Statements | : | **Prevention:** | |
| | | P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| | | P220 | Keep away from clothing and other combustible materials. |
| | | P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. |
| | | **Disposal:** | |
| | | P501 | Dispose of contents/ container to an approved waste disposal plant. |
| Further information | : | German "Hazardous Substances" legislation ( Gefahrstoffverordnung) appendix I, No. 5 (Ammonium Nitrate group B I) | |

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Inorganic fertiliser

**Components**

| Chemical name | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification | Concentration (% w/w) |
|---|---|---|---|
| ammonium nitrate | 6484-52-2<br>229-347-8<br>01-2119490981-27-0050 | Ox. Sol. 3; H272<br>Eye Irrit. 2; H319 | >= 10 - < 20 |
| potassium nitrate | 7757-79-1 | Ox. Sol. 3; H272 | >= 45 - < 60 |

| | | | |
|---|---|---|---|
| | 231-818-8<br>01-2119488224-35-0017 | | |
| copper sulphate pentahydrate | 7758-99-8<br>231-847-6<br>029-023-00-4<br>01-2119520566-40-XXXX | Acute Tox. 4; H302<br>Eye Dam. 1; H318<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410<br><br>M-Factor (Acute aquatic toxicity): 10<br>M-Factor (Chronic aquatic toxicity): 1<br><br>Acute toxicity estimate<br><br>Acute oral toxicity: 481 mg/kg<br>482 mg/kg | >= 0,25 - < 1 |
| boric acid | 10043-35-3<br>233-139-2<br>005-007-00-2<br>01-2119486683-25-XXXX | Repr. 1B; H360FD | >= 0,1 - < 0,3 |
| Zinc sulphate heptahydrate | 7446-20-0<br>231-793-3<br>01-2119474684-27-XXXX | Acute Tox. 4; H302<br>Eye Dam. 1; H318<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410<br><br>M-Factor (Acute aquatic toxicity): 1<br>M-Factor (Chronic aquatic toxicity): 1<br><br>Acute toxicity estimate<br><br>Acute oral toxicity: 1.710 mg/kg | >= 0,1 - < 0,25 |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

If inhaled : If breathed in, move person into fresh air.
If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with plenty of water.
Take off all contaminated clothing immediately.
If symptoms persist, call a physician.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Ingestion may provoke the following symptoms:
Methaemoglobinemia

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water
Dry chemical
Water mist
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing : High volume water jet

| | |
|---|---|
| media | Carbon dioxide (CO2)<br>Foam<br>Sand |

### 5.2 Special hazards arising from the substance or mixture

| | | |
|---|---|---|
| Specific hazards during fire fighting | : | Thermal decomposition can lead to release of irritating gases and vapours.<br>Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Nitrogen oxides (NOx)<br>Carbon oxides |

### 5.3 Advice for firefighters

| | | |
|---|---|---|
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if necessary. |
| Further information | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>The product itself does not burn. |

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

| | | |
|---|---|---|
| Personal precautions | : | Use personal protective equipment.<br>Avoid contact with skin, eyes and clothing.<br>Wash contaminated clothing before re-use.<br>Avoid breathing dust.<br>For personal protection see section 8.<br>For disposal considerations see section 13. |

### 6.2 Environmental precautions

| | | |
|---|---|---|
| Environmental precautions | : | Do not flush into surface water or sanitary sewer system.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |

### 6.3 Methods and material for containment and cleaning up

| | | |
|---|---|---|
| Methods for cleaning up | : | Pick up and transfer to properly labelled containers. |

### 6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
Wear personal protective equipment.
Keep away from combustible material.
Keep away from heat and sources of ignition.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : The product is not flammable.

Hygiene measures : Keep away from food, drink and animal feedingstuffs. Wash hands before eating, drinking, or smoking. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Keep away from sources of ignition - No smoking. Keep away from direct sunlight. Protect from moisture.

Advice on common storage : Keep away from combustible materials.
Keep away from strong acids.
Keep away from strong bases.
Keep away from food, drink and animal feedingstuffs.

Storage class (TRGS 510) : 5.1C

Further information on storage stability : Protect from frost, heat and sunlight.

### 7.3 Specific end use(s)

Specific use(s) : Not relevant

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Occupational Exposure Limits**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|---|---|---|---|---|
| copper sulphate pentahydrate | 7758-99-8 | MAK (measured as the alveolate fraction) | 0,01 mg/m3 | DE DFG MAK |
| | Further information: Damage to the embryo or foetus is unlikely when the | | | |

| | | | | |
|---|---|---|---|---|
| | MAK value or the BAT value is observed | | | |
| boric acid | 10043-35-3 | MAK (inhalable fraction) | 10 mg/m3 | DE DFG MAK |
| | Further information: According to currently available information damage to the embryo or foetus cannot be excluded after exposure to concentrations at the level of the MAK and BAT values | | | |
| | | AGW (Inhalable fraction) | 0,5 mg/m3 (Borate) | DE TRGS 900 |
| | Peak-limit: excursion factor (category): 2;(I) | | | |
| | Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child | | | |
| Zinc sulphate hep-tahydrate | 7446-20-0 | MAK (measured as the alveolate fraction) | 0,1 mg/m3 | DE DFG MAK |
| | Further information: Zinc chloride: peak limit I(1), Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed | | | |
| | | MAK (inhalable fraction) | 2 mg/m3 | DE DFG MAK |
| | Further information: Zinc chloride: peak limit I(1), Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed | | | |

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006**

| Substance name | End Use | Routes of exposure | Potential health effects | Value |
|---|---|---|---|---|
| ammonium nitrate | Workers | Inhalation | Long-term systemic effects | 36 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 5,12 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 2,56 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 8,9 mg/m3 |
| | Consumers | Skin contact, Ingestion | Long-term systemic effects | 2,56 mg/kg bw/day |
| ammonium sulphate | Workers | Skin contact | Long-term systemic effects | 42,667 mg/kg |
| | Workers | Inhalation | Long-term systemic effects | 11,167 mg/m3 |
| | Consumer use | Oral | Long-term systemic effects | 6,4 mg/kg |
| | Consumer use | Skin contact | Long-term systemic effects | 12,8 mg/kg |
| | Consumer use | Inhalation | Long-term systemic effects | 1,667 mg/kg |

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006**

| Substance name | Environmental Compartment | Value |
|---|---|---|
| ammonium nitrate | Sewage treatment plant | 16,9 mg/l |
| | Fresh water | 16 mg/l |
| | Marine water | 15,9 mg/l |
| | Fresh water sediment | 77,7 mg/kg dry |

| | | |
|---|---|---|
| | | weight (d.w.) |
| | Marine sediment | 77,2 mg/kg dry weight (d.w.) |
| | Air | |
| | Remarks:This information is not available. | |
| | Soil | |
| | Remarks:This information is not available. | |
| ammonium sulphate | Fresh water | 0,312 mg/l |
| | Marine water | 0,0312 mg/l |
| | Intermittent use/release | 0,53 mg/l |
| | Soil | 62,6 mg/kg |
| | | 16,12 mg/l |
| | Fresh water | 0,063 mg/kg |

### 8.2 Exposure controls

**Individual protection measures, such as personal protective equipment (PPE)**

Eye/face protection : Tightly fitting safety goggles

Hand protection
- Material : Gloves
- Guideline : Equipment should conform to EN 374

Remarks : As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before use.

Skin and body protection : Long sleeved clothing

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
Equipment should conform to EN 14387

Filter type : Filter type P

Protective measures : Handle in accordance with good industrial hygiene and safety practice.
Wash contaminated clothing before re-use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : solid

Color : grey

Odor : none

| | | |
|---|---|---|
| Melting point/range | : | not determined |
| Boiling point/boiling range | : | not determined |
| Flammability | : | Will not burn |
| Upper explosion limit / Upper flammability limit | : | Not applicable |
| Lower explosion limit / Lower flammability limit | : | Not applicable |
| Flash point | : | Not applicable |
| Autoignition temperature | : | does not ignite |
| Decomposition temperature | : | > 130 °C<br>To avoid thermal decomposition, do not overheat. |
| pH | : | ca. 3,95 (20 °C)<br>Concentration: 100 g/l |
| Solubility(ies)<br>Water solubility | :<br>: | <br>soluble |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Density | : | not determined |
| Bulk density | : | ca. 1.120 kg/m3 |

**9.2 Other information**

| | | |
|---|---|---|
| Explosives | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is classified as oxidizing with the category 2. |

Self-ignition : not auto-flammable

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.
Heating can release hazardous gases.

### 10.4 Conditions to avoid

Conditions to avoid : Hot surface(s)
Direct sources of heat.

### 10.5 Incompatible materials

Materials to avoid : Strong bases
Organic materials
Strong acids
Powdered metals

### 10.6 Hazardous decomposition products

Hazardous decomposition products : Sulphur oxides
Oxides of phosphorus
Nitrogen oxides (NOx)

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity**

Based on available data, the classification criteria are not met.

**Components:**

**ammonium nitrate:**

Acute oral toxicity : LD50 (Rat): = 2.950 mg/kg bw
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity
Remarks: Data waiving: Study scientifically not necessary.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

**potassium nitrate:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : (Rat): > 0,527 mg/l
Exposure time: 4,0 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: The value corresponds to the highest concentration tested.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

**copper sulphate pentahydrate:**

Acute oral toxicity : Acute toxicity estimate: 481 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LD50 (Rat): 482 mg/kg
Assessment: Harmful if swallowed.

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

**boric acid:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 2,12 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: US EPA Test Guideline FIFRA
Assessment: The substance or mixture has no acute dermal toxicity

**Zinc sulphate heptahydrate:**

Acute oral toxicity : LD50 (Rat): 1.710 mg/kg
Assessment: Harmful if swallowed.
Remarks: anhydrous substance

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

**Components:**

**ammonium nitrate:**

Species : Rabbit
Exposure time : 4 h
Assessment : No skin irritation
Method : OECD Test Guideline 404

**potassium nitrate:**

Exposure time : 15 min
Assessment : No skin irritation
Method : OECD Test Guideline 439
GLP : yes

**copper sulphate pentahydrate:**

Assessment : No skin irritation

**boric acid:**

Species : Rabbit
Exposure time : 24 h

Assessment : No skin irritation
Method : US EPA Test Guideline FIFRA

**Zinc sulphate heptahydrate:**
Assessment : No skin irritation

**Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

**Product:**

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation
Remarks : Based on data from similar materials

**Components:**

**ammonium nitrate:**

Species : Rabbit
Exposure time : 24 h
Assessment : Irritating to eyes.
Method : OECD Test Guideline 405

**potassium nitrate:**

Exposure time : 240 min
Assessment : No eye irritation
Method : OECD Test Guideline 437
GLP : yes

**copper sulphate pentahydrate:**

Assessment : Risk of serious damage to eyes.

**boric acid:**

Species : Rabbit
Exposure time : 24 h
Assessment : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

**Zinc sulphate heptahydrate:**

Assessment : Risk of serious damage to eyes.

**Respiratory or skin sensitization**

**Skin sensitization**

Based on available data, the classification criteria are not met.

**Respiratory sensitization**

Based on available data, the classification criteria are not met.

**Components:**

**ammonium nitrate:**

| | | |
|---|---|---|
| Species | : | Mouse |
| Assessment | : | Does not cause skin sensitisation. |
| Method | : | OECD Test Guideline 429 |
| Remarks | : | The product was not tested. The statement was derived from products of similar structure and composition. |
| Assessment | : | Does not cause respiratory sensitisation. |

**potassium nitrate:**

| | | |
|---|---|---|
| Assessment | : | Does not cause skin sensitisation. |
| Assessment | : | Does not cause respiratory sensitisation. |

**copper sulphate pentahydrate:**

| | | |
|---|---|---|
| Assessment | : | Does not cause skin sensitisation. |
| Assessment | : | Does not cause respiratory sensitisation. |

**boric acid:**

| | | |
|---|---|---|
| Assessment | : | Does not cause skin sensitisation. |
| Assessment | : | Does not cause respiratory sensitisation. |

**Zinc sulphate heptahydrate:**

| | | |
|---|---|---|
| Assessment | : | Does not cause skin sensitisation. |
| Assessment | : | Does not cause respiratory sensitisation. |

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Components:**

**ammonium nitrate:**

| | | |
|---|---|---|
| Genotoxicity in vitro | : | Method: OECD Test Guideline 471<br>Result: negative |
| Germ cell mutagenicity- Assessment | : | Weight of evidence does not support classification as a germ cell mutagen. |

**potassium nitrate:**

| | | |
|---|---|---|
| Germ cell mutagenicity- As- | : | Weight of evidence does not support classification as a germ |

sessment | cell mutagen.

**copper sulphate pentahydrate:**

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**boric acid:**

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Zinc sulphate heptahydrate:**

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Carcinogenicity**

Not classified due to lack of data.

**Components:**

**ammonium nitrate:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**potassium nitrate:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**copper sulphate pentahydrate:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**boric acid:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**Zinc sulphate heptahydrate:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**Components:**

**ammonium nitrate:**

| | | |
|---|---|---|
| Effects on fetal development | : | Teratogenicity: NOAEL: 920 mg/kg body weight<br>Developmental Toxicity: NOAEL: 920 mg/kg body weight<br>Result: No adverse effects<br>Remarks: Based on data from similar materials |
| Reproductive toxicity - Assessment | : | No toxicity to reproduction |
| | | No effects on or via lactation |

**potassium nitrate:**

| | | |
|---|---|---|
| Reproductive toxicity - Assessment | : | No toxicity to reproduction |
| | | No effects on or via lactation |

**copper sulphate pentahydrate:**

| | | |
|---|---|---|
| Reproductive toxicity - Assessment | : | No toxicity to reproduction |
| | | No effects on or via lactation |

**boric acid:**

| | | |
|---|---|---|
| Effects on fertility | : | Fertility: NOAEL: 100 mg B/kg bw/day<br>Remarks: Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments |
| Effects on fetal development | : | Developmental Toxicity: NOAEL: 12,9 mg B/kg bw/day |
| Reproductive toxicity - Assessment | : | Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments |
| | | No effects on or via lactation |

**Zinc sulphate heptahydrate:**

| | | |
|---|---|---|
| Reproductive toxicity - Assessment | : | No toxicity to reproduction |
| | | No effects on or via lactation |

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**Components:**

**ammonium nitrate:**

| | | |
|---|---|---|
| Assessment | : | The substance or mixture is not classified as specific target |

organ toxicant, single exposure.

**potassium nitrate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**copper sulphate pentahydrate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**boric acid:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Zinc sulphate heptahydrate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Components:**

**ammonium nitrate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**potassium nitrate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**copper sulphate pentahydrate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**boric acid:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Zinc sulphate heptahydrate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity**

**Components:**

**ammonium nitrate:**

| | | |
|---|---|---|
| Species | : | Rat |
| NOAEL | : | > 1.500 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 28 d |

| | | |
|---|---|---|
| Species | : | Rat |
| NOAEL | : | = 256 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 52 w |
| Method | : | OECD Test Guideline 453 |

| | | |
|---|---|---|
| Species | : | Rat |
| NOAEL | : | >= 185 mg/kg |
| Application Route | : | inhalation (dust/mist/fume) |
| Exposure time | : | 14 d |
| Method | : | OECD Test Guideline 412 |

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Components:**

**ammonium nitrate:**

No aspiration toxicity classification

**potassium nitrate:**

No aspiration toxicity classification

**copper sulphate pentahydrate:**

No aspiration toxicity classification

**boric acid:**

No aspiration toxicity classification

**Zinc sulphate heptahydrate:**

No aspiration toxicity classification

**11.2 Information on other hazards**

**Endocrine disrupting properties**

**Product:**

| | | |
|---|---|---|
| Assessment | : | The substance/mixture does not contain components consid- |

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: Ecological information

### 12.1 Toxicity

**Components:**

**ammonium nitrate:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Cyprinus carpio (Carp)): > 100 mg/l<br>Exposure time: 48 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Ceriodaphnia sp. (Water Flea)): = 340 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 1.048 mg/l<br>Exposure time: 72 h<br>GLP: yes |
| Toxicity to microorganisms | : | EC50 (activated sludge): 1.000 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209 |

**potassium nitrate:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Cyprinus carpio (Carp)): > 447 mg/l<br>Exposure time: 48 h |
| Toxicity to daphnia and other aquatic invertebrates | : | LC50 (Ceriodaphnia sp. (Water Flea)): = 340 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 1.048 mg/l<br>Exposure time: 72 h<br>GLP: yes |

**copper sulphate pentahydrate:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 38,4 - 256,2 |

| | | |
|---|---|---|
| | | g/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 33,8 - 792 g/l<br>Exposure time: 48 h |
| M-Factor (Acute aquatic toxicity) | : | 10 |
| Toxicity to fish (Chronic toxicity) | : | NOEC: 66 g/l<br>Exposure time: 14 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | 21,5 - 181 g/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea) |
| M-Factor (Chronic aquatic toxicity) | : | 1 |

**boric acid:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 79,7 mg B/kg |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna): 113 mg B/kg<br>Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (microalgae)): 52,4 mg B/kg<br>Exposure time: 74,5 h<br>Method: OECD Test Guideline 201<br>GLP: yes<br>Remarks: Boron |
| Toxicity to fish (Chronic toxicity) | : | NOEC: 5.6 mg B/kg<br>Exposure time: 34 d<br>Species: Danio rerio (zebra fish)<br>Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | EC10: 17.5 mg B/kg<br>Exposure time: 28 d<br>Species: Americamysis bahia (Opossum Shrimp)<br>GLP: yes |

**Zinc sulphate heptahydrate:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 : 315 µg/l<br>Exposure time: 96 h |
| M-Factor (Acute aquatic toxicity) | : | 1 |
| Toxicity to fish (Chronic tox- | : | NOEC: 1.480 µg/l |

| | | |
|---|---|---|
| icity) | | Exposure time: 30 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 14 - 718 µg/l<br>Exposure time: 21 d |
| M-Factor (Chronic aquatic toxicity) | : | 1 |

### 12.2 Persistence and degradability

**Components:**

**ammonium nitrate:**

| | | |
|---|---|---|
| Biodegradability | : | Remarks: The methods for determining the biological degradability are not applicable to inorganic substances. |

### 12.3 Bioaccumulative potential

**Components:**

**ammonium nitrate:**

| | | |
|---|---|---|
| Bioaccumulation | : | Remarks: Bioaccumulation is unlikely.<br>Data waiving: Study scientifically not necessary. |
| Partition coefficient: n-octanol/water | : | log Pow: -3,1 |

**potassium nitrate:**

| | | |
|---|---|---|
| Bioaccumulation | : | Remarks: Bioaccumulation is unlikely.<br>Data waiving: Study scientifically not necessary. |
| Partition coefficient: n-octanol/water | : | Remarks: No data available |

**copper sulphate pentahydrate:**

| | | |
|---|---|---|
| Partition coefficient: n-octanol/water | : | Remarks: Not applicable |

**boric acid:**

| | | |
|---|---|---|
| Bioaccumulation | : | Remarks: Data waiving: Study scientifically not necessary. |
| Partition coefficient: n-octanol/water | : | log Pow: -1,09 (22 °C)<br>Method: OECD Test Guideline 107<br>GLP: yes |

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Components:**

**ammonium nitrate:**

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

**potassium nitrate:**

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

**boric acid:**

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).
Remarks: Not applicable

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not flush into surface water or sanitary sewer system.
Dispose of in accordance with local regulations.
Waste codes should be assigned by the user based on the application for which the product was used.

| | | |
|---|---|---|
| Contaminated packaging | : | Empty remaining contents.<br>Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>Empty containers retain residue and can be dangerous. |

## SECTION 14: Transport information

### 14.1 UN number or ID number

| | | |
|---|---|---|
| **ADN** | : | UN 1477 |
| **ADR** | : | UN 1477 |
| **RID** | : | UN 1477 |
| **IMDG** | : | UN 1477 |
| **IATA** | : | UN 1477 |

### 14.2 UN proper shipping name

| | | |
|---|---|---|
| **ADN** | : | NITRATES, INORGANIC, N.O.S. |
| **ADR** | : | NITRATES, INORGANIC, N.O.S. |
| **RID** | : | NITRATES, INORGANIC, N.O.S. |
| **IMDG** | : | NITRATES, INORGANIC, N.O.S. |
| **IATA** | : | Nitrates, inorganic, n.o.s. |

### 14.3 Transport hazard class(es)

| | | Class | Subsidiary risks |
|---|---|---|---|
| **ADN** | : | 5.1 | |
| **ADR** | : | 5.1 | |
| **RID** | : | 5.1 | |
| **IMDG** | : | 5.1 | |
| **IATA** | : | 5.1 | |

### 14.4 Packing group

**ADN**

| | | |
|---|---|---|
| Packing group | : | II |
| Classification Code | : | O2 |
| Hazard Identification Number | : | 50 |
| Labels | : | 5.1 |

**ADR**

| | | |
|---|---|---|
| Packing group | : | II |
| Classification Code | : | O2 |
| Hazard Identification Number | : | 50 |

Labels : 5.1
Tunnel restriction code : (E)

**RID**
Packing group : II
Classification Code : O2
Hazard Identification Number : 50
Labels : 5.1

**IMDG**
Packing group : II
Labels : 5.1
EmS Code : F-A, S-Q
Remarks : Ammonium compounds

**IATA (Cargo)**
Packing instruction (cargo aircraft) : 562
Packing instruction (LQ) : Y544
Packing group : II
Labels : Oxidizer

**IATA (Passenger)**
Packing instruction (passenger aircraft) : 558
Packing instruction (LQ) : Y544
Packing group : II
Labels : Oxidizer

### 14.5 Environmental hazards

**ADN**
Environmentally hazardous : no

**ADR**
Environmentally hazardous : no

**RID**
Environmentally hazardous : no

**IMDG**
Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Regulatory basis : IMSBC Code
Remarks : Product is not allowed to be transported in bulk.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : boric acid

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

potassium nitrate (ANNEX II)
ammonium nitrate (ANNEX I)

| | | |
|---|---|---|
| Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. | P8 | OXIDIZING LIQUIDS AND SOLIDS |

Water hazard class (Germany) : WGK 3 highly hazardous to water
Classification according to AwSV, Annex 1 (5.2)

**Other regulations:**

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

### 15.2 Chemical Safety Assessment

Not relevant

## SECTION 16: Other information

**Full text of H-Statements**

| | | |
|---|---|---|
| H272 | : | May intensify fire; oxidizer. |
| H302 | : | Harmful if swallowed. |
| H318 | : | Causes serious eye damage. |

| | | |
|---|---|---|
| H319 | : | Causes serious eye irritation. |
| H360FD | : | May damage fertility. May damage the unborn child. |
| H400 | : | Very toxic to aquatic life. |
| H410 | : | Very toxic to aquatic life with long lasting effects. |

**Full text of other abbreviations**

| | | |
|---|---|---|
| Acute Tox. | : | Acute toxicity |
| Aquatic Acute | : | Short-term (acute) aquatic hazard |
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard |
| Eye Dam. | : | Serious eye damage |
| Eye Irrit. | : | Eye irritation |
| Ox. Sol. | : | Oxidizing solids |
| Repr. | : | Reproductive toxicity |
| DE DFG MAK | : | Germany. MAK BAT Annex IIa |
| DE TRGS 900 | : | Germany. TRGS 900 - Occupational exposure limit values. |
| DE DFG MAK / MAK | : | MAK value |
| DE TRGS 900 / AGW | : | Time Weighted Average |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; BGW - Biological Limit Values; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); LSPN - List of Hazardous Notified Substances (Chile); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

| **Classification of the mixture:** | | **Classification procedure:** |
|---|---|---|
| Ox. Sol. 2 | H272 | Based on product data or assessment |
| Aquatic Chronic 3 | H412 | Calculation method |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN