according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Floranid® Twin Turf BS 20-5-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fertiliser

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH

Krögerweg 10 D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

: info@compo-expert.com

## 1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone:+49 (0) 6132 - 84463

Schweiz/Suisse/Svizerra: Tox Info Suisse

Telephone:145

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

## **Additional Labelling**

EUH210 Safety data sheet available on request.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Inorganic fertiliser

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		
	Registration number		
ammonium nitrate	6484-52-2	Ox. Sol. 3; H272	>= 10 - < 20
	229-347-8	Eye Irrit. 2; H319	
	01-2119490981-27-		
	0050		
Ferrous sulfate monohydrate	17375-41-6	Acute Tox. 4; H302	>= 1 - < 10
	231-753-5	Skin Irrit. 2; H315	
	026-003-00-7	Eye Irrit. 2; H319	
	01-2119513203-57-		
	XXXX	Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		300,03 mg/kg	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : If breathed in, move person into fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Ingestion may provoke the following symptoms:

Methaemoglobinemia

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Water

Dry chemical Water mist

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Carbon dioxide (CO2) Foam

Sand

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Thermal decomposition can lead to release of irritating gases

and vapours.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Nitrogen oxides (NOx)

Carbon monoxide Carbon oxides

Oxides of phosphorus

Sulphur oxides

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

The product itself does not burn.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid contact with skin, eyes and clothing. Wash contaminated clothing before re-use.

Avoid breathing dust.

For personal protection see section 8. For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

## 6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

Wear personal protective equipment.
Keep away from combustible material.

Keep away from heat and sources of ignition.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed. The product should only be used in areas from

which all naked lights and other sources of ignition have been

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

excluded. Electrical equipment should be protected to the

appropriate standard.

Hygiene measures : Keep away from food, drink and animal feedingstuffs. Wash

hands before eating, drinking, or smoking. Wash hands before

breaks and at the end of workday.

Dust explosion class : No data available

## 7.2 Conditions for safe storage, including any incompatibilities

Further information on stor-

age conditions

: Keep away from sources of ignition - No smoking. Keep away

from direct sunlight. Protect from moisture. Protect from con-

tamination.

Advice on common storage : Keep away from combustible materials.

Keep away from strong acids. Keep away from strong bases.

Keep away from food, drink and animal feedingstuffs.

Further information on stor-

age stability

Protect from frost, heat and sunlight.

7.3 Specific end use(s)

Specific use(s) : Not relevant

#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Ferrous sulfate	17375-41-6	OELV - 8 hrs	1 mg/m3	IE OEL
monohydrate		(TWA)	(Iron)	
		OELV - 15 min	2 mg/m3	IE OEL
		(STEL)	(Iron)	

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
N,N"- (isobutylidene)diurea	Workers	Skin contact	Long-term systemic effects	37,5 mg/kg
	Workers	Inhalation	Long-term systemic effects	66,12 mg/m3
	Consumers	Skin contact	Long-term systemic effects	18,75 mg/kg
	Consumers	Inhalation	Long-term systemic effects	16,31 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

	Consumers	Ingestion	Long-term systemic effects	9,37 mg/kg
ammonium sulphate	Workers	Skin contact	Long-term systemic effects	42,667 mg/kg
	Workers	Inhalation	Long-term systemic effects	11,167 mg/m3
	Consumer use	Oral	Long-term systemic effects	6,4 mg/kg
	Consumer use	Skin contact	Long-term systemic effects	12,8 mg/kg
	Consumer use	Inhalation	Long-term systemic effects	1,667 mg/kg
6-methyl-2- oxoperhydropyrimidin- 4-ylurea	Consumers	Oral	Long-term systemic effects	5,93 mg/kg
	Consumers	Dermal	Long-term systemic effects	5,93 mg/kg
	Workers	Inhalation	Long-term systemic effects	117,11 mg/m3
	Consumers	Inhalation	Long-term systemic effects	20,63 mg/m3
	Workers	Dermal	Long-term systemic effects	166,06 mg/kg
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
N,N"-(isobutylidene)diurea	Fresh water	0,5 mg/l
	Marine water	0,05 mg/l
	Fresh water sediment	1,76 mg/l
	Marine sediment	0,176 mg/l
	Soil	10,7 mg/l
	Behaviour in waste water treatment plants	640 mg/l
ammonium sulphate	Fresh water	0,312 mg/l
	Marine water	0,0312 mg/l
	Intermittent use/release	0,53 mg/l
	Soil	62,6 mg/kg
		16,12 mg/l
	Fresh water	0,063 mg/kg
ammonium nitrate	Sewage treatment plant	18 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

#### 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Hand protection

Material : Gloves

Directive : Equipment should conform to EN 374

Remarks : As the product is a mixture of several substances, the dura-

bility of the glove materials cannot be calculated in advance

and has to be tested before use.

Skin and body protection : Long sleeved clothing

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Equipment should conform to EN 14387

Filter type : Filter type P

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

Wash contaminated clothing before re-use.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state : solid

Colour : green

Odour : very faint

Melting point/range : not determined

Boiling point/boiling range : not determined

Flammability : Will not burn

Upper explosion limit / Upper :

flammability limit

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version SDS Number: Date of last issue: -Revision Date:

15.02.2025 Date of first issue: 15.02.2025 1.0 M0376

Lower explosion limit / Lower :

flammability limit

Not applicable

Flash point Not applicable

Auto-ignition temperature No data available

Decomposition temperature : > 130 °C

pΗ 6 - 7 (20 °C)

Concentration: 100 g/l

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Bulk density ca. 860 kg/m<sup>3</sup>

9.2 Other information

Oxidizing properties : The substance or mixture is not classified as oxidizing.

: not auto-flammable Self-ignition

Minimum explosible dust con- : No data available

centration

: No data available Dust explosion class

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability

Stable under normal conditions.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

Heating can release hazardous gases.

10.4 Conditions to avoid

Conditions to avoid : Hot surface(s)

Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Strong bases

Organic materials Powdered metals

10.6 Hazardous decomposition products

Hazardous decomposition : Nitrogen oxides (NOx)

products Oxides of phosphorus

Sulphur oxides ammonia

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Based on available data, the classification criteria are not met.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

**Components:** 

ammonium nitrate:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

Ferrous sulfate monohydrate:

Acute oral toxicity : LD50: > 300 - < 2.000 mg/kg

Assessment: Harmful if swallowed.

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### **Components:**

ammonium nitrate:

Assessment : No skin irritation

Ferrous sulfate monohydrate:

Assessment : Irritating to skin.

## Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

## Components:

ammonium nitrate:

Species : Rabbit Exposure time : 24 h

Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

Ferrous sulfate monohydrate:

Assessment : Irritating to eyes.

## Respiratory or skin sensitisation

## Skin sensitisation

Based on available data, the classification criteria are not met.

## Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Components:

#### ammonium nitrate:

Assessment : Does not cause skin sensitisation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

Assessment : Does not cause respiratory sensitisation.

Ferrous sulfate monohydrate:

Assessment : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

**Components:** 

ammonium nitrate:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Ferrous sulfate monohydrate:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

**Components:** 

ammonium nitrate:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Ferrous sulfate monohydrate:

Carcinogenicity - Assess-

ment

Not classifiable as a human carcinogen.

Reproductive toxicity

Based on available data, the classification criteria are not met.

**Components:** 

ammonium nitrate:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

No effects on or via lactation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

Ferrous sulfate monohydrate:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

No effects on or via lactation

STOT - single exposure

Based on available data, the classification criteria are not met.

**Components:** 

ammonium nitrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Ferrous sulfate monohydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

**Components:** 

ammonium nitrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Ferrous sulfate monohydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

ammonium nitrate:

Species : Rat

NOAEL : > 1.500 mg/kg

Application Route : Oral Exposure time : 28 d

Species : Rat

NOAEL : = 256 mg/kg

Application Route : Oral Exposure time : 52 w

Method : OECD Test Guideline 453

Species : Rat

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

NOAEL : >= 185 mg/kg

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 w

Method : OECD Test Guideline 412

#### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

#### **Components:**

#### ammonium nitrate:

No aspiration toxicity classification

#### Ferrous sulfate monohydrate:

No aspiration toxicity classification

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### ammonium nitrate:

Toxicity to fish : LC50 (Fish): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 490 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (diatoms): 1.700 mg/l

Exposure time: 10 h

Toxicity to microorganisms : EC50 (activated sludge): 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

## 12.2 Persistence and degradability

#### **Components:**

ammonium nitrate:

Biodegradability : Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

#### **Components:**

ammonium nitrate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: -3,1

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

## **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### 12.6 Endocrine disrupting properties

## Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

## 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Do not flush into surface water or sanitary sewer system.

Dispose of in accordance with local regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA\_P : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA\_P : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA\_P : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA\_P (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Regulatory basis : IMSBC Code

MHB : no IMSBC Group : C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspiammonium nitrate (ANNEX I) cious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

: Not applicable

#### 15.2 Chemical safety assessment

Not relevant

## **SECTION 16: Other information**

#### **Full text of H-Statements**

H272 : May intensify fire; oxidizer.
H302 : Harmful if swallowed.
H315 : Causes skin irritation.

H319 : Causes serious eye irritation.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity
Eye Irrit. : Eye irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

Ox. Sol. : Oxidizing solids Skin Irrit. : Skin irritation

IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occu-

pational Exposure Limit Values - Code of Practice, Schedule 1

and 2

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min : Occupational exposure limit value (15-minute reference peri-

(STEL) od

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Floranid® Twin Turf BS 20-5-8



Version Revision Date: SDS Number: Date of last issue: -

1.0 15.02.2025 M0376 Date of first issue: 15.02.2025

IE / EN